



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

COMB.
AND
SCREEN
DOORS
SCREENS

WINDOWS
SASH
BLINDS
SHUTTERS

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO

STAIR-
ORK A
'ORC
WO

ITLES
ND
INET
ORK

YLE
EN
ET

GENERAL MILLWORK

CATALOG

No. 49

June 1, 1949

QUIGLEY'S

J. R. QUIGLEY CO.

GLOUCESTER CITY, NEW JERSEY

PHONE: GLOUCESTER 6-0444
MARKET 7-0444

ALSO BRANCHES

GLOUCESTER CITY, N. J.
811 Market Street
Phone: Gloucester 6-0444
Market 7-0444

PHILADELPHIA, PA.
2867 E. Allegheny Avenue
Phone: GARfield 6-4434

CRESSONA, PA.
Front and Railroad Streets
Phone: Schuylkill Haven 244 & 245


LANCASTER, PA.
309 Harrisburg Avenue
Phone: Lancaster 6158

HARRISBURG, PA.
1248-70 S. Cameron
Phone: 5-8102 & 5-8104

QUIGLEY'S

COMBINATION SCREEN AND STORM DOORS

WHITE PINE



Q-8

THE "ALL SEASON" DOOR

Furnished complete

Wired Screen Panel. 14 x 18 Mesh

Glazed Sash with Beads

Adjustable Locking Device Prevents Rattling

	Bronze Each	Aldura Aluminum Each
2. 4½ x 6. 7—1⅞	\$22.08	\$21.93
2. 6½ x 6. 7—1⅞	22.08	21.93
2. 6½ x 6. 9—1⅞	22.24	22.09
2. 6½ x 7. 1—1⅞	23.12	22.97
2. 8½ x 6. 9—1⅞	22.92	22.76
2. 8½ x 7. 1—1⅞	23.80	23.64
2. 10½ x 6. 9—1⅞	23.33	23.17
2. 10½ x 6. 11—1⅞	24.06	23.89
2. 10½ x 7. 1—1⅞	24.30	24.13
3. 0½ x 6. 9—1⅞	23.88	23.72
3. 0½ x 6. 11—1⅞	24.84	24.67
3. 0½ x 7. 1—1⅞	24.84	24.67

This Combination Door requires no planing or fitting of panels. They are made interchangeable and are fitted perfectly. In fact, the Combination Door is no more trouble to install than a single screen door, for it requires but one fitting, one set of hardware and one expense, yet you have both screen and storm equipment.

WHITE PINE SCREEN DOORS

14 x 18 MESH



Q-2

Q-3

	Bronze Each	Aldura Aluminum Each
2. 0½ x 6. 7—1⅞	\$12.23	\$11.90
2. 0½ x 6. 9—1⅞	12.73	12.38
2. 0½ x 7. 1—1⅞	13.02	12.65
2. 6½ x 6. 7—1⅞	12.23	11.90
2. 6½ x 6. 9—1⅞	12.73	12.38
2. 6½ x 7. 1—1⅞	13.02	12.65
2. 8½ x 6. 7—1⅞	12.73	12.38
2. 8½ x 6. 9—1⅞	12.73	12.38
2. 8½ x 6. 11—1⅞	12.88	12.52
2. 8½ x 7. 1—1⅞	13.02	12.65
2. 10½ x 6. 9—1⅞	13.27	12.88
2. 10½ x 6. 11—1⅞	13.27	12.88
2. 10½ x 7. 1—1⅞	13.41	13.02
3. 0½ x 6. 9—1⅞	13.41	13.02
3. 0½ x 6. 11—1⅞	13.78	13.37
3. 0½ x 7. 1—1⅞	13.78	13.37

¾" Stiles.

¾" Top Rail.

7" Bottom Rail.


ALL No. 1 WHITE PINE

MORTISE AND TENONED CONSTRUCTION

QUIGLEY'S

WINDOW SCREENS


WHITE PINE—FULL LENGTH
1 1/8" THICK
14 x 18 MESH WIRE



Countersunk Bead Moulding
Phila.-Balto. Openings


Thru-Mortised and Tenoned
Construction — not the ordi-
nary Slotted Joints.

Wire set in Rabbet with Flat
Moulding. Every Strand Se-
curely Held by Rattan Welt.



NOTE—This wide layout.
2 3/8" Stiles Overall.
2 3/8" Top Rail Overall.
3 1/2" Bottom Rail Overall.
14 x 18 Mesh Wire.

Method of Holding Wire Rigidly in Place



Thru-Mortised
Construction

WINDOW SCREENS

MADE OF GENUINE
SOFT, CLEAR WHITE PINE

2 Lt. Window Glass Size	Outside Screen Size	Bronze Each	Aldura Aluminum Each
16 x 16	1. 8 1/2 x 3. 3 3/8	\$4.03	\$3.96
16 x 18	1. 8 1/2 x 3. 7 3/8	4.28	4.21
16 x 20	1. 8 1/2 x 3. 11 3/8	4.54	4.46
16 x 24	1. 8 1/2 x 4. 7 3/8	5.04	4.95
18 x 24	1. 10 1/2 x 4. 7 3/8	5.67	5.57
20 x 16	2. 0 1/2 x 3. 3 3/8	4.47	4.39
20 x 18	2. 0 1/2 x 3. 7 3/8	4.79	4.70
20 x 20	2. 0 1/2 x 3. 11 3/8	5.10	5.01
20 x 24	2. 0 1/2 x 4. 7 3/8	5.67	5.57
20 x 26	2. 0 1/2 x 4. 11 3/8	5.99	5.88
20 x 28	2. 0 1/2 x 5. 3 3/8	6.24	6.13
20 x 30	2. 0 1/2 x 5. 7 3/8	6.55	6.44
20 x 32	2. 0 1/2 x 5. 11 3/8	6.87	6.74

2 Lt. Window Glass Size	Outside Screen Size	Bronze Each	Aldura Aluminum Each
24 x 16	2. 4 1/2 x 3. 3 3/8	\$5.04	\$4.95
24 x 18	2. 4 1/2 x 3. 7 3/8	5.36	5.26
24 x 20	2. 4 1/2 x 3. 11 3/8	5.67	5.57
24 x 22	2. 4 1/2 x 4. 3 3/8	6.05	5.94
24 x 24	2. 4 1/2 x 4. 7 3/8	6.36	6.25
24 x 26	2. 4 1/2 x 4. 11 3/8	6.68	6.56
24 x 28	2. 4 1/2 x 5. 3 3/8	7.06	6.93
24 x 30	2. 4 1/2 x 5. 7 3/8	7.37	7.24
24 x 32	2. 4 1/2 x 5. 11 3/8	7.69	7.55
26 x 18	2. 6 1/2 x 3. 7 3/8	5.86	5.75
26 x 20	2. 6 1/2 x 3. 11 3/8	6.24	6.13
26 x 22	2. 6 1/2 x 4. 3 3/8	6.62	6.50
26 x 24	2. 6 1/2 x 4. 7 3/8	6.99	6.87
26 x 26	2. 6 1/2 x 4. 11 3/8	7.37	7.24
26 x 28	2. 6 1/2 x 5. 3 3/8	7.75	7.61
26 x 30	2. 6 1/2 x 5. 7 3/8	8.13	7.98
26 x 32	2. 6 1/2 x 5. 11 3/8	8.51	8.35
27 x 18	2. 7 1/2 x 3. 7 3/8	5.86	5.75
27 x 20	2. 7 1/2 x 3. 11 3/8	6.24	6.13
27 x 24	2. 7 1/2 x 4. 7 3/8	6.99	6.87
27 x 26	2. 7 1/2 x 4. 11 3/8	7.37	7.24
27 x 28	2. 7 1/2 x 5. 3 3/8	7.75	7.61
27 x 30	2. 7 1/2 x 5. 7 3/8	8.13	7.98
27 x 32	2. 7 1/2 x 5. 11 3/8	8.51	8.35
28 x 16	2. 8 1/2 x 3. 3 3/8	5.48	5.38
28 x 18	2. 8 1/2 x 3. 7 3/8	5.86	5.75
28 x 20	2. 8 1/2 x 3. 11 3/8	6.24	6.13
28 x 22	2. 8 1/2 x 4. 3 3/8	6.62	6.50
28 x 24	2. 8 1/2 x 4. 7 3/8	6.99	6.87
28 x 26	2. 8 1/2 x 4. 11 3/8	7.37	7.24
28 x 28	2. 8 1/2 x 5. 3 3/8	7.75	7.61
28 x 30	2. 8 1/2 x 5. 7 3/8	8.13	7.98
28 x 32	2. 8 1/2 x 5. 11 3/8	8.51	8.35
30 x 20	2. 10 1/2 x 3. 11 3/8	6.80	6.68
30 x 24	2. 10 1/2 x 4. 7 3/8	7.62	7.49
30 x 26	2. 10 1/2 x 4. 11 3/8	8.06	7.92
30 x 28	2. 10 1/2 x 5. 3 3/8	8.44	8.29
30 x 30	2. 10 1/2 x 5. 7 3/8	8.88	8.72
30 x 32	2. 10 1/2 x 5. 11 3/8	9.32	9.16
32 x 16	3. 0 1/2 x 3. 3 3/8	5.99	5.88
32 x 20	3. 0 1/2 x 3. 11 3/8	6.80	6.68
32 x 24	3. 0 1/2 x 4. 7 3/8	7.62	7.49
32 x 26	3. 0 1/2 x 4. 11 3/8	8.06	7.92
32 x 28	3. 0 1/2 x 5. 3 3/8	8.44	8.29
32 x 30	3. 0 1/2 x 5. 7 3/8	8.88	8.72
32 x 32	3. 0 1/2 x 5. 11 3/8	9.32	9.16
36 x 16	3. 4 1/2 x 3. 3 3/8	6.49	6.37
36 x 20	3. 4 1/2 x 3. 11 3/8	7.43	7.30
36 x 24	3. 4 1/2 x 4. 7 3/8	8.32	8.17
36 x 26	3. 4 1/2 x 4. 11 3/8	8.82	8.66
36 x 28	3. 4 1/2 x 5. 3 3/8	9.26	9.10
36 x 30	3. 4 1/2 x 5. 7 3/8	9.70	9.53
36 x 32	3. 4 1/2 x 5. 11 3/8	10.14	9.96
36 x 36	3. 4 1/2 x 6. 7 3/8	11.09	10.89
40 x 20	3. 8 1/2 x 3. 11 3/8	8.00	7.86
40 x 24	3. 8 1/2 x 4. 7 3/8	9.01	8.85
40 x 26	3. 8 1/2 x 4. 11 3/8	9.51	9.34
40 x 28	3. 8 1/2 x 5. 3 3/8	10.02	9.84

COMB.
AND
SCREEN
DOORS
SCREENS

WINDOWS
SASH
BLINDS
SHUTTERS

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOOR*

FLUSH
DOOR
AND
GAR
DO


STAIR-
DRK A
PORC
WO

ITLES
ND
INET
DRK

TYLE
TEN
NET

QUIGLEY'S

DURALL ALUMINUM TENSION SCREENS



Durall Aluminum Tension Screens are made for double-hung windows. There are top and bottom aluminum bars with attachments and wire screening already inserted into these bars. There are no side frames. The top bar is screwed to the top of the window blind stop and is secured or released from the stop by slide lock brackets. The bottom bar is of two parts allowing about $\frac{1}{2}$ inch adjustment in the length of the screen. This is called the adjustment channel on the Durall Screen and is a unique feature which takes care of differences in sills and assures a tight fit. Attached to this bottom bar are brackets which hook over sill brackets. The sill brackets are screwed to the window sill. A thumb screw locks the bar brackets and sill brackets together and draws the screen up tight against the blind stop and sill. If, by accident, the screening becomes damaged, it can be replaced in a matter of minutes. Reorder screening only, by Durall number and proper screening will be supplied with ends folded, ready to be inserted into the top and bottom bar channels.

PHILADELPHIA OPENINGS

Durall Number	Durall Measurement (Window Opening Size)	Price
20½38	1. 8½ x 3. 2½	\$3.30
20½46	1. 8½ x 3.10½	3.51
20½54	1. 8½ x 4. 6½	3.72
24½38	2. 0½ x 3. 2½	3.57
24½42	2. 0½ x 3. 6½	3.71
24½46	2. 0½ x 3.10½	3.83
24½54	2. 0½ x 4. 6½	4.07
24½58	2. 0½ x 4.10½	4.19
24½62	2. 0½ x 5. 2½	4.31
28½38	2. 4½ x 3. 2½	3.84
28½42	2. 4½ x 3. 6½	3.98
28½46	2. 4½ x 3.10½	4.13
28½54	2. 4½ x 4. 6½	4.41
28½58	2. 4½ x 4.10½	4.55
28½62	2. 4½ x 5. 2½	4.70
31½38	2. 7½ x 3. 2½	4.07
31½42	2. 7½ x 3. 6½	4.17
31½46	2. 7½ x 3.10½	4.38
31½54	2. 7½ x 4. 6½	4.70
31½58	2. 7½ x 4.10½	4.85
31½62	2. 7½ x 5. 2½	5.01
34½46	2.10½ x 3.10½	4.76
34½54	2.10½ x 4. 6½	5.10
34½58	2.10½ x 4.10½	5.28
34½62	2.10½ x 5. 2½	5.45
36½38	3. 0½ x 3. 2½	4.53
36½46	3. 0½ x 3.10½	4.91
36½54	3. 0½ x 4. 6½	5.27
40½38	3. 4½ x 3. 2½	4.86
40½46	3. 4½ x 3.10½	5.27
40½54	3. 4½ x 4. 6½	5.67
44½38	3. 8½ x 3. 2½	5.13
44½46	3. 8½ x 3.10½	5.61
44½54	3. 8½ x 4. 6½	6.06

MODULAR OPENINGS

Durall Number	Durall Measurement (Window Opening Size)	Price
2038	1.8 x 3. 2	\$3.24
2046	1.8 x 3.10	3.44
2054	1.8 x 4. 6	3.63
2438	2.0 x 3. 2	3.54
2446	2.0 x 3.10	3.78
2454	2.0 x 4. 6	4.02
2838	2.4 x 3. 2	3.80
2846	2.4 x 3.10	4.08
2854	2.4 x 4. 6	4.37
2858	2.4 x 4.10	4.50
2862	2.4 x 5. 2	4.65
3238	2.8 x 3. 2	4.10
3246	2.8 x 3.10	4.41
3250	2.8 x 4. 2	4.58
3254	2.8 x 4. 6	4.73
3262	2.8 x 5. 2	5.06
3638	3.0 x 3. 2	4.50
3642	3.0 x 3. 6	4.68
3646	3.0 x 3.10	4.86
3654	3.0 x 4. 6	5.22
3658	3.0 x 4.10	5.40
4046	3.4 x 3.10	5.22
4054	3.4 x 4. 6	5.63
4058	3.4 x 4.10	5.82
4446	3.8 x 3.10	5.57
4454	3.8 x 4. 6	6.00

QUIGLEY'S

STORM SASH



WHITE PINE

1 1/8"

Philadelphia and
Baltimore Openings

Size of Glass	Outside Size	2 lts. Open	2 lts. Glazed
16 x 16.....	1. 8 1/2 x 3. 3 3/8	\$2.66	\$3.44
16 x 18.....	1. 8 1/2 x 3. 7 3/8	2.77	3.63
16 x 20.....	1. 8 1/2 x 3.11 3/8	2.85	3.88
16 x 24.....	1. 8 1/2 x 4. 7 3/8	3.02	4.24
18 x 18.....	1.10 1/2 x 3. 7 3/8	2.94	4.12
18 x 24.....	1.10 1/2 x 4. 7 3/8	3.19	4.98
20 x 14.....	2. 0 1/2 x 2.11 3/8	2.77	3.56
20 x 16.....	2. 0 1/2 x 3. 3 3/8	2.85	3.88
20 x 18.....	2. 0 1/2 x 3. 7 3/8	2.94	4.12
20 x 20.....	2. 0 1/2 x 3.11 3/8	3.02	4.55
20 x 24.....	2. 0 1/2 x 4. 7 3/8	3.19	4.98
20 x 26.....	2. 0 1/2 x 4.11 3/8	3.30	5.16
20 x 28.....	2. 0 1/2 x 5. 3 3/8	3.38	5.40
20 x 30.....	2. 0 1/2 x 5. 7 3/8	3.47	5.64
20 x 32.....	2. 0 1/2 x 5.11 3/8	3.72	6.27
24 x 14.....	2. 4 1/2 x 2.11 3/8	2.94	4.06
24 x 16.....	2. 4 1/2 x 3. 3 3/8	3.02	4.30
24 x 18.....	2. 4 1/2 x 3. 7 3/8	3.11	4.68
24 x 20.....	2. 4 1/2 x 3.11 3/8	3.19	4.98
24 x 22.....	2. 4 1/2 x 4. 3 3/8	3.30	5.16
24 x 24.....	2. 4 1/2 x 4. 7 3/8	3.38	5.58
24 x 26.....	2. 4 1/2 x 4.11 3/8	3.47	5.64
24 x 28.....	2. 4 1/2 x 5. 3 3/8	3.55	6.15
24 x 30.....	2. 4 1/2 x 5. 7 3/8	3.64	6.46
24 x 32.....	2. 4 1/2 x 5.11 3/8	3.92	7.09
26 x 20.....	2. 6 1/2 x 3.11 3/8	3.38	5.40
26 x 22.....	2. 6 1/2 x 4. 3 3/8	3.47	5.64
26 x 24.....	2. 6 1/2 x 4. 7 3/8	3.55	6.15
26 x 26.....	2. 6 1/2 x 4.11 3/8	3.64	6.64
26 x 28.....	2. 6 1/2 x 5. 3 3/8	3.72	6.97
26 x 30.....	2. 6 1/2 x 5. 7 3/8	3.83	7.03
26 x 32.....	2. 6 1/2 x 5.11 3/8	4.11	8.16
27 x 20.....	2. 7 1/2 x 3.11 3/8	3.38	5.40
27 x 24.....	2. 7 1/2 x 4. 7 3/8	3.55	6.15
27 x 26.....	2. 7 1/2 x 4.11 3/8	3.64	6.64
27 x 28.....	2. 7 1/2 x 5. 3 3/8	3.72	6.97
27 x 30.....	2. 7 1/2 x 5. 7 3/8	3.83	7.03
27 x 32.....	2. 7 1/2 x 5.11 3/8	4.11	8.16

Size of Glass	Outside Size	2 lts. Open	2 lts. Glazed
28 x 16.....	2. 8 1/2 x 3. 3 3/8	\$3.19	\$4.80
28 x 20.....	2. 8 1/2 x 3.11 3/8	3.38	5.40
28 x 22.....	2. 8 1/2 x 4. 3 3/8	3.47	5.64
28 x 24.....	2. 8 1/2 x 4. 7 3/8	3.55	6.15
28 x 26.....	2. 8 1/2 x 4.11 3/8	3.64	6.64
28 x 28.....	2. 8 1/2 x 5. 3 3/8	3.72	6.97
28 x 30.....	2. 8 1/2 x 5. 7 3/8	3.83	7.03
28 x 32.....	2. 8 1/2 x 5.11 3/8	4.11	8.16
30 x 20.....	2.10 1/2 x 3.11 3/8	3.72	6.27
30 x 24.....	2.10 1/2 x 4. 7 3/8	3.92	7.09
30 x 26.....	2.10 1/2 x 4.11 3/8	4.02	7.15
30 x 28.....	2.10 1/2 x 5. 3 3/8	4.11	8.16
30 x 30.....	2.10 1/2 x 5. 7 3/8	4.19	8.22
30 x 32.....	2.10 1/2 x 5.11 3/8	4.30	8.89
32 x 16.....	3. 0 1/2 x 3. 3 3/8	3.55	5.34
32 x 20.....	3. 0 1/2 x 3.11 3/8	3.72	6.27
32 x 24.....	3. 0 1/2 x 4. 7 3/8	3.92	7.09
32 x 26.....	3. 0 1/2 x 4.11 3/8	4.02	7.15
32 x 28.....	3. 0 1/2 x 5. 3 3/8	4.11	8.16
32 x 30.....	3. 0 1/2 x 5. 7 3/8	4.19	8.22
32 x 32.....	3. 0 1/2 x 5.11 3/8	4.30	8.89
36 x 16.....	3. 4 1/2 x 3. 3 3/8	3.72	5.83
36 x 20.....	3. 4 1/2 x 3.11 3/8	3.92	6.73
36 x 24.....	3. 4 1/2 x 4. 7 3/8	4.11	7.68
36 x 26.....	3. 4 1/2 x 4.11 3/8	4.19	8.22
36 x 28.....	3. 4 1/2 x 5. 3 3/8	4.30	8.89
36 x 30.....	3. 4 1/2 x 5. 7 3/8	4.38	8.95
36 x 32.....	3. 4 1/2 x 5.11 3/8	4.47	9.86
40 x 20.....	3. 8 1/2 x 3.11 3/8	4.32	7.39
40 x 24.....	3. 8 1/2 x 4. 7 3/8	4.49	8.40
40 x 26.....	3. 8 1/2 x 4.11 3/8	4.60	9.13
40 x 28.....	3. 8 1/2 x 5. 3 3/8	4.68	9.98

WINDOWS
SASH
BLINDS
SHUTTERS

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO

STAIR-
DRK A
PORC
WO

ITLES
ND
INET
DRK

TYLE
HEN
VET



TOXIC WATER REPELLENT

WOODLIFE TOXIC WATER REPELLENT combines water repellency and full strength toxicity in one solution. Wood given the proper dip in this solution is protected as fully and completely as possible against all the evils that assail wood. WOODLIFE prevents all forms of decay and rot including Blue Stain. Even though rot or stain may have started, WOODLIFE will kill it if it can reach it. This includes termites.

Moisture (or water) absorption is so definitely retarded that swelling (moisture gain) is reduced to a negligible degree—likewise moisture loss. By guarding against moisture content changes, warping is prevented.

Hard rains alternating with hot sunshine, high humidity, bad air-conditioning, moisture-laden plaster in new buildings are all contributory causes to swelling, warping and twisting woodwork. Proper WOODLIFE treatments safeguard many tens of thousands of feet of millwork against these evils.

The WOODLIFE treatment does not leach out—the wood is preserved for years and will retain its structural dimensions and strength without appreciable variations.

WOODLIFE
Toxic Water Repellent—Clear..


{ 1-Gal.
5-Gal. Can
30-Gal. Drum
55-Gal. Drum
See Our
Current
Price List

QUIGLEY'S


CELLAR SASH—SCREENS—TRANSOMS

WHITE PINE

CELLAR SASH



1 1/8"—3 LTS.



1 1/8"—2 LTS.

Philadelphia Openings

Size of Glass	Outside Size	Open	Glazed
7 x 9—3 Lts.	2. 1 1/2 x 1. 2	\$1.62	\$2.25
8 x 8—3 Lts.	2. 4 1/2 x 1. 1	1.62	2.25
8 x 10—3 Lts.	2. 4 1/2 x 1. 3	1.62	2.25
8 x 12—3 Lts.	2. 4 1/2 x 1. 5	1.62	2.25
8 x 14—3 Lts.	2. 4 1/2 x 1. 7	1.73	2.54
8 x 16—3 Lts.	2. 4 1/2 x 1. 9	1.73	2.54
9 x 12—3 Lts.	2. 7 1/2 x 1. 5	1.73	2.60
9 x 14—3 Lts.	2. 7 1/2 x 1. 7	1.82	3.11
9 x 16—3 Lts.	2. 7 1/2 x 1. 9	1.82	3.11
9 x 18—3 Lts.	2. 7 1/2 x 1.11	1.91	3.46
10 x 12—3 Lts.	2.10 1/2 x 1. 5	1.82	2.74
10 x 14—3 Lts.	2.10 1/2 x 1. 7	1.91	3.32
10 x 16—3 Lts.	2.10 1/2 x 1. 9	1.91	3.32
10 x 18—3 Lts.	2.10 1/2 x 1.11	2.01	3.67
8 x 10—2 Lts.	1. 8 1/2 x 1. 3	1.31	1.76
10 x 12—2 Lts.	2. 0 1/2 x 1. 5	1.40	1.90
12 x 14—2 Lts.	2. 4 1/2 x 1. 7	1.58	2.50
12 x 16—2 Lts.	2. 4 1/2 x 1. 9	1.58	2.50

Modular Openings

8 x 12—3 Lts.	2.4 x 1.4	\$1.62	\$2.25
8 x 16—3 Lts.	2.4 x 1.8	1.73	2.54
9 11/32 x 12—3 Lts.	2.8 x 1.4	1.73	2.60
9 11/32 x 16—3 Lts.	2.8 x 1.8	1.82	3.11

CELLAR SCREENS



1 1/8"—2 OPE. FOR WIRE

3 Lt. Glass Size	Outside Size	Open	Wired 1/2" M Galv.	Wired 16 M. Bronze
8 x 8	2. 4 1/2 x 1.1 1/2	\$1.84	\$3.51	\$3.51
8 x 10	2. 4 1/2 x 1.3 1/2	1.84	3.51	3.51
8 x 12	2. 4 1/2 x 1.5 1/2	1.84	3.51	3.51
8 x 14	2. 4 1/2 x 1.7 1/2	1.95	3.62	3.62
8 x 16	2. 4 1/2 x 1.9 1/2	1.95	3.62	3.62
9 x 12	2. 7 1/2 x 1.5 1/2	1.95	3.62	3.62
9 x 14	2. 7 1/2 x 1.7 1/2	2.06	3.73	3.73
9 x 16	2. 7 1/2 x 1.9 1/2	2.06	3.73	3.73
10 x 12	2.10 1/2 x 1.5 1/2	2.04	3.71	3.71
10 x 14	2.10 1/2 x 1.7 1/2	2.17	3.84	3.84
10 x 16	2.10 1/2 x 1.9 1/2	2.17	3.84	3.84

TRANSOMS




1 LIGHT 1 3/8" THICK

Size of Glass	Outside Size	Open	Glazed
26 x 6	2.6 x 10"	\$1.52	\$2.23
28 x 6	2.8 x 10"	1.57	2.31
32 x 6	3.0 x 10"	1.76	2.65
26 x 8	2.6 x 1.0	1.52	2.23
28 x 8	2.8 x 1.0	1.57	2.31
32 x 8	3.0 x 1.0	1.76	2.65
26 x 10	2.6 x 1.2	1.52	2.23
28 x 10	2.8 x 1.2	1.57	2.31
26 x 12	2.6 x 1.4	1.62	2.53
28 x 12	2.8 x 1.4	1.66	2.79
32 x 12	3.0 x 1.4	1.85	3.00
26 x 14	2.6 x 1.6	1.62	2.53
28 x 14	2.8 x 1.6	1.66	2.79
32 x 14	3.0 x 1.6	1.85	3.00
1 3/4" Thick			
32 x 8	3.0 x 1.0	\$2.46	\$3.30
28 x 12	2.8 x 1.4	2.32	3.40
32 x 12	3.0 x 1.4	2.59	3.69
28 x 14	2.8 x 1.6	2.32	3.40
32 x 14	3.0 x 1.6	2.59	3.69

CASEMENT SASH

WHITE PINE


1 LIGHT



Philadelphia Openings

Size of Glass	Outside Size	Open 1 1/8"	Glazed 1 1/8"	Open 1 3/8"	Glazed 1 3/8"
16 x 16	1. 8 1/2 x 1. 9	\$1.55	\$1.93	\$1.76	\$2.12
16 x 20	1. 8 1/2 x 2. 1	1.63	2.21	1.85	2.40
16 x 24	1. 8 1/2 x 2. 5	1.67	2.49	1.90	2.69
18 x 18	1.10 1/2 x 1.11	1.71	2.54	1.94	2.75
20 x 20	2. 0 1/2 x 2. 1	1.71	2.54	1.94	2.75
20 x 24	2. 0 1/2 x 2. 5	1.75	2.72	1.99	2.93
24 x 16	2. 4 1/2 x 1. 9	1.67	2.49	1.90	2.69
24 x 20	2. 4 1/2 x 2. 1	1.75	2.72	1.99	2.93
24 x 24	2. 4 1/2 x 2. 5	1.80	2.95	2.04	3.17
24 x 26	2. 4 1/2 x 2. 7	1.87	3.37	2.13	3.59
24 x 28	2. 4 1/2 x 2. 9	1.87	3.37	2.13	3.59
24 x 30	2. 4 1/2 x 2.11	2.06	3.73	2.34	3.98

4 LIGHTS



Philadelphia Openings

Size of Glass	Outside Size	Open 1 1/8"	Glazed 1 1/8"	Open 1 3/8"	Glazed 1 3/8"
7 x 9	1. 6 1/2 x 1.11	\$1.73	\$2.40	\$1.93	\$2.57
8 x 10	1. 8 1/2 x 2. 1	1.73	2.40	1.93	2.57
8 x 12	1. 8 1/2 x 2. 5	1.82	2.62	2.06	2.78
8 x 14	1. 8 1/2 x 2. 9	1.93	2.82	2.17	2.98
9 x 12	1.10 1/2 x 2. 5	1.93	2.89	2.17	3.06
9 x 14	1.10 1/2 x 2. 9	2.04	3.11	2.30	3.33
10 x 10	2. 0 1/2 x 2. 1	1.84	2.62	2.06	2.78
10 x 12	2. 0 1/2 x 2. 5	1.93	2.89	2.17	3.06
10 x 14	2. 0 1/2 x 2. 9	2.04	3.11	2.30	3.33
10 x 16	2. 0 1/2 x 3. 1	2.23	3.64	2.54	3.86
12 x 12	2. 4 1/2 x 2. 5	2.04	3.17	2.30	3.33

Modular Openings


8 x 10	1.8 x 2.1	\$1.73	\$2.40	\$1.93	\$2.57
8 x 12	1.8 x 2.5	1.82	2.62	2.06	2.78
8 x 14	1.8 x 2.9	1.93	2.82	2.17	2.98
10 x 10	2.0 x 2.1	1.84	2.62	2.06	2.78
10 x 12	2.0 x 2.5	1.93	2.89	2.17	3.06
10 x 14	2.0 x 2.9	2.04	3.11	2.30	3.33

NOTE:—All Our Windows and Sash are Chemically Treated.
NOTE:—See Complete Assembled Carton Packed Basement Unit Page 29.

QUIGLEY'S

CASEMENT SASH

WHITE PINE




6 LIGHTS
3W-2H

Philadelphia Openings

Size of Glass	Outside Size	1 1/8"		1 3/8"	
		Open	Glazed	Open	Glazed
7 x 9	2. 1 1/2 x 1.11	\$2.06	\$3.13	\$2.32	\$3.35
8 x 8	2. 4 1/2 x 1. 9	2.06	3.13	2.32	3.35
8 x 10	2. 4 1/2 x 2. 1	2.06	3.13	2.32	3.35
8 x 12	2. 4 1/2 x 2. 5	2.19	3.41	2.47	3.62
8 x 14	2. 4 1/2 x 2. 9	2.30	3.69	2.61	3.96
8 x 16	2. 4 1/2 x 3. 1	2.56	4.10	2.91	4.38
9 x 12	2. 7 1/2 x 2. 5	2.28	3.95	2.58	4.16
9 x 14	2. 7 1/2 x 2. 9	2.41	4.30	2.72	4.58
9 x 16	2. 7 1/2 x 3. 1	2.65	5.13	3.02	5.47
10 x 12	2.10 1/2 x 2. 1	2.30	3.95	2.63	4.23
10 x 14	2.10 1/2 x 2. 5	2.43	4.16	2.78	4.50
10 x 16	2.10 1/2 x 2. 9	2.56	4.58	2.91	4.86
10 x 18	2.10 1/2 x 3. 1	2.78	5.46	3.20	5.86

Modular Openings

8 x 10	2. 4	x 2. 1	\$2.06	\$3.13	\$2.32	\$3.35
8 x 12	2. 4	x 2. 5	2.19	3.41	2.47	3.62
8 x 14	2. 4	x 2. 9	2.30	3.69	2.61	3.96
8 x 16	2. 4	x 3. 1	2.56	4.10	2.91	4.38
9 11/32 x 12	2. 8	x 2. 5	2.28	3.95	2.58	4.16
9 11/32 x 14	2. 8	x 2. 9	2.41	4.30	2.72	4.58



9 LIGHTS

Philadelphia Openings

Size of Glass	Outside Size	1 1/8"		1 3/8"	
		Open	Glazed	Open	Glazed
8 x 10	2. 0 x 2. 0	\$2.53	\$4.13	\$2.84	\$4.38
8 x 12	2. 0 x 2. 6	2.53	4.13	2.84	4.38
8 x 14	2. 4 1/2 x 2.11	2.72	4.42	3.06	4.73
8 x 16	2. 4 1/2 x 3. 5	2.99	4.96	3.39	5.27
8 x 18	2. 4 1/2 x 3.11	3.32	5.51	3.74	5.89
8 x 20	2. 4 1/2 x 4. 5	3.48	5.93	3.94	6.30
9 x 12	2. 7 1/2 x 3. 5	3.12	5.72	3.52	6.10
9 x 14	2. 7 1/2 x 3.11	3.43	6.40	3.90	6.78
9 x 16	2. 7 1/2 x 4. 5	3.61	7.32	4.10	7.76
10 x 12	2.10 1/2 x 3. 5	3.26	6.06	3.68	6.44
10 x 14	2.10 1/2 x 3.11	3.57	6.76	4.05	7.57
10 x 16	2.10 1/2 x 4. 5	3.74	7.72	4.25	8.23

Modular Openings

8 x 10	2. 4	x 2.11 1/4	\$2.72	\$4.42	\$3.06	\$4.73
8 x 12	2. 4	x 3. 5 1/4	2.99	4.96	3.39	5.27
8 x 14	2. 4	x 3.11 1/4	3.32	5.51	3.74	5.89
9 11/32 x 12	2. 8	x 3. 5 1/4	3.12	5.72	3.52	6.10
9 11/32 x 14	2. 8	x 3.11 1/4	3.43	6.40	3.90	6.78

CASEMENT SASH

WHITE PINE




6 LIGHTS
2W-3H

Philadelphia Openings

Size of Glass	Outside Size	1 1/8"		1 3/8"	
		Open	Glazed	Open	Glazed
8 x 8	1. 8 1/2 x 2. 5	\$2.17	\$3.15	\$2.44	\$3.37
8 x 10	1. 8 1/2 x 2.11	2.17	3.15	2.44	3.37
8 x 12	1. 8 1/2 x 3. 5	2.46	3.55	2.75	3.77
9 x 12	1.10 1/2 x 3. 5	2.57	3.96	2.92	4.25
10 x 10	2. 0 1/2 x 2.11	2.57	3.96	2.92	4.25
10 x 12	2. 0 1/2 x 3. 5	2.57	3.96	2.92	4.25

Modular Openings

8 x 10	1. 8	x 2.11 1/4	\$2.17	\$3.15	\$2.44	\$3.37
8 x 12	1. 8	x 3. 5 1/4	2.46	3.55	2.75	3.77
10 x 12	2. 0	x 3. 5 1/4	2.57	3.96	2.92	4.25




8 LIGHTS

Philadelphia Openings

Size of Glass	Outside Size	1 1/8"		1 3/8"	
		Open	Glazed	Open	Glazed
8 x 10	1. 8 1/2 x 3. 9	\$2.95	\$4.42	\$3.32	\$4.79
8 x 12	1. 8 1/2 x 4. 5	3.15	4.83	3.61	5.27
8 x 14	1. 8 1/2 x 5. 1	3.34	5.25	3.81	5.69
9 x 12	1.10 1/2 x 4. 5	3.30	5.52	3.74	5.74
10 x 12	2. 0 1/2 x 4. 5	3.30	5.52	3.74	5.74
10 x 14	2. 0 1/2 x 5. 1	3.52	5.87	4.01	6.32

Modular Openings

8 x 10	1. 8	x 3. 9 1/2	\$2.95	\$4.42	\$3.32	\$4.79
8 x 12	1. 8	x 4. 5 1/2	3.15	4.83	3.61	5.27
10 x 12	2. 0	x 4. 5 1/2	3.30	5.52	3.74	5.74



12 LIGHTS

Philadelphia Openings

Size of Glass	Outside Size	1 1/8"		1 3/8"	
		Open	Glazed	Open	Glazed
8 x 10	2. 4 1/2 x 3. 9	\$3.74	\$5.94	\$4.16	\$6.32
8 x 12	2. 4 1/2 x 4. 5	3.94	6.49	4.43	6.93
9 x 12	2. 7 1/2 x 4. 5	4.10	7.52	4.59	7.96
10 x 12	2.10 1/2 x 4. 5	4.23	7.94	4.78	8.44
10 x 14	2.10 1/2 x 5. 1	4.45	8.71	5.05	9.21

Modular Openings

8 x 10	2. 4	x 3. 9 1/2	\$3.74	\$5.94	\$4.16	\$6.32
8 x 12	2. 4	x 4. 5 1/2	3.94	6.49	4.43	6.93
9 11/32 x 12	2. 8	x 4. 5 1/2	4.10	7.52	4.59	7.96
9 11/32 x 14	2. 8	x 5. 1 1/2	4.32	8.29	4.85	8.73

NOTE:—All Our Windows and Sash are Chemically Treated.

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS


ASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR
DO

STAIR-
JUNK A
PORK
WO

TILES
AND
INET
IRK

YLE
IEN
ET



WHITE PINE PLAIN RAIL WINDOWS

1 1/8"—2 LIGHTS

		Open	Glazed
20 x 20	2. 0 1/2 x 3.10 1/2	\$2.76	\$4.39
24 x 20	2. 4 1/2 x 3.10 1/2	2.91	4.77
24 x 24	2. 4 1/2 x 4. 6 1/2	3.09	5.37
24 x 26	2. 4 1/2 x 4.10 1/2	3.15	5.44
24 x 28	2. 4 1/2 x 5. 2 1/2	3.24	5.96
24 x 30	2. 4 1/2 x 5. 6 1/2	3.31	6.17
27 x 24	2. 7 1/2 x 4. 6 1/2	3.24	5.86
27 x 26	2. 7 1/2 x 4.10 1/2	3.31	6.35
27 x 28	2. 7 1/2 x 5. 2 1/2	3.40	6.66
30 x 24	2.10 1/2 x 4. 6 1/2	3.57	6.76



PLAIN RAIL WINDOWS

1 1/8"—4 LIGHTS


		Open	Glazed
10 x 20	2. 0 1/2 x 3.10 1/2	\$3.11	\$4.65
12 x 20	2. 4 1/2 x 3.10 1/2	3.26	5.10
12 x 24	2. 4 1/2 x 4. 6 1/2	3.49	5.79
12 x 26	2. 4 1/2 x 4.10 1/2	3.60	6.04
12 x 28	2. 4 1/2 x 5. 2 1/2	3.66	6.38
12 x 30	2. 4 1/2 x 5. 6 1/2	3.79	6.77
13 1/2 x 24	2. 7 1/2 x 4. 6 1/2	3.66	6.36
13 1/2 x 26	2. 7 1/2 x 4.10 1/2	3.79	6.54
13 1/2 x 28	2. 7 1/2 x 5. 2 1/2	3.79	7.16
15 x 24	2.10 1/2 x 4. 6 1/2	3.97	6.75



PLAIN RAIL WINDOWS

1 1/8"—12 LIGHTS

		Open	Glazed
8 x 10	2. 4 1/2 x 3.10 1/2	\$4.15	\$6.04
8 x 12	2. 4 1/2 x 4. 6 1/2	4.35	6.52
9 x 12	2. 7 1/2 x 4. 6 1/2	4.50	7.51
10 x 12	2.10 1/2 x 4. 6 1/2	4.79	8.04
10 x 14	2.10 1/2 x 5. 2 1/2	4.99	8.78
10 x 15	2.10 1/2 x 5. 6 1/2	5.14	9.61
10 x 16	2.10 1/2 x 5.10 1/2	5.43	10.12




WHITE PINE PLAIN RAIL WINDOWS

1 1/8"—8 LIGHTS

8 Lights

		Open	Glazed
8 x 10	1. 8 1/2 x 3.10 1/2	\$3.40	\$4.62
10 x 12	2. 0 1/2 x 4. 6 1/2	3.77	5.50
10 x 14	2. 0 1/2 x 5. 2 1/2	3.97	5.97
10 x 16	2. 0 1/2 x 5.10 1/2	4.32	6.87
12 x 14	2. 4 1/2 x 5. 2 1/2	4.15	6.87



PLAIN RAIL WINDOWS

1 1/8"—9 OVER 6

15 Lights

		Open	Glazed
8 x 10	2. 4 1/2 x 4. 8 1/2	\$4.90	\$7.94



PLAIN RAIL WINDOWS

1 1/8"—18 LIGHTS

18 Lights

		Open	Glazed
8 x 10	2. 4 1/2 x 5. 6 1/2	\$5.47	\$8.24

QUIGLEY'S

1 1/8" WHITE PINE CHECK RAIL WINDOWS

PHILADELPHIA AND BALTIMORE OPENINGS



2 LIGHTS



4 LIGHTS

		2-Light		4-Light	
		Open	Glazed	Open	Glazed
20 x 20	2. 0 1/2 x 3.10 1/2	\$2.96	\$4.38	\$3.33	\$4.65
20 x 24	2. 0 1/2 x 4. 6 1/2	3.12	4.79	3.56	5.14
20 x 26	2. 0 1/2 x 4.10 1/2	3.24	4.97	3.66	5.48
20 x 28	2. 0 1/2 x 5. 2 1/2	3.31	5.20	3.77	5.70
20 x 30	2. 0 1/2 x 5. 6 1/2	3.40	5.45	3.85	5.95
20 x 32	2. 0 1/2 x 5.10 1/2	3.66	6.07	4.37	7.13
24 x 20	2. 4 1/2 x 3.10 1/2	3.12	4.79	3.50	5.10
24 x 24	2. 4 1/2 x 4. 6 1/2	3.31	5.39	3.73	5.79
24 x 26	2. 4 1/2 x 4.10 1/2	3.40	5.45	3.85	6.03
24 x 28	2. 4 1/2 x 5. 2 1/2	3.47	5.96	3.94	6.38
24 x 30	2. 4 1/2 x 5. 6 1/2	3.56	6.26	4.06	6.77
24 x 32	2. 4 1/2 x 5.10 1/2	3.84	6.87	4.37	7.13
26 x 20	2. 6 1/2 x 3.10 1/2	3.31	5.20	3.71	5.48
26 x 24	2. 6 1/2 x 4. 6 1/2	3.47	5.96	3.94	6.36
26 x 26	2. 6 1/2 x 4.10 1/2	3.56	6.44	4.06	6.54
26 x 28	2. 6 1/2 x 5. 2 1/2	3.66	6.77	4.17	7.15
26 x 30	2. 6 1/2 x 5. 6 1/2	3.75	6.82	4.27	7.38
26 x 32	2. 6 1/2 x 5.10 1/2	4.03	7.95	4.60	7.83
27 x 24	2. 7 1/2 x 4. 6 1/2	3.47	5.96	3.94	6.36
27 x 26	2. 7 1/2 x 4.10 1/2	3.56	6.44	4.06	6.54
27 x 28	2. 7 1/2 x 5. 2 1/2	3.66	6.77	4.17	7.15
27 x 30	2. 7 1/2 x 5. 6 1/2	3.75	6.82	4.27	7.38
27 x 32	2. 7 1/2 x 5.10 1/2	4.03	7.95	4.60	7.83
28 x 24	2. 8 1/2 x 4. 6 1/2	3.47	5.96	3.94	6.36
28 x 26	2. 8 1/2 x 4.10 1/2	3.56	6.44	4.06	6.54
28 x 28	2. 8 1/2 x 5. 2 1/2	3.66	6.77	4.17	7.15
28 x 30	2. 8 1/2 x 5. 6 1/2	3.75	6.82	4.27	7.38
28 x 32	2. 8 1/2 x 5.10 1/2	4.03	7.95	4.60	7.83
30 x 24	2.10 1/2 x 4. 6 1/2	3.84	6.87	4.27	6.87
30 x 26	2.10 1/2 x 4.10 1/2	3.93	6.93	4.39	7.48
30 x 28	2.10 1/2 x 5. 2 1/2	4.03	7.95	4.48	7.77
30 x 30	2.10 1/2 x 5. 6 1/2	4.10	8.00	4.60	8.07
30 x 32	2.10 1/2 x 5.10 1/2	4.21	8.68	4.71	8.40



12 LIGHTS

		Open	Glazed
8 x 10	2. 4 1/2 x 3.10 1/2	\$4.27	\$6.26
8 x 12	2. 4 1/2 x 4. 6 1/2	4.47	6.89
8 x 13	2. 4 1/2 x 4.10 1/2	4.59	6.98
8 x 14	2. 4 1/2 x 5. 2 1/2	4.66	7.25
8 x 15	2. 4 1/2 x 5. 6 1/2	4.82	7.50
9 x 12	2. 7 1/2 x 4. 6 1/2	4.62	7.70
9 x 13	2. 7 1/2 x 4.10 1/2	4.74	8.09
9 x 14	2. 7 1/2 x 5. 2 1/2	4.82	8.37
9 x 15	2. 7 1/2 x 5. 6 1/2	4.98	8.73
9 x 16	2. 7 1/2 x 5.10 1/2	5.32	9.72
10 x 12	2.10 1/2 x 4. 6 1/2	4.92	8.20
10 x 13	2.10 1/2 x 4.10 1/2	5.04	8.55
10 x 14	2.10 1/2 x 5. 2 1/2	5.12	8.91
10 x 15	2.10 1/2 x 5. 6 1/2	5.28	9.79
10 x 16	2.10 1/2 x 5.10 1/2	5.56	10.28

HOT BED SASH

WHITE PINE



1 3/8" THICK—No. 1 W. P.

6.0 High—1 Hardwood Cross Bar

7.0 High—2 Hardwood Cross Bars

		Open	Glazed
3.6 x 7.0—6 Rows 6"	Glass, Putty		
3.6 x 7.0—6 Rows 6"	Glass, Slip		
3.0 x 6.0—5 Rows 6"	Glass, Putty		
3.0 x 6.0—5 Rows 6"	Glass, Slip		
3.2 x 6.0—4 Rows 8"	Glass, Putty		
3.2 x 6.0—4 Rows 8"	Glass, Slip		

Inquire
for
Prices

NOTE:—All Our Windows and Sash are Chemically Treated.

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO

STAIR-
DRK A
PORC
WO

ITLES
ND
INET
DRK

TYLE
HEN
NET

1³/₈" WHITE PINE CHECK RAIL WINDOWS



2 LIGHTS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
16 x 16.....	\$2.80	\$3.44	1. 8½ x 3. 2½	1.8 x 3. 2
16 x 18.....	2.91	3.63	1. 8½ x 3. 6½	1.8 x 3. 6
16 x 20.....	3.00	3.88	1. 8½ x 3.10½	1.8 x 3.10
16 x 24.....	3.18	4.24	1. 8½ x 4. 6½	1.8 x 4. 6
18 x 18.....	3.09	4.12	1.10½ x 3. 6½	—
18 x 20.....	3.18	4.55	1.10½ x 3.10½	—
18 x 24.....	3.36	4.98	1.10½ x 4. 6½	—
20 x 14.....	2.91	3.56	2. 0½ x 2.10½	—
20 x 15.....	3.00	3.88	2. 0½ x 3. 0½	—
20 x 16.....	3.00	3.88	2. 0½ x 3. 2½	2.0 x 3. 2
20 x 18.....	3.09	4.12	2. 0½ x 3. 6½	2.0 x 3. 6
20 x 20.....	3.18	4.55	2. 0½ x 3.10½	2.0 x 3.10
20 x 22.....	3.27	4.74	2. 0½ x 4. 2½	—
20 x 24.....	3.36	4.98	2. 0½ x 4. 6½	2.0 x 4. 6
20 x 26.....	3.47	5.16	2. 0½ x 4.10½	2.0 x 4.10
20 x 28.....	3.56	5.40	2. 0½ x 5. 2½	2.0 x 5. 2
20 x 30.....	3.65	5.64	2. 0½ x 5. 6½	2.0 x 5. 6
20 x 32.....	3.92	6.27	2. 0½ x 5.10½	2.0 x 5.10
24 x 14.....	3.09	4.06	2. 4½ x 2.10½	2.4 x 2.10
24 x 15.....	3.18	4.30	2. 4½ x 3. 0½	—
24 x 16.....	3.18	4.30	2. 4½ x 3. 2½	2.4 x 3. 2
24 x 18.....	3.27	4.68	2. 4½ x 3. 6½	2.4 x 3. 6
24 x 20.....	3.36	4.98	2. 4½ x 3.10½	2.4 x 3.10
24 x 22.....	3.47	5.16	2. 4½ x 4. 2½	—
24 x 24.....	3.56	5.58	2. 4½ x 4. 6½	2.4 x 4. 6
24 x 26.....	3.65	5.64	2. 4½ x 4.10½	2.4 x 4.10
24 x 28.....	3.74	6.15	2. 4½ x 5. 2½	2.4 x 5. 2
24 x 30.....	3.83	6.46	2. 4½ x 5. 6½	2.4 x 5. 6
24 x 32.....	4.12	7.09	2. 4½ x 5.10½	—
26 x 20.....	3.56	5.40	2. 6½ x 3.10½	—
26 x 22.....	3.65	5.64	2. 6½ x 4. 2½	—
26 x 24.....	3.74	6.15	2. 6½ x 4. 6½	—
26 x 26.....	3.83	6.64	2. 6½ x 4.10½	—
26 x 28.....	3.92	6.97	2. 6½ x 5. 2½	—
26 x 30.....	4.03	7.03	2. 6½ x 5. 6½	—
26 x 32.....	4.32	8.16	2. 6½ x 5.10½	—
27 x 20.....	3.56	5.40	2. 7½ x 3.10½	—
27 x 24.....	3.74	6.15	2. 7½ x 4. 6½	—
27 x 26.....	3.83	6.64	2. 7½ x 4.10½	—
27 x 28.....	3.92	6.97	2. 7½ x 5. 2½	—
27 x 30.....	4.03	7.03	2. 7½ x 5. 6½	—
27 x 32.....	4.32	8.16	2. 7½ x 5.10½	—

Both Openings Are
Stocked for Your
Convenience.

Unless Otherwise Specified we
will ship Philadelphia Openings.


QUIGLEY'S

1 3/8" WHITE PINE CHECK RAIL WINDOWS

2-Light—Continued from Page 10

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
28 x 20	\$3.56	\$5.40	2. 8 1/2 x 3.10 1/2	2.8 x 3.10
28 x 22	3.65	5.64	2. 8 1/2 x 4. 2 1/2	—
28 x 24	3.74	6.15	2. 8 1/2 x 4. 6 1/2	2.8 x 4. 6
28 x 26	3.83	6.64	2. 8 1/2 x 4.10 1/2	2.8 x 4.10
28 x 28	3.92	6.97	2. 8 1/2 x 5. 2 1/2	2.8 x 5. 2
28 x 30	4.03	7.03	2. 8 1/2 x 5. 6 1/2	2.8 x 5. 6
28 x 32	4.32	8.16	2. 8 1/2 x 5.10 1/2	—
30 x 20	3.92	6.27	2.10 1/2 x 3.10 1/2	—
30 x 24	4.12	7.09	2.10 1/2 x 4. 6 1/2	—
30 x 26	4.23	7.15	2.10 1/2 x 4.10 1/2	—
30 x 28	4.32	8.16	2.10 1/2 x 5. 2 1/2	—
30 x 30	4.41	8.22	2.10 1/2 x 5. 6 1/2	—
30 x 32	4.52	8.89	2.10 1/2 x 5.10 1/2	—
32 x 20	3.92	6.27	3. 0 1/2 x 3.10 1/2	3.0 x 3.10
32 x 24	4.12	7.09	3. 0 1/2 x 4. 6 1/2	3.0 x 4. 6
32 x 26	4.23	7.15	3. 0 1/2 x 4.10 1/2	—
32 x 28	4.32	8.16	3. 0 1/2 x 5. 2 1/2	—
32 x 30	4.41	8.22	3. 0 1/2 x 5. 6 1/2	—
32 x 32	4.52	8.89	3. 0 1/2 x 5.10 1/2	—
36 x 16	3.92	5.83	3. 4 1/2 x 3. 2 1/2	3.4 x 3. 2
36 x 20	4.12	6.73	3. 4 1/2 x 3.10 1/2	3.4 x 3.10
36 x 24	4.32	7.68	3. 4 1/2 x 4. 6 1/2	3.4 x 4. 6
36 x 26	4.41	8.22	3. 4 1/2 x 4.10 1/2	3.4 x 4.10
36 x 28	4.52	8.89	3. 4 1/2 x 5. 2 1/2	—
36 x 30	4.61	8.95	3. 4 1/2 x 5. 6 1/2	—
36 x 32	4.70	9.86	3. 4 1/2 x 5.10 1/2	—
36 x 36	4.91	10.87	3. 4 1/2 x 6. 6 1/2	—
40 x 20	4.55	7.39	3. 8 1/2 x 3.10 1/2	3.8 x 3.10
40 x 24	4.73	8.40	3. 8 1/2 x 4. 6 1/2	3.8 x 4. 6
40 x 26	4.84	9.13	3. 8 1/2 x 4.10 1/2	—
40 x 28	4.93	9.98	3. 8 1/2 x 5. 2 1/2	—

COTTAGE WINDOWS



WHITE PINE CHECK RAIL WINDOWS

1 3/8"

Philadelphia and Baltimore Openings

Glass Size	Outside Size	Open	G.I.D.S.
36 x 16—36 x 36	3.4 1/2 x 4.10 1/2	\$4.77	\$10.78
40 x 16—40 x 36	3.8 1/2 x 4.10 1/2	5.20	12.31
40 x 20—40 x 40	3.8 1/2 x 5. 6 1/2	5.71	14.61
44 x 16—44 x 40	4.0 1/2 x 5. 2 1/2	5.51	14.91
48 x 18—48 x 40	4.4 1/2 x 5. 4 1/2	5.82	16.85
48 x 20—48 x 40	4.4 1/2 x 5. 6 1/2	5.82	16.85

NOTE:—All Our Windows and Sash are Chemically Treated and Prefitted.

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO

STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

TYLE
HEN
NET

QUIGLEY'S

1 3/8" WHITE PINE CHECK RAIL WINDOWS



Q-409
4-HORIZONTAL



3/1 LIGHT

Size of Glass	Open	Glazed	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
16 x 16	\$3.55	\$4.18	\$3.20	\$3.87	1. 8 1/2 x 3. 2 1/2	1.8 x 3. 2
16 x 18	3.67	4.38	3.50	4.24	1. 8 1/2 x 3. 6 1/2	1.8 x 3. 6
16 x 20	3.76	4.65	3.59	4.49	1. 8 1/2 x 3.10 1/2	1.8 x 3.10
16 x 24	3.95	5.04	3.77	4.85	1. 8 1/2 x 4. 6 1/2	1.8 x 4. 6
18 x 18	4.13	5.15	3.68	4.78	1.10 1/2 x 3. 6 1/2	—
18 x 20	4.23	5.59	3.77	5.20	1.10 1/2 x 3.10 1/2	—
18 x 24	4.41	6.12	3.94	5.63	1.10 1/2 x 4. 6 1/2	—
20 x 14	3.95	4.50	3.31	3.99	2. 0 1/2 x 2.10 1/2	—
20 x 15	4.04	4.89	3.39	4.34	2. 0 1/2 x 3. 0 1/2	—
20 x 16	4.04	4.89	3.39	4.34	2. 0 1/2 x 3. 2 1/2	2.0 x 3. 2
20 x 18	4.13	5.15	3.68	4.78	2. 0 1/2 x 3. 6 1/2	2.0 x 3. 6
20 x 20	4.23	5.59	3.77	5.20	2. 0 1/2 x 3.10 1/2	2.0 x 3.10
20 x 22	4.32	5.85	3.85	5.39	2. 0 1/2 x 4. 2 1/2	—
20 x 24	4.41	6.12	3.94	5.63	2. 0 1/2 x 4. 6 1/2	2.0 x 4. 6
20 x 26	4.53	6.32	4.05	5.81	2. 0 1/2 x 4.10 1/2	2.0 x 4.10
20 x 28	4.62	6.58	4.14	6.01	2. 0 1/2 x 5. 2 1/2	2.0 x 5. 2
20 x 30	4.72	6.72	4.23	6.25	2. 0 1/2 x 5. 6 1/2	2.0 x 5. 6
20 x 32	4.99	7.29	4.75	7.09	2. 0 1/2 x 5.10 1/2	2.0 x 5.10
24 x 14	4.13	5.01	3.48	4.56	2. 4 1/2 x 2.10 1/2	2.4 x 2.10
24 x 15	4.23	5.35	3.57	4.82	2. 4 1/2 x 3. 0 1/2	—
24 x 16	4.23	5.35	3.57	4.82	2. 4 1/2 x 3. 2 1/2	2.4 x 3. 2
24 x 18	4.32	5.65	3.85	5.37	2. 4 1/2 x 3. 6 1/2	2.4 x 3. 6
24 x 20	4.41	6.12	3.94	5.66	2. 4 1/2 x 3.10 1/2	2.4 x 3.10
24 x 22	4.53	6.22	4.05	5.87	2. 4 1/2 x 4. 2 1/2	—
24 x 24	4.62	6.66	4.14	6.29	2. 4 1/2 x 4. 6 1/2	2.4 x 4. 6
24 x 26	4.72	6.73	4.23	6.35	2. 4 1/2 x 4.10 1/2	2.4 x 4.10
24 x 28	4.81	7.17	4.31	6.76	2. 4 1/2 x 5. 2 1/2	2.4 x 5. 2
24 x 30	4.90	7.48	4.40	7.01	2. 4 1/2 x 5. 6 1/2	2.4 x 5. 6
24 x 32	5.20	8.23	4.95	7.95	2. 4 1/2 x 5.10 1/2	—
26 x 20	4.62	6.46	4.14	6.11	2. 6 1/2 x 3.10 1/2	—
26 x 22	4.72	6.73	4.23	6.36	2. 6 1/2 x 4. 2 1/2	—
26 x 24	4.81	7.17	4.31	6.84	2. 6 1/2 x 4. 6 1/2	—
26 x 26	4.90	7.57	4.40	7.25	2. 6 1/2 x 4.10 1/2	—
26 x 28	4.99	8.00	4.49	7.64	2. 6 1/2 x 5. 2 1/2	—
26 x 30	5.11	8.06	4.60	7.71	2. 6 1/2 x 5. 6 1/2	—
26 x 32	5.41	9.23	5.15	9.03	2. 6 1/2 x 5.10 1/2	—
27 x 20	4.62	6.46	4.14	6.11	2. 7 1/2 x 3.10 1/2	—
27 x 24	4.81	7.17	4.31	6.84	2. 7 1/2 x 4. 6 1/2	—
27 x 26	4.90	7.57	4.40	7.25	2. 7 1/2 x 4.10 1/2	—
27 x 28	4.99	8.00	4.49	7.64	2. 7 1/2 x 5. 2 1/2	—
27 x 30	5.11	8.06	4.60	7.71	2. 7 1/2 x 5. 6 1/2	—
27 x 32	5.41	9.23	5.15	9.03	2. 7 1/2 x 5.10 1/2	—

Other Sizes, not shown on this or next page, can be furnished on short notice.

(SIZES CONTINUED ON NEXT PAGE)

QUIGLEY'S

1³/₈" WHITE PINE CHECK RAIL WINDOWS

Continued from Page 12

Size of Glass	Q-409		3/1 LIGHT		Philadelphia and Baltimore Openings	Modular Openings
	Open	Glazed	Open	Glazed		
28 x 20	\$4.62	\$6.46	\$4.14	\$6.11	2. 8 ¹ / ₂ x 3.10 ¹ / ₂	2.8 x 3.10
28 x 22	4.72	6.73	4.23	6.36	2. 8 ¹ / ₂ x 4. 2 ¹ / ₂	—
28 x 24	4.81	7.17	4.31	6.84	2. 8 ¹ / ₂ x 4. 6 ¹ / ₂	2.8 x 4. 6
28 x 26	4.90	7.57	4.40	7.25	2. 8 ¹ / ₂ x 4.10 ¹ / ₂	2.8 x 4.10
28 x 28	4.99	8.00	4.49	7.64	2. 8 ¹ / ₂ x 5. 2 ¹ / ₂	2.8 x 5. 2
28 x 30	5.11	8.06	4.60	7.71	2. 8 ¹ / ₂ x 5. 6 ¹ / ₂	2.8 x 5. 6
28 x 32	5.41	9.23	5.15	9.03	2. 8 ¹ / ₂ x 5.10 ¹ / ₂	—
30 x 20	5.37	7.53	4.49	6.88	2.10 ¹ / ₂ x 3.10 ¹ / ₂	—
30 x 24	5.58	8.47	4.69	7.70	2.10 ¹ / ₂ x 4. 6 ¹ / ₂	—
30 x 26	5.69	8.53	4.80	7.76	2.10 ¹ / ₂ x 4.10 ¹ / ₂	—
30 x 28	5.78	9.57	4.88	8.77	2.10 ¹ / ₂ x 5. 2 ¹ / ₂	—
30 x 30	5.88	9.65	4.97	8.83	2.10 ¹ / ₂ x 5. 6 ¹ / ₂	—
30 x 32	5.99	10.32	5.34	9.75	2.10 ¹ / ₂ x 5.10 ¹ / ₂	—
32 x 20	5.37	7.53	—	—	3. 0 ¹ / ₂ x 3.10 ¹ / ₂	3.0 x 3.10
32 x 24	5.58	8.47	—	—	3. 0 ¹ / ₂ x 4. 6 ¹ / ₂	3.0 x 4. 6
32 x 26	5.69	8.53	—	—	3. 0 ¹ / ₂ x 4.10 ¹ / ₂	3.0 x 4.10
32 x 28	5.78	9.57	—	—	3. 0 ¹ / ₂ x 5. 2 ¹ / ₂	—
32 x 30	5.88	9.65	—	—	3. 0 ¹ / ₂ x 5. 6 ¹ / ₂	—
32 x 32	5.99	10.32	—	—	3. 0 ¹ / ₂ x 5.10 ¹ / ₂	—
36 x 16	5.37	7.18	—	—	3. 4 ¹ / ₂ x 3. 2 ¹ / ₂	3.4 x 3. 2
36 x 20	5.58	8.10	—	—	3. 4 ¹ / ₂ x 3.10 ¹ / ₂	3.4 x 3.10
36 x 24	5.78	9.08	—	—	3. 4 ¹ / ₂ x 4. 6 ¹ / ₂	3.4 x 4. 6
36 x 26	5.88	9.65	—	—	3. 4 ¹ / ₂ x 4.10 ¹ / ₂	3.4 x 4.10
36 x 28	5.99	10.32	—	—	3. 4 ¹ / ₂ x 5. 2 ¹ / ₂	—
36 x 30	6.09	10.54	—	—	3. 4 ¹ / ₂ x 5. 6 ¹ / ₂	—
36 x 32	6.18	11.47	—	—	3. 4 ¹ / ₂ x 5.10 ¹ / ₂	—
36 x 36	6.39	12.55	—	—	3. 4 ¹ / ₂ x 6. 6 ¹ / ₂	—
40 x 20	6.02	8.78	—	—	3. 8 ¹ / ₂ x 3.10 ¹ / ₂	3.8 x 3.10
40 x 24	6.20	9.97	—	—	3. 8 ¹ / ₂ x 4. 6 ¹ / ₂	3.8 x 4. 6
40 x 26	6.32	10.72	—	—	3. 8 ¹ / ₂ x 4.10 ¹ / ₂	—
40 x 28	6.41	11.59	—	—	3. 8 ¹ / ₂ x 5. 2 ¹ / ₂	—

1³/₈" WHITE PINE CHECK RAIL WINDOWS



Q-404

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
32 x 16	\$4.27	\$6.05	3. 0 ¹ / ₂ x 3. 2 ¹ / ₂	3.0 x 3. 2
32 x 20	4.71	7.15	3. 0 ¹ / ₂ x 3.10 ¹ / ₂	3.0 x 3.10
32 x 24	4.91	8.03	3. 0 ¹ / ₂ x 4. 6 ¹ / ₂	3.0 x 4. 6
36 x 16	4.45	6.51	3. 4 ¹ / ₂ x 3. 2 ¹ / ₂	3.4 x 3. 2
36 x 20	4.91	7.65	3. 4 ¹ / ₂ x 3.10 ¹ / ₂	3.4 x 3.10
36 x 24	5.10	8.51	3. 4 ¹ / ₂ x 4. 6 ¹ / ₂	3.4 x 4. 6
40 x 20	5.32	8.33	3. 8 ¹ / ₂ x 3.10 ¹ / ₂	3.8 x 3.10
40 x 24	5.50	9.38	3. 8 ¹ / ₂ x 4. 6 ¹ / ₂	3.8 x 4. 6

NOTE:—All Our Windows and Sash are Chemically Treated and Prefitted.

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO

STAIR-
WORK
AND
PORC
WO

NTLES
AND
BINET
WORK

STYLE
HEN
NET

QUIGLEY'S

1³/₈" WHITE PINE CHECK RAIL WINDOWS



6/1 LIGHT

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
20 x 15	\$3.85	\$4.80	2. 0 ¹ / ₂ x 3. 0 ¹ / ₂	2.0 x 3. 0
20 x 16	3.85	4.80	2. 0 ¹ / ₂ x 3. 2 ¹ / ₂	2.0 x 3. 2
20 x 18	3.94	5.07	2. 0 ¹ / ₂ x 3. 6 ¹ / ₂	2.0 x 3. 6
20 x 20	4.03	5.50	2. 0 ¹ / ₂ x 3.10 ¹ / ₂	2.0 x 3.10
20 x 22	4.12	5.72	2. 0 ¹ / ₂ x 4. 2 ¹ / ₂	2.0 x 4. 2
20 x 24	4.20	5.93	2. 0 ¹ / ₂ x 4. 6 ¹ / ₂	2.0 x 4. 6
20 x 26	4.31	6.18	2. 0 ¹ / ₂ x 4.10 ¹ / ₂	2.0 x 4.10
20 x 28	4.40	6.36	2. 0 ¹ / ₂ x 5. 2 ¹ / ₂	2.0 x 5. 2
20 x 30	4.49	6.68	2. 0 ¹ / ₂ x 5. 6 ¹ / ₂	2.0 x 5. 6
24 x 14	3.94	5.00	2. 4 ¹ / ₂ x 2.10 ¹ / ₂	2.4 x 2.10
24 x 15	4.03	5.25	2. 4 ¹ / ₂ x 3. 0 ¹ / ₂	2.4 x 3. 0
24 x 16	4.03	5.25	2. 4 ¹ / ₂ x 3. 2 ¹ / ₂	2.4 x 3. 2
24 x 18	4.12	5.66	2. 4 ¹ / ₂ x 3. 6 ¹ / ₂	2.4 x 3. 6
24 x 20	4.20	5.96	2. 4 ¹ / ₂ x 3.10 ¹ / ₂	2.4 x 3.10
24 x 22	4.31	6.17	2. 4 ¹ / ₂ x 4. 2 ¹ / ₂	2.4 x 4. 2
24 x 24	4.40	6.58	2. 4 ¹ / ₂ x 4. 6 ¹ / ₂	2.4 x 4. 6
24 x 26	4.49	6.66	2. 4 ¹ / ₂ x 4.10 ¹ / ₂	2.4 x 4.10
24 x 28	4.58	7.13	2. 4 ¹ / ₂ x 5. 2 ¹ / ₂	2.4 x 5. 2
24 x 30	4.66	7.44	2. 4 ¹ / ₂ x 5. 6 ¹ / ₂	2.4 x 5. 6
26 x 20	4.40	6.42	2. 6 ¹ / ₂ x 3.10 ¹ / ₂	—
26 x 24	4.58	7.15	2. 6 ¹ / ₂ x 4. 6 ¹ / ₂	—
26 x 26	4.66	7.65	2. 6 ¹ / ₂ x 4.10 ¹ / ₂	—
26 x 28	4.75	8.04	2. 6 ¹ / ₂ x 5. 2 ¹ / ₂	—
26 x 30	4.86	8.13	2. 6 ¹ / ₂ x 5. 6 ¹ / ₂	—
27 x 20	4.40	6.42	2. 7 ¹ / ₂ x 3.10 ¹ / ₂	—
27 x 24	4.58	7.15	2. 7 ¹ / ₂ x 4. 6 ¹ / ₂	—
27 x 26	4.66	7.65	2. 7 ¹ / ₂ x 4.10 ¹ / ₂	—
27 x 28	4.75	8.04	2. 7 ¹ / ₂ x 5. 2 ¹ / ₂	—
27 x 30	4.86	8.13	2. 7 ¹ / ₂ x 5. 6 ¹ / ₂	—
27 x 32	5.15	9.19	2. 7 ¹ / ₂ x 5.10 ¹ / ₂	—
28 x 20	4.40	6.42	2. 8 ¹ / ₂ x 3.10 ¹ / ₂	2.8 x 3.10
28 x 24	4.58	7.15	2. 8 ¹ / ₂ x 4. 6 ¹ / ₂	2.8 x 4. 6
28 x 26	4.66	7.65	2. 8 ¹ / ₂ x 4.10 ¹ / ₂	2.8 x 4.10
28 x 28	4.75	8.04	2. 8 ¹ / ₂ x 5. 2 ¹ / ₂	—
28 x 30	4.86	8.13	2. 8 ¹ / ₂ x 5. 6 ¹ / ₂	—
30 x 20	4.75	7.13	2.10 ¹ / ₂ x 3.10 ¹ / ₂	—
30 x 24	4.95	7.95	2.10 ¹ / ₂ x 4. 6 ¹ / ₂	—
30 x 26	5.06	8.01	2.10 ¹ / ₂ x 4.10 ¹ / ₂	—
30 x 28	5.15	9.02	2.10 ¹ / ₂ x 5. 2 ¹ / ₂	—
30 x 30	5.23	9.08	2.10 ¹ / ₂ x 5. 6 ¹ / ₂	—

QUIGLEY'S

1 3/8" WHITE PINE CHECK RAIL WINDOWS



8/1 LIGHT

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
32 x 16.....	\$4.88	\$6.62	3.0 1/2 x 3. 2 1/2.....	3.0 x 3. 2
32 x 20.....	5.06	7.54	3.0 1/2 x 3.10 1/2.....	3.0 x 3.10
32 x 24.....	5.26	8.44	3.0 1/2 x 4. 6 1/2.....	3.0 x 4. 6
36 x 16.....	5.06	7.11	3.4 1/2 x 3. 2 1/2.....	3.4 x 3. 2
36 x 20.....	5.26	7.98	3.4 1/2 x 3.10 1/2.....	3.4 x 3.10
36 x 24.....	5.45	9.06	3.4 1/2 x 4. 6 1/2.....	3.4 x 4. 6
40 x 20.....	5.67	8.74	3.8 1/2 x 3.10 1/2.....	3.8 x 3.10
40 x 24.....	5.85	9.80	3.8 1/2 x 4. 6 1/2.....	3.8 x 4. 6

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings
10 x 16.....	\$3.32	\$4.35	2. 0 1/2 x 3. 2 1/2
10 x 18.....	3.45	4.60	2. 0 1/2 x 3. 6 1/2
10 x 20.....	3.58	4.85	2. 0 1/2 x 3.10 1/2
10 x 24.....	3.83	5.37	2. 0 1/2 x 4. 6 1/2
10 x 26.....	3.94	5.70	2. 0 1/2 x 4.10 1/2
10 x 28.....	4.05	5.93	2. 0 1/2 x 5. 2 1/2
10 x 30.....	4.14	6.18	2. 0 1/2 x 5. 6 1/2
10 x 32.....	4.70	7.39	2. 0 1/2 x 5.10 1/2
12 x 16.....	3.52	4.73	2. 4 1/2 x 3. 2 1/2
12 x 18.....	3.65	5.04	2. 4 1/2 x 3. 6 1/2
12 x 20.....	3.76	5.31	2. 4 1/2 x 3.10 1/2
12 x 24.....	4.01	6.01	2. 4 1/2 x 4. 6 1/2
12 x 26.....	4.14	6.26	2. 4 1/2 x 4.10 1/2
12 x 28.....	4.23	6.61	2. 4 1/2 x 5. 2 1/2
12 x 30.....	4.37	7.00	2. 4 1/2 x 5. 6 1/2
12 x 32.....	4.70	7.39	2. 4 1/2 x 5.10 1/2
13 x 20.....	3.99	5.71	2. 6 1/2 x 3.10 1/2
13 x 24.....	4.23	6.58	2. 6 1/2 x 4. 6 1/2
13 x 26.....	4.37	6.78	2. 6 1/2 x 4.10 1/2
13 x 28.....	4.48	7.39	2. 6 1/2 x 5. 2 1/2
13 x 30.....	4.59	7.62	2. 6 1/2 x 5. 6 1/2
13 x 32.....	4.95	8.09	2. 6 1/2 x 5.10 1/2
13 1/2 x 20.....	3.99	5.71	2. 7 1/2 x 3.10 1/2
13 1/2 x 24.....	4.23	6.58	2. 7 1/2 x 4. 6 1/2
13 1/2 x 26.....	4.37	6.78	2. 7 1/2 x 4.10 1/2
13 1/2 x 28.....	4.48	7.39	2. 7 1/2 x 5. 2 1/2
13 1/2 x 30.....	4.59	7.62	2. 7 1/2 x 5. 6 1/2
13 1/2 x 32.....	4.95	8.09	2. 7 1/2 x 5.10 1/2
14 x 24.....	4.23	6.58	2. 8 1/2 x 4. 6 1/2
14 x 26.....	4.37	6.78	2. 8 1/2 x 4.10 1/2
14 x 28.....	4.48	7.39	2. 8 1/2 x 5. 2 1/2
14 x 30.....	4.59	7.62	2. 8 1/2 x 5. 6 1/2
14 x 32.....	4.95	8.09	2. 8 1/2 x 5.10 1/2
15 x 24.....	4.59	7.12	2.10 1/2 x 4. 6 1/2
15 x 26.....	4.73	7.73	2.10 1/2 x 4.10 1/2
15 x 28.....	4.82	8.02	2.10 1/2 x 5. 2 1/2
15 x 30.....	4.95	8.33	2.10 1/2 x 5. 6 1/2
15 x 32.....	5.06	8.66	2.10 1/2 x 5.10 1/2

WHITE PINE CHECK RAIL WINDOWS

1 3/8"

Philadelphia and
Baltimore Openings

4 LIGHTS



Q-408

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO


STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

STYLE
HEN
INET


NOTE:—All Our Windows and Sash are Chemically Treated and Prefitted.

1³/₈" WHITE PINE CHECK RAIL WINDOWS



8 LIGHTS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Opening
8 x 8	\$3.61	\$4.51	1. 8½ x 3. 2½	1.8 x 3.
8 x 10	3.83	4.96	1. 8½ x 3.10½	1.8 x 3.1
8 x 12	4.05	5.35	1. 8½ x 4. 6½	1.8 x 4.
9 x 12	4.25	5.88	1.10½ x 4. 6½	—
10 x 10	4.03	5.41	2. 0½ x 3.10½	2.0 x 3.1
10 x 12	4.25	5.88	2. 0½ x 4. 6½	2.0 x 4.



12 LIGHTS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Opening
6½ x 8	\$4.07	\$5.92	2. 0½ x 3. 2½	2.0 x 3.
6½ x 9	4.29	6.00	2. 0½ x 3. 6½	2.0 x 3.
6½ x 10	4.42	6.44	2. 0½ x 3.10½	2.0 x 3.1
6½ x 12	4.64	6.93	2. 0½ x 4. 6½	2.0 x 4.
8 x 8	4.34	5.83	2. 4½ x 3. 2½	2.4 x 3.
8 x 9	4.56	6.54	2. 4½ x 3. 6½	2.4 x 3. 6
8 x 10	4.69	6.54	2. 4½ x 3.10½	2.4 x 3.10
8 x 12	4.91	7.18	2. 4½ x 4. 6½	2.4 x 4. 6
8 x 13	5.04	7.28	2. 4½ x 4.10½	2.4 x 4.10
8 x 14	5.12	7.54	2. 4½ x 5. 2½	2.4 x 5. 2
8 x 15	5.30	7.80	2. 4½ x 5. 6½	—
8 x 16	5.85	8.81	2. 4½ x 5.10½	—
9 x 9	4.73	7.01	2. 7½ x 3. 6½	—
9 x 10	4.86	7.25	2. 7½ x 3.10½	—
9 x 12	5.08	7.98	2. 7½ x 4. 6½	—
9 x 13	5.21	8.38	2. 7½ x 4.10½	—
9 x 14	5.30	8.65	2. 7½ x 5. 2½	—
9 x 15	5.48	9.03	2. 7½ x 5. 6½	—
9 x 16	5.85	10.03	2. 7½ x 5.10½	—
9½ x 8	4.51	6.54	—	2.8 x 3. 2
9½ x 10	4.86	7.25	—	2.8 x 3.10
9½ x 12	5.08	7.98	—	2.8 x 4. 6
9½ x 13	5.21	8.38	—	2.8 x 4.10
10 x 10	5.19	8.03	2.10½ x 3.10½	—
10 x 12	5.41	8.50	2.10½ x 4. 6½	—
10 x 13	5.54	8.84	2.10½ x 4.10½	—
10 x 14	5.63	9.23	2.10½ x 5. 2½	—
10 x 15	5.80	10.10	2.10½ x 5. 6½	—
10 x 16	6.11	10.60	2.10½ x 5.10½	—



15 LIGHTS

1³/₈" WHITE PINE CHECK RAIL WINDOWS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings
8 x 10	\$5.52	\$8.40	2. 4½ x 4. 8½
10 x 12	6.29	11.05	2.10½ x 5. 6½


QUIGLEY'S

1 3/8" WHITE PINE CHECK RAIL WINDOWS



16 LIGHTS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings	Modular Openings
8 x 8.....	\$5.85	\$8.34	3. 0 1/2 x 3. 2 1/2.....	3.0 x 3. 2
8 x 10.....	6.02	8.47	3. 0 1/2 x 3.10 1/2.....	3.0 x 3.10
8 x 12.....	6.22	9.14	3. 0 1/2 x 4. 6 1/2.....	3.0 x 4. 6
8 x 13.....	6.29	9.78	3. 0 1/2 x 4.10 1/2.....	—
8 x 14.....	6.39	9.87	3. 0 1/2 x 5. 2 1/2.....	—
9 x 10.....	6.22	9.23	3. 4 1/2 x 3.10 1/2.....	3.4 x 3.10
9 x 12.....	6.39	9.67	3. 4 1/2 x 4. 6 1/2.....	3.4 x 4. 6
9 x 13.....	6.50	10.07	3. 4 1/2 x 4.10 1/2.....	—
9 x 14.....	6.59	10.47	3. 4 1/2 x 5. 2 1/2.....	—
10 x 10.....	6.64	9.58	3. 8 1/2 x 3.10 1/2.....	3.8 x 3.10
10 x 12.....	6.81	10.44	3. 8 1/2 x 4. 6 1/2.....	3.8 x 4. 6
10 x 13.....	6.90	10.85	3. 8 1/2 x 4.10 1/2.....	—
10 x 14.....	7.03	11.32	3. 8 1/2 x 5. 2 1/2.....	—



18 LIGHTS

Size of Glass	Open	Glazed	Philadelphia and Baltimore Openings
8 x 10.....	\$6.18	\$9.12	2. 4 1/2 x 5. 6 1/2
10 x 12.....	7.05	12.18	2.10 1/2 x 6. 6 1/2

WHITE PINE DIVIDED LIGHT TOP WINDOWS

The following designs can be furnished from any two-light window shown as carried in stock by placing bars in top sash

Add to the 2-Light List Price Amount Shown Under any Design.



Q-400



Q-402



Q-403



Q-406



Q-407

Open	\$1.20	\$2.10	\$2.80	\$2.70	\$3.15
Glazed	1.20	2.10	2.80	2.70	3.15

NOTE:—All Our Windows and Sash are Chemically Treated and Prefitted.

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO


STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

TYLE
HEN
NET

QUIGLEY'S

BLINDS




Q-1404

STATIONARY SLATS

TREATED
WITH
WOODLIFE

ALL
WHITE PINE
1 1/8"
THICK

RABBETED
IN PAIRS



Q-1400

ROLLING SLATS

Size of Glass	Outside Size	Q-1404	Price per Pair	Q-1400
20 x 16	2. 0 1/2 x 3.4	\$ 8.46		\$ —
20 x 20	2. 0 1/2 x 4.0	8.46		—
20 x 24	2. 0 1/2 x 4.8	9.87		—
24 x 16	2. 4 1/2 x 3.4	8.46		—
24 x 20	2. 4 1/2 x 4.0	8.46		10.11
24 x 24	2. 4 1/2 x 4.8	9.87		11.74
24 x 26	2. 4 1/2 x 5.0	10.58		12.56
24 x 28	2. 4 1/2 x 5.4	11.28		13.37
24 x 30	2. 4 1/2 x 5.8	11.98		14.18
26 x 24	2. 6 1/2 x 4.8	9.87		—
26 x 26	2. 6 1/2 x 5.0	10.58		12.56
26 x 28	2. 6 1/2 x 5.4	11.28		—
26 x 30	2. 6 1/2 x 5.8	11.98		—
27 x 20	2. 7 1/2 x 4.0	8.46		10.11
27 x 24	2. 7 1/2 x 4.8	9.87		11.74
27 x 26	2. 7 1/2 x 5.0	10.58		12.56
27 x 28	2. 7 1/2 x 5.4	11.28		13.37
27 x 30	2. 7 1/2 x 5.8	11.98		—
28 x 16	2. 8 1/2 x 3.4	8.46		—
28 x 24	2. 8 1/2 x 4.8	9.87		—
28 x 26	2. 8 1/2 x 5.0	10.58		—
28 x 28	2. 8 1/2 x 5.4	11.28		—
28 x 30	2. 8 1/2 x 5.8	11.98		—
30 x 20	2. 10 1/2 x 4.0	8.46		—
30 x 24	2. 10 1/2 x 4.8	9.87		11.74
30 x 26	2. 10 1/2 x 5.0	10.58		12.56
30 x 28	2. 10 1/2 x 5.4	11.28		13.37
30 x 30	2. 10 1/2 x 5.8	11.98		—
32 x 16	3. 0 1/2 x 3.4	8.64		—
32 x 20	3. 0 1/2 x 4.0	8.64		—
32 x 24	3. 0 1/2 x 4.8	10.08		—
36 x 24	3. 4 1/2 x 4.8	10.50		12.39
40 x 24	3. 8 1/2 x 4.8	10.92		—

LAYOUTS (OVERALL SIZES)

STILES	2 3/16"
TOP RAIL	2 3/16"
CROSS RAIL	2"
BOTTOM RAIL	6 3/8"

QUIGLEY'S

BLINDS



TREATED
WITH
WOODLIFE

ALL
WHITE PINE
1 1/8"
THICK

RABBETED
IN PAIRS

Q-1401

STATIONARY SLATS
NO SAW CUTS

ALL WHITE PINE-1 1/8" THICK

Size of Glass	Outside Size	Per Pair
24 x 20.....	2. 4 1/2 x 4.0.....	\$10.98
24 x 24.....	2. 4 1/2 x 4.8.....	12.75
24 x 26.....	2. 4 1/2 x 5.0.....	13.66
24 x 28.....	2. 4 1/2 x 5.4.....	14.55
24 x 30.....	2. 4 1/2 x 5.8.....	15.42
27 x 24.....	2. 7 1/2 x 4.8.....	12.75
27 x 26.....	2. 7 1/2 x 5.0.....	13.66
27 x 28.....	2. 7 1/2 x 5.4.....	14.55
30 x 24.....	2. 10 1/2 x 4.8.....	12.75
30 x 26.....	2. 10 1/2 x 5.0.....	13.66
30 x 28.....	2. 10 1/2 x 5.4.....	14.55

LAYOUTS

(OVERALL SIZES)

STILES	2 3/16"
TOP RAIL	2 3/16"
CROSS RAIL	2"
BOTTOM RAIL	6 3/8"

FOR CUT-OUTS SHOWN BELOW, ADD PER PAIR:

\$1.20 for Nos. 7, 8, 9, 11, 13, 17, 18, 20, 21, 25.

\$1.60 for Nos. 2, 3, 4, 5, 14, 16, 19, 22, 24, 29, 32.

\$2.10 for Nos. 1, 6, 10, 12, 15, 23, 26, 27, 28, 30, 31.



GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR
DO


STAIR-
DRK A
PORC
WO

STILES
AND
INET
DRK

STYLE
IN
ET

QUIGLEY'S

SHUTTERS



Q-1406

RAISED PANELS—Two Sides
O. G. STICKING

TREATED
WITH
WOODLIFE

ALL
WHITE PINE
1 1/8"
THICK

RABBETED
AND
BEADED
IN PAIRS



Q-1407

RAISED PANELS—Two Sides
B. & C. STICKING

Size of Glass	Outside Size	Q-1406	Price per Pair	Q-1407
20 x 16	2. 0 1/2 x 3.4	\$10.81		\$ —
20 x 20	2. 0 1/2 x 4.0	10.81		—
20 x 24	2. 0 1/2 x 4.8	12.58		—
24 x 16	2. 4 1/2 x 3.4	10.81		—
24 x 20	2. 4 1/2 x 4.0	10.81		10.81
24 x 24	2. 4 1/2 x 4.8	12.58		12.58
24 x 26	2. 4 1/2 x 5.0	13.46		13.46
24 x 28	2. 4 1/2 x 5.4	14.32		14.32
24 x 30	2. 4 1/2 x 5.8	15.18		15.18
24 x 32	2. 4 1/2 x 6.0	16.07		16.07
27 x 24	2. 7 1/2 x 4.8	12.58		12.58
27 x 26	2. 7 1/2 x 5.0	13.46		13.46
27 x 28	2. 7 1/2 x 5.4	14.32		14.32
27 x 30	2. 7 1/2 x 5.8	15.18		15.18
27 x 32	2. 7 1/2 x 6.0	16.07		16.07
28 x 16	2. 8 1/2 x 3.4	10.81		—
30 x 24	2. 10 1/2 x 4.8	12.58		12.58
30 x 26	2. 10 1/2 x 5.0	13.46		13.46
30 x 28	2. 10 1/2 x 5.4	14.32		14.32
30 x 30	2. 10 1/2 x 5.8	15.18		15.18
30 x 32	2. 10 1/2 x 6.0	16.07		16.07
32 x 16	3. 0 1/2 x 3.4	11.04		—
32 x 20	3. 0 1/2 x 4.0	11.04		—
32 x 24	3. 0 1/2 x 4.8	12.83		—

LAYOUTS

(OVERALL SIZES)

STILES	3 1/2"	3 3/8"
TOP RAIL	3 1/2"	4"
CROSS RAIL	3 3/8"	4"
BOTTOM RAIL	7"	6 3/4"

QUIGLEY'S

SHUTTERS




Q-1405
RAISED PANELS—Two Sides
NO SAW CUTS
O. G. STICKING

TREATED
WITH
WOODLIFE

ALL
WHITE PINE
1 1/8"
THICK

RABBETED
AND
BEADED
IN PAIRS



Q-1408

Q-1409

Size of Glass	Outside Size	Q-1405	Q-1408	Q-1409
24 x 20	2. 4 1/2 x 4.0	\$10.81	\$12.27	\$13.12
24 x 24	2. 4 1/2 x 4.8	12.58	14.25	15.25
24 x 26	2. 4 1/2 x 5.0	13.46	15.25	16.31
24 x 28	2. 4 1/2 x 5.4	14.32	16.25	17.38
24 x 30	2. 4 1/2 x 5.8	15.18	17.23	18.44
27 x 24	2. 7 1/2 x 4.8	12.58	14.25	15.25
27 x 26	2. 7 1/2 x 5.0	13.46	15.25	16.31
27 x 28	2. 7 1/2 x 5.4	14.32	16.25	17.38
30 x 24	2. 10 1/2 x 4.8	12.58	14.25	15.25
30 x 26	2. 10 1/2 x 5.0	13.46	15.25	16.31
30 x 28	2. 10 1/2 x 5.4	14.32	16.25	17.38
32 x 20	3. 0 1/2 x 4.0	11.04	—	—
32 x 24	3. 0 1/2 x 4.8	12.83	—	—
36 x 24	3. 4 1/2 x 4.8	13.32	—	—
40 x 24	3. 8 1/2 x 4.8	13.83	—	—

LAYOUTS—Q-1405

STILES	3 1/2"
TOP RAIL	3 1/2"
CROSS RAIL	3 3/8"
BOTTOM RAIL	7"

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOOR*


FLUSH
DOOR
AND
GAR
DO

STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

STYLE
HEN
NET

GABLE FRAMES and SASH



Q-2802

WHITE PINE

A complete Unit which includes both Frame and Glazed Sash, assembled and ready to install.

Stock Size, 2'.2" x 2'.2" Over-all.


Square Inside and Octagon Outside.

Stud Opening, 2'.0½" x 2'.1"

Sash Size, 1'.10" x 1'.10"

Carton Packed. No Hardware.

PRICE EACH\$31.10



Q-2832

WHITE PINE

A Unit consisting of a Frame and a Glazed Sash. Completely assembled and ready to install.

Stock Size, 2'.2" Diameter Over-all.


Square Inside and Circle Outside.

Stud Opening, 2'.0½" x 2'.1"

Sash Size, 1'.10" x 1'.10"

Carton Packed. No Hardware.

PRICE EACH\$36.29



Q-2800

WHITE PINE

A completely assembled Unit consisting of a Frame, Sash and Screen. Jambs are Circle Inside and Outside. Adapted for use in Masonry or Stud Walls. Sash is made in two pieces, permitting one half to be opened for ventilation.

Sash Size, 1'.11" x 1'.11"

Stud Opening, 2'.3" x 2'.3"

Masonry Opening, 2'.5½" x 2'.5½"

Sash Glazed and Screen Wired.

Carton Packed. No Hardware.

PRICE EACH\$55.39

QUIGLEY'S

GABLE FRAMES and SASH

WHITE PINE



Q-2812

This half circle Gable Frame and Sash is a complete Unit including Glazed Sash and Frame all assembled and ready to install.

Stock Size, 3'.4" x 1'.10³/₈" Over-all.


Square Inside to fit Stud Opening, 3'.2¹/₂" x 1'.9¹/₂"

Sash Size, 3'.0" x 1'.6"


Carton Packed. No Hardware.

PRICE EACH\$25.95

WHITE PINE



Q-2808-L



Q-2808-R

These quarter circle Gable Frames and Sash are for use Singly or as companion Units, whichever may be desired. Each Unit is furnished complete including Glazed Sash and assembled Frame ready to install.

Stock Size, 1'.10" x 1'.10³/₈" Over-all.

Sash Size, 1'.6" x 1'.6"

Stud Opening, 1'.8¹/₂" x 1'.9¹/₂"

Carton Packed. No Hardware.

PRICE EITHER UNIT\$18.66

GABLE
SASH
LOUVRES

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

TYLE
HEN
NET

QUIGLEY'S

GABLE LOUVRES

WHITE PINE



Q-2826

This half circle Louvre is furnished completely assembled and ready to install. Wire Cloth Screen is stapled to inside edge of Frame. Wood back included.

Stock Size, 3'.4" x 1'.10³/₈" Over-all.


Square Inside to fit Stud Opening, 3'.2¹/₂" x 1'.9¹/₂"

Size between Jambs, 3'.0" x 1'.6"

Carton Packed.

PRICE EACH.....\$23.11

WHITE PINE



Q-2810-L



Q-2810-R

These quarter circle Louvres are for use singly or as companion Units, whichever may be desired. Completely assembled and ready to install. Wire Cloth Screen is stapled to inside edge of Frame. Wood back included.

Stock Size, 1'.10" x 1'.10³/₈" Over-all.

Square Inside to fit Stud Opening, 1'.8¹/₂" x 1'.9¹/₂"

Size between Jambs, 1'.6" x 1'.6"

Carton Packed.

PRICE EITHER UNIT.....\$12.85

GABLE LOUVRES

WHITE PINE



Q-2805

This rectangular Louvre is furnished completely assembled and ready to install. Wire Cloth Screen is stapled to inside edge of Frame. Wood back included.

Stock Size, 1'.4" x 1'.37⁷/₁₆" Over-all.

Stud Opening, 1'.2¹/₂" x 1'.3"

Size between Jambs, 1' x 1'

Carton Packed.

PRICE EACH.....\$6.31



Q-2807

WHITE PINE

This rectangular Louvre is furnished completely assembled and ready to install. Wire Cloth Screen is stapled to inside edge of Frame. Wood back included.

Stock Size, 1'.4" x 1'.97⁷/₁₆" Over-all.

Stud Opening, 1'.2¹/₂" x 1'.9"

Size between Jambs, 1'.0" x 1'.6"

Carton Packed.

PRICE EACH.....\$7.32



Q-2809

WHITE PINE

This rectangular Louvre is furnished completely assembled and ready to install. Wire Cloth Screen is stapled to inside edge of Frame. Wood back included.

Stock Size, 1'.0" x 2'.97⁷/₁₆" Over-all.

Stud Opening, 10¹/₂" x 2'.9"

Size between Jambs, 8" x 2'.6"

Carton Packed.

PRICE EACH.....\$9.43

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR/
DO

STAIR-
ORK A
PORC
WO


NTLES
AND
BINET
ORK

TYLE
HEN
IE

GABLE LOUVRES

ALL
ALUMINUM
CONSTRUCTION

VARI-PITCH



The *Adjustable* Metal Ventilating *Louvre*

VARI-PITCH, the all-aluminum, adjustable ventilating Louvre fully answers the need for good under-roof ventilation in homes, shops, barns, poultry houses, or any buildings with pitched roofs.

Because it instantly conforms to any ordinary pitch of roof, any man can install it. No refitting is necessary after opening is cut in wall.

Note the six features (at right) which invariably appeal to the buyer of VARI-PITCH Louvres.

Lower cost ventilators. Having louvres made to order, for any purpose, always costs more;

Easy to install. No refitting needed after opening is cut;

Adjust to any pitch of roof, from one-third to two-thirds instantly;

Can be placed above high attic windows;

Faster, cheaper installation;

Ventilates higher in attic, thus insuring maximum ventilation.

STOCKED IN THREE SIZES

	Wall Opening Minimum	Wall Opening Maximum	Price Each
NO. A50A	21" x 14"	32" x 8"	\$4.97
NO. A56A	24" x 17"	36" x 11"	5.96
NO. A88A	29" x 21"	48" x 11"	8.51

QUIGLEY'S

Unique

THE PERFECT SASH BALANCE WITH WORLD WIDE ACCEPTANCE



A Revolutionary Method of Balancing the Sash of Double Hung Windows

The Unique Sash Balances have made possible one of the most important improvements in the development of the double-hung window. They have simplified the method of balancing the sash and, in addition, simplified the construction of the window frame itself. They may be applied to old type double-hung windows for modernization, as well as to new simplified construction.

No box is required at the jambs or at the head of the window frame to accommodate the use of the Unique Balances. Mullions are reduced to two inches in width.

Unique Sash Balances are Used on all Types of Buildings

The low cost of Unique Balances allows them to be used even on inexpensive houses. They are also used, on account of their quality and satisfactory performance, on all types of government, private and commercial buildings.

Government Approval

Unique Sash Balances are approved and used by the Army and Navy Departments and approved by all Government agencies for private and Government work, and housing of all types.

ALL SIZES OF TYPE "D" BALANCES STOCKED.
SEE NET PRICE SCHEDULE.



WINDOW GLASS

Large quantities of stock sizes carried on hand at all times in "B" quality single and double strength glass.

Include with your orders of millwork, box or less than box quantities of window glass for your stock.

Florentine Glass cut to any desired size.

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO



STAIR-
DRK A
PORC
WO

ITLES
ND
INET
DRK

YLE
EN
ET

CELLAR FRAMES

WHITE PINE



#1
WHITE PINE



CHEMICALLY
TREATED

SPECIFICATIONS:

Reveal Moulding	1 5/16" x 2"
Head Jambs	1 5/16" x 4 3/4"
Side Jambs	1 5/16" x 4 3/4"
Sill	1 5/8" x 6 5/8"

Style "C" Bundling

List Price is for a complete Frame with Moulding

PHILADELPHIA OPENINGS

Glass Size	Price K.D.	Sash Size	Masonry Opening
7 x 9—3 Lights	\$3.03	2. 1 1/2 x 1.2	2. 5 x 1. 5 3/4
8 x 8—3 Lights	3.49	2. 4 1/2 x 1.1	2. 8 x 1. 4 3/4
8 x 10—3 Lights	3.49	2. 4 1/2 x 1.3	2. 8 x 1. 6 3/4
8 x 12—3 Lights	3.85	2. 4 1/2 x 1.5	2. 8 x 1. 8 3/4
8 x 14—3 Lights	3.97	2. 4 1/2 x 1.7	2. 8 x 1.10 3/4
8 x 16—3 Lights	4.08	2. 4 1/2 x 1.9	2. 8 x 2. 0 3/4
8 x 20—3 Lights	4.30	2. 4 1/2 x 2.1	2. 8 x 2. 4 3/4
8 x 24—3 Lights	4.53	2. 4 1/2 x 2.5	2. 8 x 2. 8 3/4
9 x 12—3 Lights	4.05	2. 7 1/2 x 1.5	2.11 x 1. 8 3/4
9 x 14—3 Lights	4.17	2. 7 1/2 x 1.7	2.11 x 1.10 3/4
9 x 16—3 Lights	4.28	2. 7 1/2 x 1.9	2.11 x 2. 0 3/4
9 x 24—3 Lights	4.73	2. 7 1/2 x 2.5	2.11 x 2. 8 3/4
10 x 12—3 Lights	4.18	2.10 1/2 x 1.5	3. 2 x 1. 8 3/4
10 x 14—3 Lights	4.30	2.10 1/2 x 1.7	3. 2 x 1.10 3/4
10 x 16—3 Lights	4.41	2.10 1/2 x 1.9	3. 2 x 2. 0 3/4
10 x 24—3 Lights	4.85	2.10 1/2 x 2.5	3. 2 x 2. 8 3/4

MODULAR OPENINGS


8 x 12—3 Lights	\$3.85	2. 4 x 1.4	2. 8 x 1. 8
8 x 16—3 Lights	4.08	2. 4 x 1.8	2. 8 x 2. 0
9 11/32 x 12—3 Lights	4.18	2. 8 x 1.4	3. 0 x 1. 8
9 11/32 x 16—3 Lights	4.41	2. 8 x 1.8	3. 0 x 2. 0

If Set Up Add to List \$1.00


QUIGLEY'S

ANDERSEN BASEMENT UNIT


WHITE PINE




HINGED
AT TOP



with REVERSIBLE SASH



HINGED
AT BOTTOM



The Andersen Basement-Utility Window Unit is complete. It includes: the Frame, Glazed Sash, Weatherstripping, Screen, all Hardware, Preservative Treating of all Wood Parts, all Factory Assembled and Packed in a Carton.

Basement Window Sizes have been Standardized to Fit 8" x 8" x 16" Concrete Block Construction for Openings 2 Blocks Wide and 2, 2½ and 3 Blocks High.

Unit No.	Price Each	Unit Size
2813.....	\$8.05	2' 8 3/8" x 1' 3 3/8"
2817.....	8.74	2' 8 3/8" x 1' 7 3/8"
2820.....	9.40	2' 8 3/8" x 1' 11 3/8"

FRAMES
AND
WINDOW
UNITS

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS


FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK
AND
PORC
WO

INTLES
AND
BINET
WORK


STYLE
CHEN
INEY

FRAME HOUSE CASEMENT FRAMES CHEMICALLY TREATED




SPECIFICATIONS:

Drip Cap	1 1/8" x 1 1/8"
Mull Casing	1 3/32" x 3 3/4"
Head Casing	1 3/32" x 3 3/4"
Jambs	3/4" x 5 1/4"
Side Casing	1 3/32" x 3 3/4"
Sill	1 1/8" x 7 1/4"



STUD OPENINGS



Glass Size	Singles	Twins	Sash Size	Singles	Twins
16 x 20	\$6.34	\$13.70	1. 8 1/2 x 2. 1	2. 2 x 2. 6	4. 2 3/4 x 2. 6
16 x 24	6.58	14.18	1. 8 1/2 x 2. 5	2. 2 x 2.10	4. 2 3/4 x 2.10
16 x 30	7.22	15.46	1. 8 1/2 x 2.11	2. 2 x 3. 4	4. 2 3/4 x 3. 4
16 x 36	7.62	16.26	1. 8 1/2 x 3. 5	2. 2 x 3.10	4. 2 3/4 x 3.10
16 x 48	8.88	18.78	1. 8 1/2 x 4. 5	2. 2 x 4.10	4. 2 3/4 x 4.10
20 x 20	7.21	15.44	2. 0 1/2 x 2. 1	2. 6 x 2. 6	4.10 3/4 x 2. 6
20 x 24	7.45	15.92	2. 0 1/2 x 2. 5	2. 6 x 2.10	4.10 3/4 x 2.10
20 x 30	8.09	17.20	2. 0 1/2 x 2.11	2. 6 x 3. 4	4.10 3/4 x 3. 4
20 x 36	8.49	18.00	2. 0 1/2 x 3. 5	2. 6 x 3.10	4.10 3/4 x 3.10
20 x 42	9.12	19.26	2. 0 1/2 x 3.11	2. 6 x 4. 4	4.10 3/4 x 4. 4
20 x 48	9.75	20.52	2. 0 1/2 x 4. 5	2. 6 x 4.10	4.10 3/4 x 4.10
24 x 20	7.70	16.42	2. 4 1/2 x 2. 1	2.10 x 2. 6	5. 6 3/4 x 2. 6
24 x 24	7.94	16.90	2. 4 1/2 x 2. 5	2.10 x 2.10	5. 6 3/4 x 2.10
24 x 30	8.59	18.20	2. 4 1/2 x 2.11	2.10 x 3. 4	5. 6 3/4 x 3. 4
24 x 36	8.98	18.98	2. 4 1/2 x 3. 5	2.10 x 3.10	5. 6 3/4 x 3.10
24 x 42	9.61	20.24	2. 4 1/2 x 3.11	2.10 x 4. 4	5. 6 3/4 x 4. 4
24 x 48	10.24	21.50	2. 4 1/2 x 4. 5	2.10 x 4.10	5. 6 3/4 x 4.10
30 x 20	8.78	18.58	2.10 1/2 x 2. 1	3. 4 x 2. 6	6. 6 3/4 x 2. 6
30 x 24	9.01	19.04	2.10 1/2 x 2. 5	3. 4 x 2.10	6. 6 3/4 x 2.10
30 x 30	9.66	20.34	2.10 1/2 x 2.11	3. 4 x 3. 4	6. 6 3/4 x 3. 4
30 x 36	10.05	21.12	2.10 1/2 x 3. 5	3. 4 x 3.10	6. 6 3/4 x 3.10
30 x 42	10.68	22.38	2.10 1/2 x 3.11	3. 4 x 4. 4	6. 6 3/4 x 4. 4
30 x 48	11.31	23.64	2.10 1/2 x 4. 5	3. 4 x 4.10	6. 6 3/4 x 4.10

"Clear" White Pine
Bundled Style "C"

All Frames
Knocked Down

FOR SETTING UP


Add to List of any size frame:

Single..... \$1.00 Twin..... \$2.00

Triple Casement Frames to Match Above Can Be Made to Order Promptly.

QUIGLEY'S

PLANK CASEMENT FRAMES CHEMICALLY TREATED



Bundled Style "C"
"Clear" White Pine

All Frames
Knocked Down

SPECIFICATIONS:

Plank Moulding	$\frac{3}{4} \times 1\frac{3}{4}$
Jambs	$1\frac{5}{8} \times 5\frac{1}{2}$
Mullion	3"
Sill	$1\frac{5}{8} \times 7\frac{3}{8}$

MASONRY OPENING

Glass Size	Singles	Twins	Sash Size	Singles	Twins
16 x 20	\$6.48	\$13.98	1. $8\frac{1}{2} \times 2.1$	$2.1\frac{1}{4} \times 2.5$	$4.0\frac{3}{4} \times 2.5$
16 x 24	7.24	15.50	1. $8\frac{1}{2} \times 2.5$	$2.1\frac{1}{4} \times 2.9$	$4.0\frac{3}{4} \times 2.9$
16 x 36	8.62	18.26	1. $8\frac{1}{2} \times 3.5$	$2.1\frac{1}{4} \times 3.9$	$4.0\frac{3}{4} \times 3.9$
16 x 48	10.22	21.46	1. $8\frac{1}{2} \times 4.5$	$2.1\frac{1}{4} \times 4.9$	$4.0\frac{3}{4} \times 4.9$
20 x 20	6.88	14.78	2. $0\frac{1}{2} \times 2.1$	$2.5\frac{1}{4} \times 2.5$	$4.8\frac{3}{4} \times 2.5$
20 x 24	7.65	16.32	2. $0\frac{1}{2} \times 2.5$	$2.5\frac{1}{4} \times 2.9$	$4.8\frac{3}{4} \times 2.9$
20 x 30	8.37	17.76	2. $0\frac{1}{2} \times 2.11$	$2.5\frac{1}{4} \times 3.3$	$4.8\frac{3}{4} \times 3.3$
20 x 36	9.03	19.08	2. $0\frac{1}{2} \times 3.5$	$2.5\frac{1}{4} \times 3.9$	$4.8\frac{3}{4} \times 3.9$
20 x 48	10.63	22.28	2. $0\frac{1}{2} \times 4.5$	$2.5\frac{1}{4} \times 4.9$	$4.8\frac{3}{4} \times 4.9$
24 x 20	7.82	16.66	2. $4\frac{1}{2} \times 2.1$	$2.9\frac{1}{4} \times 2.5$	$5.4\frac{3}{4} \times 2.5$
24 x 24	8.59	18.20	2. $4\frac{1}{2} \times 2.5$	$2.9\frac{1}{4} \times 2.9$	$5.4\frac{3}{4} \times 2.9$
24 x 30	9.30	19.62	2. $4\frac{1}{2} \times 2.11$	$2.9\frac{1}{4} \times 3.3$	$5.4\frac{3}{4} \times 3.3$
24 x 36	9.97	20.96	2. $4\frac{1}{2} \times 3.5$	$2.9\frac{1}{4} \times 3.9$	$5.4\frac{3}{4} \times 3.9$
24 x 48	11.57	24.16	2. $4\frac{1}{2} \times 4.5$	$2.9\frac{1}{4} \times 4.9$	$5.4\frac{3}{4} \times 4.9$
30 x 20	8.47	17.96	2. $10\frac{1}{2} \times 2.1$	$3.3\frac{1}{4} \times 2.5$	$6.4\frac{3}{4} \times 2.5$
30 x 24	9.24	19.50	2. $10\frac{1}{2} \times 2.5$	$3.3\frac{1}{4} \times 2.9$	$6.4\frac{3}{4} \times 2.9$
30 x 36	10.62	22.26	2. $10\frac{1}{2} \times 3.5$	$3.3\frac{1}{4} \times 3.9$	$6.4\frac{3}{4} \times 3.9$
30 x 48	12.22	25.46	2. $10\frac{1}{2} \times 4.5$	$3.3\frac{1}{4} \times 4.9$	$6.4\frac{3}{4} \times 4.9$

FOR SETTING UP

Add to List of any size frame:

Singles \$1.00 Twins \$2.00

Triple Casement Frames to Match Above Can Be Made to Order Promptly.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS




FLUSH
DOOR
AND
GAR-
DO

STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

TYLE
HEN
NE

UNIQUE CASEMENT FRAMES CHEMICALLY TREATED



Glass Size	Singles	Twins	Sash Size
16 x 20	\$6.34	\$13.70	1. 8½ x 2. 1
16 x 24	6.58	14.18	1. 8½ x 2. 5
16 x 30	7.22	15.46	1. 8½ x 2.11
16 x 36	7.62	16.26	1. 8½ x 3. 5
16 x 48	8.88	18.78	1. 8½ x 4. 5
20 x 20	7.21	15.44	2. 0½ x 2. 1
20 x 24	7.45	15.92	2. 0½ x 2. 5
20 x 30	8.09	17.20	2. 0½ x 2.11
20 x 36	8.49	18.00	2. 0½ x 3. 5
20 x 42	9.12	19.26	2. 0½ x 3.11
20 x 48	9.75	20.52	2. 0½ x 4. 5
24 x 20	7.70	16.42	2. 4½ x 2. 1
24 x 24	7.94	16.90	2. 4½ x 2. 5
24 x 30	8.59	18.20	2. 4½ x 2.11
24 x 36	8.98	18.98	2. 4½ x 3. 5
24 x 42	9.61	20.24	2. 4½ x 3.11
24 x 48	10.24	21.50	2. 4½ x 4. 5
30 x 20	8.78	18.58	2.10½ x 2. 1
30 x 24	9.01	19.04	2.10½ x 2. 5
30 x 30	9.66	20.34	2.10½ x 2.11
30 x 36	10.05	21.12	2.10½ x 3. 5
30 x 42	10.68	22.38	2.10½ x 3.11
30 x 48	11.31	23.64	2.10½ x 4. 5

FOR SETTING UP

Add to List of any size frame:

Singles	\$1.00	Twins	\$2.00
---------	--------	-------	--------

Triple Casement Frames to Match Above Can Be Made to Order Promptly.

STUD OPENINGS

MASONRY OPENINGS

	Glass Size	Singles	Twins	Singles	Twins
Drip Cap	1½ x 1½	1.11 x 2.4½	3.9½ x 2.4½	2.0 x 2.5	3.10½ x 2.5
Head Casing	1½ x 1¾	1.11 x 2.8½	3.9½ x 2.8½	2.0 x 2.9	3.10½ x 2.9
Head Liner	¾ x 2½	1.11 x 3.2½	3.9½ x 3.2½	2.0 x 3.3	3.10½ x 3.3
Jambs	¾ x 5¼	1.11 x 3.8½	3.9½ x 3.8½	2.0 x 3.9	3.10½ x 3.9
Side Liner	¾ x 2½	1.11 x 4.8½	3.9½ x 4.8½	2.0 x 4.9	3.10½ x 4.9
Side Casings	1½ x 1¾	2. 3 x 2.4½	4.5½ x 2.4½	2.4 x 2.5	4. 6½ x 2.5
Mull. Casing	1½ x 2	2. 3 x 2.8½	4.5½ x 2.8½	2.4 x 2.9	4. 6½ x 2.9
Sill	1½ x 7¾	2. 3 x 3.2½	4.5½ x 3.2½	2.4 x 3.3	4. 6½ x 3.3
		2. 3 x 3.8½	4.5½ x 3.8½	2.4 x 3.9	4. 6½ x 3.9
		2. 3 x 4.2½	4.5½ x 4.2½	2.4 x 4.3	4. 6½ x 4.3
		2. 3 x 4.8½	4.5½ x 4.8½	2.4 x 4.9	4. 6½ x 4.9
		2. 7 x 2.4½	5.1½ x 2.4½	2.8 x 2.5	5. 2½ x 2.5
		2. 7 x 2.8½	5.1½ x 2.8½	2.8 x 2.9	5. 2½ x 2.9
		2. 7 x 3.2½	5.1½ x 3.2½	2.8 x 3.3	5. 2½ x 3.3
		2. 7 x 3.8½	5.1½ x 3.8½	2.8 x 3.9	5. 2½ x 3.9
		2. 7 x 4.2½	5.1½ x 4.2½	2.8 x 4.3	5. 2½ x 4.3
		2. 7 x 4.8½	5.1½ x 4.8½	2.8 x 4.9	5. 2½ x 4.9
		3. 1 x 2.4½	6.1½ x 2.4½	3.2 x 2.5	6. 2½ x 2.5
		3. 1 x 2.8½	6.1½ x 2.8½	3.2 x 2.9	6. 2½ x 2.9
		3. 1 x 3.2½	6.1½ x 3.2½	3.2 x 3.3	6. 2½ x 3.3
		3. 1 x 3.8½	6.1½ x 3.8½	3.2 x 3.9	6. 2½ x 3.9
		3. 1 x 4.2½	6.1½ x 4.2½	3.2 x 4.3	6. 2½ x 4.3
		3. 1 x 4.8½	6.1½ x 4.8½	3.2 x 4.9	6. 2½ x 4.9

"Clear" White Pine
Bundled Style "C"

All Frames
Knocked Down

MALTA "SUPREME"

... THE FRAME THAT LIVES UP TO ITS NAME
UNIQUE WINDOW FRAMES

ARCHITECT—ADAPTABILITY: These frames are designed for all types of wall construction and may be used equally well in frame, brick, masonry and block constructed homes and buildings. Fit into plans calling for any wall thickness.

DEALER—DEALERS: Malta "SUPREME" frames have weathered the storm of competition for years and are now the outstanding frame for quality homes.

CONTRACTOR—CONSTRUCTION: Mr. and Mrs. Home Buyer thank the man who specifies Malta "SUPREME" frames. The quality of the White Pine, the exactness of the milling, and the specifications of the parts of this frame, combine for attractive appearance and added value.

HOME OWNER—BEAUTY: The Malta "SUPREME" Window Frame earns the preference of home owners. Every frame will give you years and years of trouble-free operation. In addition, this frame has been chemically treated with Wood-life Waterproofing.

JOIN the SWING to MALTA—a famous name in window frames

ON THE SUCCEEDING PAGES, MALTA "SUPREME" FRAMES AND UNITS
ARE FULLY DESCRIBED AND LISTED.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK
AND
PORC-
WO

WINTLES
AND
CABINET
WORK

STYLE
CHEN
LINE

QUIGLEY'S

MALTA "SUPREME" UNIQUE WINDOW FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED

All Frames Knocked Down
Bundled Style "C"

Glass Size	Price Singles	Price Twins	Price Triples	Sash Size Philadelphia and Baltimore Openings	Sash S Modul Openin
16 x 16	\$ 7.71	\$15.74	\$23.97	1. 8½ x 3. 2½	1.8 x 3
16 x 18	7.99	16.30	24.81	1. 8½ x 3. 6½	1.8 x 3
16 x 20	8.47	17.26	26.25	1. 8½ x 3.10½	1.8 x 3
16 x 24	9.03	18.38	27.93	1. 8½ x 4. 6½	1.8 x 4
18 x 18	8.18	16.68	25.38	1.10½ x 3. 6½	—
18 x 20	8.66	17.64	26.82	1.10½ x 3.10½	—
18 x 24	9.22	18.76	28.50	1.10½ x 4. 6½	—
20 x 14	7.75	15.82	24.09	2. 0½ x 2.10½	2.0 x 2
20 x 15	8.10	16.52	25.14	2. 0½ x 3. 0½	2.0 x 3
20 x 16	8.10	16.52	25.14	2. 0½ x 3. 2½	2.0 x 3
20 x 18	8.38	17.08	25.98	2. 0½ x 3. 6½	2.0 x 3
20 x 20	8.86	18.04	27.42	2. 0½ x 3.10½	2.0 x 3
20 x 22	9.15	18.62	28.29	2. 0½ x 4. 2½	2.0 x 4
20 x 24	9.42	19.16	29.10	2. 0½ x 4. 6½	2.0 x 4
20 x 26	9.72	19.76	30.00	2. 0½ x 4.10½	2.0 x 4
20 x 28	10.01	20.34	30.87	2. 0½ x 5. 2½	2.0 x 5
20 x 30	10.30	20.92	31.74	2. 0½ x 5. 6½	2.0 x 5
20 x 32	10.69	21.70	32.91	2. 0½ x 5.10½	2.0 x 5
24 x 14	8.43	17.18	26.13	2. 4½ x 2.10½	2.4 x 2
24 x 15	8.78	17.88	27.18	2. 4½ x 3. 0½	2.4 x 3
24 x 16	8.78	17.88	27.18	2. 4½ x 3. 2½	2.4 x 3
24 x 18	9.06	18.44	28.02	2. 4½ x 3. 6½	2.4 x 3
24 x 20	9.54	19.40	29.46	2. 4½ x 3.10½	2.4 x 3
24 x 22	9.83	19.98	30.33	2. 4½ x 4. 2½	2.4 x 4
24 x 24	10.10	20.52	31.14	2. 4½ x 4. 6½	2.4 x 4
24 x 26	10.40	21.12	32.04	2. 4½ x 4.10½	2.4 x 4
24 x 28	10.69	21.70	32.91	2. 4½ x 5. 2½	2.4 x 5
24 x 30	10.98	22.28	33.78	2. 4½ x 5. 6½	2.4 x 5
24 x 32	11.37	23.06	34.95	2. 4½ x 5.10½	2.4 x 5
26 x 20	9.75	19.82	30.09	2. 6½ x 3.10½	—
26 x 22	10.04	20.40	30.96	2. 6½ x 4. 2½	—
26 x 24	10.31	20.94	31.77	2. 6½ x 4. 6½	—
26 x 26	10.61	21.54	32.67	2. 6½ x 4.10½	—
26 x 28	10.90	22.12	33.54	2. 6½ x 5. 2½	—
26 x 30	11.19	22.70	34.41	2. 6½ x 5. 6½	—
26 x 32	11.58	23.48	35.58	2. 6½ x 5.10½	—
27 x 20	10.00	20.32	30.84	2. 7½ x 3.10½	—
27 x 24	10.56	21.44	32.52	2. 7½ x 4. 6½	—
27 x 26	10.86	22.04	33.42	2. 7½ x 4.10½	—
27 x 28	11.15	22.62	34.29	2. 7½ x 5. 2½	—
27 x 30	11.44	23.20	35.16	2. 7½ x 5. 6½	—
27 x 32	11.83	23.98	36.33	2. 7½ x 5.10½	—
28 x 16	9.24	18.80	28.56	2. 8½ x 3. 2½	2.8 x 3
28 x 20	10.00	20.32	30.84	2. 8½ x 3.10½	2.8 x 3.1
28 x 22	10.29	20.90	31.71	2. 8½ x 4. 2½	2.8 x 4
28 x 24	10.56	21.44	32.52	2. 8½ x 4. 6½	2.8 x 4
28 x 26	10.86	22.04	33.42	2. 8½ x 4.10½	2.8 x 4.1
28 x 28	11.15	22.62	34.29	2. 8½ x 5. 2½	2.8 x 5
28 x 30	11.44	23.20	35.16	2. 8½ x 5. 6½	2.8 x 5
28 x 32	11.83	23.98	36.33	2. 8½ x 5.10½	2.8 x 5.1

Frame Details Shown on Page 41

QUIGLEY'S

MALTA "SUPREME" UNIQUE WINDOW FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED

(Continued from Opposite Page)

All Frames Knocked Down
Bundled Style "C"

Glass Size	Price Singles	Price Twins	Price Triples	Sash Size Philadelphia and Baltimore Openings	Sash Size Modular Openings
30 x 20	\$10.20	\$20.72	\$31.44	2.10½ x 3.10½	—
30 x 24	10.76	21.84	33.12	2.10½ x 4. 6½	—
30 x 26	11.06	22.44	34.02	2.10½ x 4.10½	—
30 x 28	11.35	23.02	34.89	2.10½ x 5. 2½	—
30 x 30	11.64	23.60	35.76	2.10½ x 5. 6½	—
30 x 32	12.03	24.38	36.93	2.10½ x 5.10½	—
32 x 16	9.71	19.74	29.97	3. 0½ x 3. 2½	3.0 x 3. 2
32 x 20	10.47	21.26	32.25	3. 0½ x 3.10½	3.0 x 3.10
32 x 24	11.03	22.38	33.93	3. 0½ x 4. 6½	3.0 x 4. 6
32 x 26	11.33	22.98	34.83	3. 0½ x 4.10½	3.0 x 4.10
32 x 28	11.62	23.56	35.70	3. 0½ x 5. 2½	3.0 x 5. 2
32 x 30	11.91	24.14	36.57	3. 0½ x 5. 6½	3.0 x 5. 6
32 x 32	12.30	24.92	37.74	3. 0½ x 5.10½	3.0 x 5.10
36 x 16	10.12	20.56	31.20	3. 4½ x 3. 2½	3.4 x 3. 2
36 x 20	10.88	22.08	33.48	3. 4½ x 3.10½	3.4 x 3.10
36 x 24	11.44	23.20	35.16	3. 4½ x 4. 6½	3.4 x 4. 6
36 x 26	11.74	23.80	36.06	3. 4½ x 4.10½	3.4 x 4.10
36 x 28	12.03	24.38	36.93	3. 4½ x 5. 2½	3.4 x 5. 2
36 x 30	12.32	24.96	37.80	3. 4½ x 5. 6½	3.4 x 5. 6
36 x 32	12.71	25.74	38.97	3. 4½ x 5.10½	3.4 x 5.10
36 x 36	13.29	26.90	40.71	3. 4½ x 6. 6½	—
40 x 20	11.48	23.28	35.28	3. 8½ x 3.10½	3.8 x 3.10
40 x 24	12.04	24.40	36.96	3. 8½ x 4. 6½	3.8 x 4. 6
40 x 26	12.34	25.00	37.86	3. 8½ x 4.10½	3.8 x 4.10
40 x 28	12.63	25.58	38.73	3. 8½ x 5. 2½	3.8 x 5. 2
40 x 30	12.92	26.16	39.60	3. 8½ x 5. 6½	3.8 x 5. 6
40 x 32	13.31	26.94	40.77	3. 8½ x 5.10½	3.8 x 5.10

FOR SETTING UP

Add to List of any size frame:

Single, \$1.65; Twin, \$3.30; Triple, \$4.95

To Compute Openings for Unique Balance Window Frames, Add to the Total Glass Size as Follows:

Modular Stud Openings

	Width	Height
Singles	6½"	10"
Twins	12½"	10"
Triples	18½"	10"

Modular Masonry Openings

	Width	Height
Singles	7¾"	10½"
Twins	13¾"	10½"
Triples	19¾"	10½"

Philadelphia Stud Openings

	Width	Height
Singles	7"	10½"
Twins	13½"	10½"
Triples	20"	10½"

Philadelphia Masonry Openings

	Width	Height
Singles	8¼"	11"
Twins	14¾"	11"
Triples	21¼"	11"

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOOR




FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK
AND
PORCH
WORK


INTLES
AND
BINET
WORK

STYLE
CHEN
INEY

MALTA UNIQUE DOOR FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED



No. 521
FOR
STUD
WALLS



No. 522
FOR
MASONRY
WALLS

CLEAR WHITE PINE

BUNDLED STYLE "C"

No. 521			No. 522		
Door Size	K. D. Pine Sill	Stud Opening	K. D. Pine Sill	Masonry Opening	
2. 6 x 6. 6	\$13.42	2. 9 x 6.11	\$18.67	2.10 x 6.11	
2. 6 x 6. 8	13.61	2. 9 x 7. 1	18.86	2.10 x 7. 1	
2. 6 x 7. 0	13.98	2. 9 x 7. 5	19.23	2.10 x 7. 5	
2. 8 x 6. 6	13.68	2.11 x 6.11	18.93	3. 0 x 6.11	
2. 8 x 6. 8	13.86	2.11 x 7. 1	19.11	3. 0 x 7. 1	
2. 8 x 7. 0	14.24	2.11 x 7. 5	19.49	3. 0 x 7. 5	
2.10 x 6.10	14.24	3. 1 x 7. 3	19.49	3. 2 x 7. 3	
3. 0 x 6. 6	14.11	3. 3 x 6.11	19.36	3. 4 x 6.11	
3. 0 x 6. 8	14.29	3. 3 x 7. 1	19.54	3. 4 x 7. 1	
3. 0 x 7. 0	14.67	3. 3 x 7. 5	19.92	3. 4 x 7. 5	

For Setting Up Add \$1.65

	No. 521	No. 522
Drip Cap	1 1/8 x 1 3/8	1 1/8 x 1 3/8
Head Liner	3/4 x 2 1/2	3/4 x 2 1/2
Head Casing	1 5/16 x 1 3/4	1 5/16 x 1 3/4
Jambs	1 1/8 x 5 1/4	1 1/8 x 7 1/4
Side Liner	3/4 x 2 1/2	3/4 x 2 1/2
Side Casings	1 5/16 x 1 3/4	1 5/16 x 1 3/4
Sill	1 3/8 x 7 1/4	1 3/8 x 9 1/4

QUIGLEY'S

MALTA "SUPREME" FRAME HOUSE WINDOW FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED

"SUPREME" FRAME SPECIFICATIONS For Frame House — Double Hung Type

Malta "SUPREME" Frames are rugged in construction. They require a minimum of time and labor for assembly. Equally ideal for new construction or remodeling.

Made of selected Western White Pine, with all important parts rot-proofed by an approved process, and milled to meet Malta's rigid inspection, "Supreme" Window Frames are free from any mechanical defects.

In addition to their high quality of materials and workmanship, "Supreme" Double Hung Window Frames have certain exclusive and desirable features, protected by U.S. Patents. The first of these is our 3-width jambs, to suit varied construction needs by means of adjustment provided by an Inside Reversible Stop.

Whether installed in palace or cottage, the patented features described on this page are your assurance that "Malta Frames cost less per year of service."

SPECIFICATIONS:

Drip Cap	1 1/8 x 1 5/8
Head Casing	1 3/32 x 3 3/4
Blind Stop	3/4 x 1 5/16
Jambs	3/4 x 4 1/2
Parting Bead	1/2 x 3/4
Side Casing	1 3/32 x 3 3/4
Mullion Casing	1 3/32 x 5 1/2
Sill	1 5/8 x 7 1/4

STYLE "C" BUNDLING

No. 501

For 1 3/8" Check Rail Windows

➔ ALL FRAME HOUSE FRAMES FURNISHED WITH MAHOGANY JAM-PROOF PULLEYS INSTALLED. POCKETS CUT AND SCREWED IN.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR-
DO

STAIR-
DRK A
PORC
WO

NTLES
IND
BINET
ORK

TYLE
HEN
NE

QUIGLEY'S

MALTA "SUPREME"

FRAME HOUSE WINDOW FRAMES

CLEAR WHITE PINE — CHEMICALLY TREATED

All Frames Knocked Down (With Pulleys)

STYLE "C" BUNDLING

Glass Size	Price Singles	Price Twins	Price Triples	Sash Size Philadelphia and Baltimore Openings	Sash Size Modular Openings
16 x 16	\$ 9.24	\$18.80	\$28.56	1. 8½ x 3. 2½	1.8 x 3.
16 x 18	9.50	19.32	29.34	1. 8½ x 3. 6½	1.8 x 3.
16 x 20	9.89	20.10	30.51	1. 8½ x 3.10½	1.8 x 3.
16 x 24	10.41	21.14	32.07	1. 8½ x 4. 6½	1.8 x 4.
18 x 18	9.65	19.62	29.79	1.10½ x 3. 6½	—
18 x 20	10.04	20.40	30.96	1.10½ x 3.10½	—
18 x 24	10.56	21.44	32.52	1.10½ x 4. 6½	—
20 x 14	8.96	18.24	27.72	2. 0½ x 2.10½	2.0 x 2.1
20 x 15	9.58	19.48	29.58	2. 0½ x 3. 0½	2.0 x 3.
20 x 16	9.58	19.48	29.58	2. 0½ x 3. 2½	2.0 x 3.
20 x 18	9.84	20.00	30.36	2. 0½ x 3. 6½	2.0 x 3.
20 x 20	10.23	20.78	31.53	2. 0½ x 3.10½	2.0 x 3.1
20 x 22	10.50	21.32	32.34	2. 0½ x 4. 2½	2.0 x 4.
20 x 24	10.75	21.82	33.09	2. 0½ x 4. 6½	2.0 x 4.
20 x 26	11.02	22.36	33.90	2. 0½ x 4.10½	2.0 x 4.1
20 x 28	11.29	22.90	34.71	2. 0½ x 5. 2½	2.0 x 5.
20 x 30	11.56	23.44	35.52	2. 0½ x 5. 6½	2.0 x 5.
20 x 32	11.98	24.28	36.78	2. 0½ x 5.10½	2.0 x 5.1
24 x 14	9.55	19.42	29.49	2. 4½ x 2.10½	2.4 x 2.1
24 x 15	10.17	20.66	31.35	2. 4½ x 3. 0½	2.4 x 3.
24 x 16	10.17	20.66	31.35	2. 4½ x 3. 2½	2.4 x 3.
24 x 18	10.43	21.18	32.13	2. 4½ x 3. 6½	2.4 x 3.
24 x 20	10.82	21.96	33.30	2. 4½ x 3.10½	2.4 x 3.1
24 x 22	11.09	22.50	34.11	2. 4½ x 4. 2½	2.4 x 4.
24 x 24	11.34	23.00	34.86	2. 4½ x 4. 6½	2.4 x 4.
24 x 26	11.61	23.54	35.67	2. 4½ x 4.10½	2.4 x 4.1
24 x 28	11.88	24.08	36.48	2. 4½ x 5. 2½	2.4 x 5.
24 x 30	12.15	24.62	37.29	2. 4½ x 5. 6½	2.4 x 5.6
24 x 32	12.57	25.46	38.55	2. 4½ x 5.10½	2.4 x 5.10
26 x 20	11.01	22.34	33.87	2. 6½ x 3.10½	—
26 x 22	11.28	22.88	34.68	2. 6½ x 4. 2½	—
26 x 24	11.53	23.38	35.43	2. 6½ x 4. 6½	—
26 x 26	11.80	23.92	36.24	2. 6½ x 4.10½	—
26 x 28	12.07	24.46	37.05	2. 6½ x 5. 2½	—
26 x 30	12.34	25.00	37.86	2. 6½ x 5. 6½	—
26 x 32	12.76	25.84	39.12	2. 6½ x 5.10½	—
27 x 20	11.31	22.94	34.77	2. 7½ x 3.10½	—
27 x 24	11.83	23.98	36.33	2. 7½ x 4. 6½	—
27 x 26	12.10	24.52	37.14	2. 7½ x 4.10½	—
27 x 28	12.37	25.06	37.95	2. 7½ x 5. 2½	—
27 x 30	12.64	25.60	38.76	2. 7½ x 5. 6½	—
27 x 32	13.06	26.44	40.02	2. 7½ x 5.10½	—
28 x 16	10.66	21.64	32.82	2. 8½ x 3. 2½	2.8 x 3. 2
28 x 20	11.31	22.94	34.77	2. 8½ x 3.10½	2.8 x 3.10
28 x 22	11.58	23.48	35.58	2. 8½ x 4. 2½	2.8 x 4. 2
28 x 24	11.83	23.98	36.33	2. 8½ x 4. 6½	2.8 x 4. 6
28 x 26	12.10	24.52	37.14	2. 8½ x 4.10½	2.8 x 4.10
28 x 28	12.37	25.06	37.95	2. 8½ x 5. 2½	2.8 x 5. 2
28 x 30	12.64	25.60	38.76	2. 8½ x 5. 6½	2.8 x 5. 6
28 x 32	13.06	26.44	40.02	2. 8½ x 5.10½	2.8 x 5.10

QUIGLEY'S

MALTA "SUPREME" FRAME HOUSE WINDOW FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED (Continued from Opposite Page)

All Frames Knocked Down (With Pulleys)

STYLE "C" BUNDLING

Glass Size	Price Singles	Price Twins	Price Triples	Sash Size Philadelphia and Baltimore Openings	Sash Size Modular Openings
30 x 20	\$11.50	\$23.32	\$35.34	2.10½ x 3.10½	—
30 x 24	12.02	24.36	36.90	2.10½ x 4. 6½	—
30 x 26	12.29	24.90	37.71	2.10½ x 4.10½	—
30 x 28	12.56	25.44	38.52	2.10½ x 5. 2½	—
30 x 30	12.83	25.98	39.33	2.10½ x 5. 6½	—
30 x 32	13.25	26.82	40.59	2.10½ x 5.10½	—
32 x 16	11.05	22.42	33.99	3. 0½ x 3. 2½	3.0 x 3. 2
32 x 20	11.70	23.72	35.94	3. 0½ x 3.10½	3.0 x 3.10
32 x 24	12.22	24.76	37.50	3. 0½ x 4. 6½	3.0 x 4. 6
32 x 26	12.49	25.30	38.31	3. 0½ x 4.10½	3.0 x 4.10
32 x 28	12.76	25.84	39.12	3. 0½ x 5. 2½	3.0 x 5. 2
32 x 30	13.03	26.38	39.93	3. 0½ x 5. 6½	3.0 x 5. 6
32 x 32	13.45	27.22	41.19	3. 0½ x 5.10½	3.0 x 5.10
36 x 16	11.42	23.16	35.10	3. 4½ x 3. 2½	3.4 x 3. 2
36 x 20	12.07	24.46	37.05	3. 4½ x 3.10½	3.4 x 3.10
36 x 24	12.59	25.50	38.61	3. 4½ x 4. 6½	3.4 x 4. 6
36 x 26	12.86	26.04	39.42	3. 4½ x 4.10½	3.4 x 4.10
36 x 28	13.13	26.58	40.23	3. 4½ x 5. 2½	3.4 x 5. 2
36 x 30	13.40	27.12	41.04	3. 4½ x 5. 6½	3.4 x 5. 6
36 x 32	13.82	27.96	42.30	3. 4½ x 5.10½	3.4 x 5.10
36 x 36	14.37	29.06	43.95	3. 4½ x 6. 6½	—
40 x 20	12.60	25.52	38.64	3. 8½ x 3.10½	3.8 x 3.10
40 x 24	13.12	26.56	40.20	3. 8½ x 4. 6½	3.8 x 4. 6
40 x 26	13.39	27.10	41.01	3. 8½ x 4.10½	3.8 x 4.10
40 x 28	13.66	27.64	41.82	3. 8½ x 5. 2½	3.8 x 5. 2
40 x 30	13.93	28.18	42.63	3. 8½ x 5. 6½	3.8 x 5. 6
40 x 32	14.35	29.02	43.89	3. 8½ x 5.10½	3.8 x 5.10

FOR SETTING UP

Add to List of any size frame:

Single, \$1.65; Twin, \$3.30; Triple, \$4.95

To Compute Openings for Frame House Window Frames, Add to the Total Glass Size as Follows:

Modular Stud Opening

	Width	Height
Singles	10"	10½"
Twins	19½"	10½"
Triples	29"	10½"

Philadelphia Stud Opening

	Width	Height
Singles	10½"	11"
Twins	20½"	11"
Triples	30½"	11"

Prices Include Jam-Proof Pulleys Installed
For Description See Page 37

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO




STAIR-
ORK A
PORC
WO

INTLES
AND
BINET
FORK

STYLE
HEN
INE

QUIGLEY'S

MALTA "SUPREME" FRAME HOUSE DOOR FRAMES CLEAR WHITE PINE — CHEMICALLY TREATED



No. 507

No. 507

	K. D. Pine Sill	Stud Opening
2. 6 x 6. 6.....	\$13.27	2. 9 x 6.11
2. 6 x 6. 8.....	13.46	2. 9 x 7. 1
2. 6 x 7. 0.....	13.83	2. 9 x 7. 5
2. 8 x 6. 6.....	13.62	2.11 x 6.11
2. 8 x 6. 8.....	13.81	2.11 x 7. 1
2. 8 x 7. 0.....	14.18	2.11 x 7. 5
2.10 x 6.10.....	14.22	3. 1 x 7. 3
3. 0 x 6. 6.....	14.02	3. 3 x 6.11
3. 0 x 6. 8.....	14.22	3. 3 x 7. 1
3. 0 x 7. 0.....	14.58	3. 3 x 7. 5



For Setting Up Add \$1.65

Drip Cap	1 1/8" x 1 5/8"
Head Casing	1 3/32" x 3 3/4"
Jambs	1 1/8" x 5 1/4"
Side Casing	1 3/32" x 3 3/4"
Sill	1 5/8" x 7 1/4"

BUNDLED
STYLE "C"

MALTA "SUPREME" CIRCLE HEAD DOOR FRAMES

FRAME HOUSE CIRCLE HEAD
DOOR FRAMES






Drip Cap	1 3/32 x 2 1/2
Bed Moulding	3/4 x 1 5/8
Head Casing	1 3/32 x 5 1/2
Jambs	1 3/8 x 5 5/16
Side Casing	1 3/32 x 3 3/4
Sill	1 5/8 x 7 7/8

No. 1 W. P.—OAK SILL
CHEMICALLY TREATED

	Assembled
2.8 x 6.8.....	\$30.59
3.0 x 6.8.....	31.03
3.0 x 7.0.....	31.44

MASONRY CIRCLE HEAD
DOOR FRAMES




Brick Mldg.	1 3/32 x 1 3/4
Jambs	1 5/8 x 7 1/2
Sill	1 5/8 x 9 3/4

No. 1 W. P.—OAK SILL
CHEMICALLY TREATED

	Assembled
2.8 x 6.8.....	\$31.86
3.0 x 6.8.....	32.32
3.0 x 7.0.....	32.73

QUIGLEY'S

ASSEMBLED "SIM-PLI" WINDOW UNITS FOR FRAME OR MASONRY CONSTRUCTION







CLEAR WHITE PINE

A specially-designed low-priced UNIT
of HIGH Quality.

FEATURING

- MALTA "SUPREME" UNIQUE FRAME
- STOCK WINDOWS—GLAZED
- CHEMICALLY TREATED FRAMES AND WINDOWS
- UNIQUE SIM-PLI WEATHERSTRIPS
- UNIQUE BALANCES
- DELIVERED COMPLETELY ASSEMBLED AND THOROUGHLY BRACED



SPECIFICATIONS:

Drip Cap	1 1/8" x 1 5/8"
Head Casing	1 5/16" x 1 3/4"
Head Blind Stop	3/4" x 3 1/2"
Side Blind Stop	3/4" x 3 1/2"
Jambs	3/4" x 4 1/2"
Parting Bead	1/2" x 3/4"
Side Casing	1 5/16" x 1 3/4"
Mullion Casing	1 1/8" x 2"
Sill	1 5/8" x 7 1/4"

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
ORK A
PORC
WO

NTLES
AND
BINET
ORK

STYLE
CHEN
NET

ASSEMBLED "SIM-PLI" WINDOW UNITS FOR ALL TYPES OF FRAME OR MASONRY CONSTRUCTION

Size of Glass	2 Light	Q-408 and Q-409	3/1 Light	6/1 Light	12 Light	Philadelphia Opening Sash Size	Modular Opening Sash Size
16 x 16	\$18.94	\$19.68	\$19.37	\$ —	\$ —	1. 8½ x 3. 2½	1.8 x 3.
16 x 18	19.41	20.16	20.02	—	—	1. 8½ x 3. 6½	1.8 x 3.
16 x 20	20.14	20.91	20.75	—	—	1. 8½ x 3.10½	1.8 x 3.1
16 x 24	21.06	21.86	21.67	—	—	1. 8½ x 4. 6½	1.8 x 4.
18 x 18	20.09	21.12	20.75	—	—	1.10½ x 3. 6½	—
18 x 20	21.00	22.04	21.65	—	—	1.10½ x 3.10½	—
18 x 24	21.99	23.83	22.64	—	—	1.10½ x 4. 6½	—
20 x 14	19.10	20.04	19.55	—	—	2. 0½ x 2.10½	—
20 x 15	19.77	20.78	20.23	20.69	—	2. 0½ x 3. 0½	—
20 x 16	19.77	20.78	20.23	20.69	21.81	2. 0½ x 3. 2½	2.0 x 3.
20 x 18	20.29	21.32	20.95	21.24	22.17	2. 0½ x 3. 6½	2.0 x 3.
20 x 20	21.20	22.24	21.85	22.15	23.09	2. 0½ x 3.10½	2.0 x 3.1
20 x 22	21.68	22.79	22.33	22.66	—	2. 0½ x 4. 2½	—
20 x 24	22.19	23.33	22.84	23.14	24.14	2. 0½ x 4. 6½	2.0 x 4.
20 x 26	22.67	23.83	23.32	23.69	—	2. 0½ x 4.10½	2.0 x 4.1
20 x 28	23.20	24.38	23.81	24.16	—	2. 0½ x 5. 2½	2.0 x 5.
20 x 30	23.73	24.81	24.34	24.77	—	2. 0½ x 5. 6½	2.0 x 5.
20 x 32	24.95	25.97	25.77	—	—	2. 0½ x 5.10½	2.0 x 5.1
24 x 14	20.28	21.23	20.78	21.22	—	2. 4½ x 2.10½	2.4 x 2.1
24 x 15	20.87	21.92	21.39	21.82	—	2. 4½ x 3. 0½	—
24 x 16	20.87	21.92	21.39	21.82	22.40	2. 4½ x 3. 2½	2.4 x 3.
24 x 18	21.53	22.50	22.22	22.51	23.39	2. 4½ x 3. 6½	2.4 x 3.
24 x 20	22.31	23.45	22.99	23.29	23.87	2. 4½ x 3.10½	2.4 x 3.1
24 x 22	22.78	23.84	23.49	23.79	—	2. 4½ x 4. 2½	—
24 x 24	23.47	24.55	24.18	24.47	25.07	2. 4½ x 4. 6½	2.4 x 4.
24 x 26	23.83	24.92	24.54	24.85	25.47	2. 4½ x 4.10½	2.4 x 4.1
24 x 28	24.63	25.65	25.24	25.61	26.02	2. 4½ x 5. 2½	2.4 x 5.
24 x 30	25.23	26.25	25.78	26.21	26.57	2. 4½ x 5. 6½	2.4 x 5.
24 x 32	26.45	27.59	27.31	—	28.17	2. 4½ x 5.10½	—
26 x 20	22.94	24.00	23.65	23.96	—	2. 6½ x 3.10½	—
26 x 22	23.47	24.56	24.19	—	—	2. 6½ x 4. 2½	—
26 x 24	24.25	25.27	24.96	25.25	—	2. 6½ x 4. 6½	—
26 x 26	25.04	25.97	25.65	26.05	—	2. 6½ x 4.10½	—
26 x 28	25.66	26.69	26.33	26.73	—	2. 6½ x 5. 2½	—
26 x 30	26.01	27.04	26.69	27.11	—	2. 6½ x 5. 6½	—
26 x 32	27.73	28.80	28.60	—	—	2. 6½ x 5.10½	—
27 x 20	23.19	24.25	23.90	24.21	25.04	2. 7½ x 3.10½	—
27 x 24	24.50	25.52	25.19	25.50	26.33	2. 7½ x 4. 6½	—
27 x 26	25.29	26.22	25.90	26.30	27.03	2. 7½ x 4.10½	—
27 x 28	25.91	26.94	26.58	26.98	27.59	2. 7½ x 5. 2½	—
27 x 30	26.26	27.29	26.94	27.36	28.26	2. 7½ x 5. 6½	—
27 x 32	27.98	29.05	28.85	29.01	29.85	2. 7½ x 5.10½	—

ASSEMBLED UNITS CANNOT BE RETURNED FOR CREDIT

CONTINUED NEXT PAGE

QUIGLEY'S

ASSEMBLED "SIM-PLI" WINDOW UNITS

FOR ALL TYPES OF FRAME OR MASONRY CONSTRUCTION

(Continued from Opposite Page)

Size of Glass	2 Light	Q-408 and Q-409	3/1 Light	6/1 Light	12 Light	Philadelphia Opening Sash Size	Modular Opening Sash Size
28 x 20	\$23.19	\$24.25	\$23.90	\$24.21	\$25.04	2. 8 1/2 x 3.10 1/2	2.8 x 3.10
28 x 22	23.72	24.81	24.44	—	—	2. 8 1/2 x 4. 2 1/2	—
28 x 24	24.50	25.52	25.19	25.50	26.33	2. 8 1/2 x 4. 6 1/2	2.8 x 4. 6
28 x 26	25.29	26.22	25.90	26.30	27.03	2. 8 1/2 x 4.10 1/2	2.8 x 4.10
28 x 28	25.91	26.94	26.58	26.98	—	2. 8 1/2 x 5. 2 1/2	2.8 x 5. 2
28 x 30	26.26	27.29	26.94	27.36	—	2. 8 1/2 x 5. 6 1/2	2.8 x 5. 6
28 x 32	27.98	29.05	28.85	—	—	2. 8 1/2 x 5.10 1/2	—
30 x 20	24.26	25.52	24.87	25.12	26.02	2.10 1/2 x 3.10 1/2	—
30 x 24	25.64	27.02	26.25	26.50	27.05	2.10 1/2 x 4. 6 1/2	—
30 x 26	26.00	27.38	26.61	26.86	27.69	2.10 1/2 x 4.10 1/2	—
30 x 28	27.30	28.71	27.91	28.16	28.37	2.10 1/2 x 5. 2 1/2	—
30 x 30	27.65	29.08	28.26	28.51	29.53	2.10 1/2 x 5. 6 1/2	—
30 x 32	28.91	30.34	29.77	—	30.62	2.10 1/2 x 5.10 1/2	—
32 x 20	24.53	25.79	—	—	—	3. 0 1/2 x 3.10 1/2	3.0 x 3.10
32 x 24	25.91	27.29	—	—	—	3. 0 1/2 x 4. 6 1/2	3.0 x 4. 6
32 x 26	26.27	27.65	—	—	—	3. 0 1/2 x 4.10 1/2	3.0 x 4.10
32 x 28	27.57	28.98	—	—	—	3. 0 1/2 x 5. 2 1/2	—
32 x 30	27.92	29.35	—	—	—	3. 0 1/2 x 5. 6 1/2	—
32 x 32	29.41	30.84	—	—	—	3. 0 1/2 x 5.10 1/2	—
36 x 16	24.12	25.47	—	—	—	3. 4 1/2 x 3. 2 1/2	3.4 x 3. 2
36 x 20	25.78	27.15	—	—	—	3. 4 1/2 x 3.10 1/2	3.4 x 3.10
36 x 24	27.29	28.69	—	—	—	3. 4 1/2 x 4. 6 1/2	3.4 x 4. 6
36 x 26	28.13	29.56	—	—	—	3. 4 1/2 x 4.10 1/2	3.4 x 4.10
36 x 28	29.09	30.52	—	—	—	3. 4 1/2 x 5. 2 1/2	—
36 x 30	29.44	31.03	—	—	—	3. 4 1/2 x 5. 6 1/2	—
36 x 32	31.16	32.77	—	—	—	3. 4 1/2 x 5.10 1/2	—
36 x 36	33.27	34.95	—	—	—	3. 4 1/2 x 6. 6 1/2	—
40 x 20	27.41	28.80	—	—	—	3. 8 1/2 x 3.10 1/2	3.8 x 3.10
40 x 24	28.98	30.55	—	—	—	3. 8 1/2 x 4. 6 1/2	3.8 x 4. 6
40 x 26	30.01	31.60	—	—	—	3. 8 1/2 x 4.10 1/2	—
40 x 28	31.15	32.76	—	—	—	3. 8 1/2 x 5. 2 1/2	—

ASSEMBLED UNITS CANNOT BE RETURNED FOR CREDIT

TWIN UNITS—DOUBLE THE SINGLE LIST

For long Sill Horns and long Head Casings with 2" Side Casings, ADD: \$3.00

For Wide Side Casings up to 7 1/2" inclusive, ADD PER CASING 3.36

For rabbeting Blind Stops for 1/2" Sheathing, ADD PER UNIT .42

TRIPLE UNITS—TRIPLE THE SINGLE LIST

A new feature of our Malta Supreme Unique Frame is that it has a two piece Blind Stop, which eliminates the necessity of ripping the Stops for block or stone construction. THEREFORE, THE CHARGE FOR RIPPING BLIND STOPS IS ELIMINATED.

Still another big feature of this Unit is its two piece Jamb which eliminates the necessity of reducing the width of the Jambs for dry wall construction.

Our new Malta Supreme Unique Frame has 1 3/8" thick outside Moulding as standard specification (not the usual 1 1/8" thick). Of course this Unit has full 3/4" Jambs and full 1 5/8" Sill.

For complete description of this Frame, see Page 41.
For stud and masonry openings this Unit, see complete list bottom of Page 35.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK
AND
PORC-
WO

ENTLES
AND
IBINET
WORK

STYLE
CHEN
LINE

ASSEMBLED "SIM-PLI" WINDOW UNITS FOR ALL TYPES OF FRAME OR MASONRY CONSTRUCTION

Size of Glass	Q-404	8/1 Light	Philadelphia Sash Size	Modular Sash Size
32 x 16.....	\$23.55	\$24.12	3. 0½ x 3. 2½.....	3.0 x 3.
32 x 20.....	25.41	25.80	3. 0½ x 3.10½.....	3.0 x 3.
32 x 24.....	26.85	27.26	3. 0½ x 4. 6½.....	3.0 x 4.
36 x 16.....	24.80	25.40	3. 4½ x 3. 2½.....	3.4 x 3.
36 x 20.....	26.70	27.03	3. 4½ x 3.10½.....	3.4 x 3.
36 x 24.....	28.12	28.67	3. 4½ x 4. 6½.....	3.4 x 4.
40 x 20.....	28.35	28.76	3. 8½ x 3.10½.....	3.8 x 3.
40 x 24.....	29.96	30.38	3. 8½ x 4. 6½.....	3.8 x 4.

Size of Glass	8 Light	Philadelphia Sash Size	Modular Sash Size
8 x 8.....	\$20.01 \$ —	1. 8½ x 3. 2½.....	1.8 x 3.
8 x 10.....	21.22 —	1. 8½ x 3.10½.....	1.8 x 3.1
8 x 12.....	22.17 —	1. 8½ x 4. 6½.....	1.8 x 4.
9 x 12.....	22.89 —	1.10½ x 4. 6½.....	—
10 x 10.....	22.06 —	2. 0½ x 3.10½.....	2.0 x 3.1
10 x 12.....	23.09 —	2. 0½ x 4. 6½.....	2.0 x 4.

Size of Glass	16 Light	Philadelphia Sash Size	Modular Sash Size
8 x 8.....	\$25.84 \$ —	3. 0½ x 3. 2½.....	3.0 x 3.
8 x 10.....	26.73 —	3. 0½ x 3.10½.....	3.0 x 3.1
8 x 12.....	27.96 —	3. 0½ x 4. 6½.....	3.0 x 4.
8 x 13.....	28.90 —	3. 0½ x 4.10½.....	—
8 x 14.....	29.28 —	3. 0½ x 5. 2½.....	—
9 x 10.....	28.28 —	3. 4½ x 3.10½.....	3.4 x 3.1
9 x 12.....	29.28 —	3. 4½ x 4. 6½.....	3.4 x 4.
9 x 13.....	29.98 —	3. 4½ x 4.10½.....	—
9 x 14.....	30.67 —	3. 4½ x 5. 2½.....	—
10 x 10.....	29.60 —	3. 8½ x 3.10½.....	3.8 x 3.1
10 x 12.....	31.02 —	3. 8½ x 4. 6½.....	3.8 x 4.
10 x 13.....	31.73 —	3. 8½ x 4.10½.....	—
10 x 14.....	32.49 —	3. 8½ x 5. 2½.....	—

Q. S. U.

QUIGLEY SAGER UNIQUE WINDOW UNITS

On certain type jobs, architects and builders have shown a preference for Sager Parting Bead Weatherstrip. We are equipped to install this weatherstrip in our Standard Window Units. Deliveries can be made promptly.


All component parts of this Unit are identical to our Sim-Pli Window Unit except the weatherstrip.

To compute the list price of a Q.S.U. Unit Add to the list price of any assembled Sim-Pli Window Unit \$6.30 per Single

QUIGLEY'S

"SIM-PLI" PICTURE WINDOW UNITS

COMPLETELY
ASSEMBLED



No. 1 WHITE PINE

CHEMICALLY
TREATED

Unit No.		Sides Gla. S.S.B. Center Sash Open	Sides Gla. S.S.B. Center Sash Gla. D.S.B.	Center Sash Gla. 1/4" Plate
201	16 x 16—2 Lt. D.H. Sides 3/0 Sta. Center Sash—1 Lt.	\$62.09	\$66.61	\$75.43
202	16 x 18—2 Lt. D.H. Sides 3/0 Sta. Center Sash—1 Lt.	63.66	68.67	78.38
203	16 x 20—2 Lt. D.H. Sides 3/0 Sta. Center Sash—1 Lt.	66.00	72.14	82.13
204	16 x 24—2 Lt. D.H. Sides 3/0 Sta. Center Sash—1 Lt.	69.08	75.31	88.06
205	16 x 16—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	63.21	69.35	81.07
206	16 x 18—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	64.79	72.20	84.55
207	16 x 20—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	67.12	76.20	88.82
208	16 x 24—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	70.28	81.89	96.46
209	20 x 16—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	64.09	70.23	81.95
210	20 x 18—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	65.77	73.18	85.52
211	20 x 20—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	68.46	—	90.16
212	20 x 24—2 Lt. D.H. Sides 4/0 Sta. Center Sash—1 Lt.	71.76	—	97.94
213	20 x 16—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	67.45	—	89.75
214	20 x 18—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	69.12	—	93.85
215	20 x 20—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	71.89	—	99.76
216	24 x 16—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	75.21	—	108.12
217	24 x 18—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	68.29	—	90.59
218	24 x 24—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	70.24	—	94.97

CONTINUED ON NEXT PAGE

Assembled Units Cannot Be Returned for Credit.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

ASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK AND
PORC-
WO

CURTAINS
AND
CABINET
WORK

STYLE
CHEN
BINE

"SIM-PLI" PICTURE WINDOW UNITS

(Continued from Previous Page)

Unit No.		Sides Gla. S.S.B. Center Sash Open	Center Sash Gla. D.S.B.	Sides Gla. S.S.B. Center Sash Gla. 1/4" Plate
219	24 x 20—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	\$72.75	\$ —	\$100.62
220	24 x 24—2 Lt. D.H. Sides 5/0 Sta. Center Sash—1 Lt.	76.41	—	109.32
221	24 x 16—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	71.96	—	99.40
222	24 x 18—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	73.93	—	104.41
223	24 x 20—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	76.01	—	109.55
224	24 x 24—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	80.02	—	119.66
225	28 x 16—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	74.16	—	101.60
226	28 x 20—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	76.85	—	110.39
227	28 x 24—2 Lt. D.H. Sides 6/0 Sta. Center Sash—1 Lt.	81.16	—	120.80

ALL PICTURE WINDOW UNITS CAN BE SUPPLIED FROM STOCK IN DIVIDED LIGHTS

FOR DIVIDED LIGHT UNITS, ADD TO ANY SIZE UNITPER LIGHT \$0.15

THERMOPANE OR TWINDOW CAN BE SUPPLIED AND INSTALLED IN UNITS—No. 214; 216; 218 and 220. INQUIRE FOR PRICE.

FOR COMPLETE LIST OF STUD AND MASONRY OPENINGS ON ALL UNITS SEE OPPOSITE PAGE

QUIGLEY'S

"SIM-PLI" PICTURE WINDOW UNITS STUD AND WALL OPENING FOR "SIM-PLI" PICTURE UNITS

Unit No.	Philadelphia Openings		Modular Openings	
	Stud	Masonry	Stud	Masonry
201	6.11½ x 3. 6½	7.0¾ x 3. 7	6.10½ x 3. 6	6.11¾ x 3. 6½
202	6.11½ x 3.10½	7.0¾ x 3.11	6.10½ x 3.10	6.11¾ x 3.10½
203	6.11½ x 4. 2½	7.0¾ x 4. 3	6.10½ x 4. 2	6.11¾ x 4. 2½
204	6.11½ x 4.10½	7.0¾ x 4.11	6.10½ x 4.10	6.11¾ x 4.10½
205	7.11½ x 3. 6½	8.0¾ x 3. 7	7.10½ x 3. 6	7.11¾ x 3. 6½
206	7.11½ x 3.10½	8.0¾ x 3.11	7.10½ x 3.10	7.11¾ x 3.10½
207	7.11½ x 4. 2½	8.0¾ x 4. 3	7.10½ x 4. 2	7.11¾ x 4. 2½
208	7.11½ x 4.10½	8.0¾ x 4.11	7.10½ x 4.10	7.11¾ x 4.10½
209	8. 7½ x 3. 6½	8.8¾ x 3. 7	8. 6½ x 3. 6	8. 7¾ x 3. 6½
210	8. 7½ x 3.10½	8.8¾ x 3.11	8. 6½ x 3.10	8. 7¾ x 3.10½
211	8. 7½ x 4. 2½	8.8¾ x 4. 3	8. 6½ x 4. 2	8. 7¾ x 4. 2½
212	8. 7½ x 4.10½	8.8¾ x 4.11	8. 6½ x 4.10	8. 7¾ x 4.10½
213	9. 7½ x 3. 6½	9.8¾ x 3. 7	9. 6½ x 3. 6	9. 7¾ x 3. 6½
214	9. 7½ x 3.10½	9.8¾ x 3.11	9. 6½ x 3.10	9. 7¾ x 3.10½
215	9. 7½ x 4. 2½	9.8¾ x 4. 3	9. 6½ x 4. 2	9. 7¾ x 4. 2½
216	9. 7½ x 4.10½	9.8¾ x 4.11	9. 6½ x 4.10	9. 7¾ x 4.10½
217	10. 3½ x 3. 6½	10.4¾ x 3. 7	10. 2½ x 3. 6	10. 3¾ x 3. 6½
218	10. 3½ x 3.10½	10.4¾ x 3.11	10. 2½ x 3.10	10. 3¾ x 3.10½
219	10. 3½ x 4. 2½	10.4¾ x 4. 3	10. 2½ x 4. 2	10. 3¾ x 4. 2½
220	10. 3½ x 4.10½	10.4¾ x 4.11	10. 2½ x 4.10	10. 3¾ x 4.10½
221	11. 3½ x 3. 6½	11.4¾ x 3. 7	11. 2½ x 3. 6	11. 3¾ x 3. 6½
222	11. 3½ x 3.10½	11.4¾ x 3.11	11. 2½ x 3.10	11. 3¾ x 3.10½
223	11. 3½ x 4. 2½	11.4¾ x 4. 3	11. 2½ x 4. 2	11. 3¾ x 4. 2½
224	11. 3½ x 4.10½	11.4¾ x 4.11	11. 2½ x 4.10	11. 3¾ x 4.10½
225	11.11½ x 3. 6½	12.0¾ x 3. 7	11.10½ x 3. 6	11.11¾ x 3. 6½
226	11.11½ x 4. 2½	12.0¾ x 4. 3	11.10½ x 4. 2	11.11¾ x 4. 2½
227	11.11½ x 4.10½	12.0¾ x 4.11	11.10½ x 4.10	11.11¾ x 4.10½

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

CASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK AND
PORCH
WORK

ENTRIES
AND
CLOSET
WORK

STYLE
CHANGES
AND
REWORK

LINEAL LENGTH STOCK FOR MALTA "SUPREME" WINDOW FRAMES

	Size	Per C Lin. Ft.
PULLEY STILE	¾ x 4½	\$23.36
BLIND STOP	¾ x 3½	17.52
PARTING STOP	½ x ¾	4.67
BRICK MOULD	1⅝ x 1¾	19.38
SILL	1⅝ x 7¼	102.76
DRIP CAP	1⅜ x 1⅝	15.38

SUPERIOR WINDOW UNITS

WEATHER STRIPS
APPLIED TO JAMBS
AND WINDOWS

PULLMAN or CALDWELL
OVERHEAD BALANCES
OUR OPTION



No. 1 WHITE PINE


FRAMES
and
WINDOWS
CHEMICALLY TREATED
Windows Glazed S.S.B.

Glass Size	Sash Size	2 Lt.—K.D.		2 Lt.—Assembled	
		Singles	Twins	Singles	Twins
16 x 16.....	1.8 x 3. 2.....	\$16.39	\$33.64	\$17.74	\$36.34
16 x 24.....	1.8 x 4. 6.....	19.97	40.80	21.32	43.50
20 x 16.....	2.0 x 3. 2.....	17.74	36.34	19.09	39.04
20 x 20.....	2.0 x 3.10.....	19.99	40.84	21.34	43.54
20 x 24.....	2.0 x 4. 6.....	21.69	44.24	23.04	46.94
24 x 16.....	2.4 x 3. 2.....	18.80	38.46	20.15	41.16
24 x 20.....	2.4 x 3.10.....	21.07	43.00	22.42	45.70
24 x 24.....	2.4 x 4. 6.....	22.95	46.76	24.30	49.46
28 x 16.....	2.8 x 3. 2.....	22.45	45.76	23.80	48.46
28 x 20.....	2.8 x 3.10.....	24.61	50.08	25.96	52.78
28 x 24.....	2.8 x 4. 6.....	26.70	54.26	28.05	56.96
32 x 20.....	3.0 x 3.10.....	26.47	53.80	27.82	55.90
32 x 24.....	3.0 x 4. 6.....	28.62	58.10	29.97	60.80

ASSEMBLED UNITS CANNOT BE RETURNED FOR CREDIT

QUIGLEY'S

THE No. 30 SIM-PLI WEATHERSTRIP



THE IDEAL WEATHERSTRIP
TO USE IN YOUR
COMPLETELY ASSEMBLED
WINDOW UNITS

ONE COMPLETE
SET TO A PACKAGE
INCLUDING NAILS

The No. 30 Sim-Pli Weatherstrip has five outstanding features. *Simplicity, efficiency, economy, sash channeled in a metal run, and ease of installation.* This strip is made of zinc material except the check rail. This is a bronze material.

1. **SIMPLE** because there is no extra grooving or preparing of sash for weatherstrip on side sash rails. Top rail of top sash and bottom rail of bottom sash are run over any plain dado saw to make a $\frac{1}{8}$ " wide by $\frac{1}{2}$ " deep saw cut for standard rib head and sill pieces. All sets are shipped cut to size of sash opening with regular rib head and sill strips as shown above.
2. **EFFICIENT** because this strip assures maximum weathering at all times due to its scientific shape and its position in relation to the balance.
3. **ECONOMICAL** not only because of its ease of installation but also the low cost of material.
4. **WITH** the sash being channeled in metal, smooth ease of operation is assured and elimination of paint sticking sash.
5. **INSTALLATION** is so simple and fast that the most inexperienced person can install this strip in a very few minutes.

	Glass Size
All Sizes up to	32" x 32"
All Sizes 36 x 16 to 36" x 32"	
All Sizes 40 x 16 to 40" x 32"	

PRICE PER SET

See
Net Price
Supplement

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK
AND
PORC
WO

INTLES
AND
BINET
WORK

STYLE
HEN
NET

QUIGLEY'S

GRAND RAPIDS ALL-STEEL SASH PULLEYS

STOCKED IN:

No. 109

No. 110



GALVANIZED

FINISH

SEE NET PRICE LIST

SASH CORD

STOCKED IN:

"Chester" (High Quality)

"Jefferson" (Highest Grade)



100 FT. PER HANK

SEE NET PRICE LIST

SASH WEIGHTS

ALL SIZES

IN STOCK



ROUND

ONLY

SEE NET PRICE LIST



CALBAR CAULKING COMPOUND and GUNS

GUN GRADE

No. 1 ORANGE LABEL CAULK-O-SEAL

10 Colors	Aluminum	Brilliant White
1/4 Gal. Cans		
1/2 Gal. Cans		
1 Gal. Cans		
5 Gal. Steel Drums	See Net	
30 Gal. 1/2 Drums	Price List	
50 Gal. Drums		

CAULKING GUNS

Gun No.	Cubic Inch Capacity	Cylinder Size
32	32	2" x 10"
45	45	2" x 14"

See Net Price List

CARTRIDGES

CAULK BEFORE YOU PAINT





Put up in Handy-Load Containers of 1 pint each. Just slip into barrel of No. 32—2 x 10 cartridge gun. Be sure to specify CART-RIDGE GUN.

White	See Net
Natural, Gray, Limestone	Price List

QUIGLEY'S

DOUGLAS FIR PLYWOOD

Plywood, as a commodity, is now recognized as "A Must" in all lumber dealers' warehouse inventories. Truly, this item has a million uses. Quigley Company has recognized this fact for some time and has been building new warehouse space at all its plants in order to carry heavy inventories of Douglas Fir Plywood. All grades and thicknesses in standard sizes are now in stock, and, whether it be interior or exterior plywood or plyform or sheathing, Quigley Company is now able to service you promptly from all its plants. Inquire for prices whether your requirements are small or a carload. We assure you our excellent mill connections will result in your getting highest quality at competitive prices.



OTHER PLYWOODS STOCKED

BIRCH — CEDAR — WHITE PINE

UNSELECTED GUM — PHILIPPINE MAHOGANY

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

CASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK AND
PORCH
WORK

CANTLES
AND
CABINET
WORK

STYLE
CHEN
PINE

ANDERSEN CASEMENT WINDOW UNITS

Windowalls


SPICED WITH A SALT-WATER BREEZE

Life on the seacoast takes on new zest when the home is as thoroughly equipped with Windowalls as this one in West Falmouth, Massachusetts.

Nearly the entire sea side of this home is opened up to bracing breezes and sunlight by a series of Andersen Casement Window Units, joined together in an expansive Windowall.

No howling "nor'easter" can bother folks inside, though, because these windows are weatherstripped and equipped with double glazing.

And don't forget, you don't necessarily have to have a home on the ocean to make use of windows like this—a wooded scene will do as well.



BOTH THE KITCHEN AND ITS WINDOWS BUILT FOR EFFICIENCY

You are probably already scheming how you can have a kitchen that is handy to work in—with extra steps and extra work cut down to a minimum. Well, don't forget the windows.

This trio of Andersen Casement Window Units over the sink is one of the outstanding features of this efficient kitchen. They swing out—not in and over the sink. They open by operating the roto-gear handle rather than by awkwardly raising the sash. They let in plenty of sunshine and fresh air.

On top of all these advantages, these windows can be washed on *both* sides *inside* the house, because the extension hinges step the sash away from the frame, and the removable screens are *inside*. Only two windows of the three have screens, because the center sash does not operate. In your home you might want all sash to operate.



QUIGLEY'S

ANDERSEN CASEMENT WINDOW

Details and Specifications


OUTSWINGING CASEMENT UNIT ANSWERS EVERY REQUIREMENT

The Andersen Casement Unit is an improved casement window that successfully combines the advantages of weathertight wood construction with the beauty of contemporary narrow line design.

Effective weatherstripping, double glazing, and leakproof frame construction provide exceptional "window insulation." This engineered window is convenient and easy to operate, exceedingly weathertight, simple in construction and easy to install, well proportioned and unusually attractive in appearance.

THE COMPLETE UNIT INCLUDES:

- FRAME • INSIDE STOPS • MULLION CASINGS
- GLAZED SASH • WEATHERSTRIPPING • COMPLETE
- HARDWARE and INSIDE SCREEN FOR VENTILATING SASH
- DOUBLE GLAZING (Optional)





Section through jamb at left shows location of compression weatherstrip, removable double glazing on inside of sash, and inside screen. Frame and sash are made of selected clear Western Pine treated with Andersen Chemical Preservative in accordance with highest industry standards.

ENGINEERED FOR EFFICIENT SERVICE

Frame and sash are made of selected clear Western Pine treated with Andersen Chemical Preservative in accordance with highest industry standards.

Note the special outswinging sash construction with "refrigerator door" contacts and a full $\frac{1}{8}$ " clearance between sash and frame. Sash cannot stick or bind. They remain true and square because of extra thickness, a full 2", and strongly reinforced corner joints. Tightness is insured by compression weatherstrips, yet sash always operate freely and easily. The ejecting sash lock releases the sash from weatherstrip contacts and will easily break paint bind. When closed it holds sash tightly shut and insures full weatherstrip contacts. Works independently of screen.

Extension hinges permit easy washing of outside glass from the inside. Roto-gear under-screen sash operator adjusts and automatically holds sash in any open position. Powerful and easy to operate. Wood frame inside screen furnished with fasteners attached. Light weight, attractive and durable. Double glazing panel (storm sash) has aluminum frame and metal weatherstrip seal. Fits on the inside of the sash. Cuts radiation heat loss 60%.



Detail above shows installation in frame wall. Note reversible blind stop for either $\frac{3}{4}$ or $\frac{1}{2}$ inch sheathing. Plaster reveal inside finish can be used in place of extension jamb and casing trim and the same standard unit is used in all types of wall construction. Installation details furnished on request.

ANDERSEN
UNITS

ENTRANCE
FRAMES

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GARAGE
DOOR



STAIR-
WALK
OR
PORCH
WALK

WALLS
AND
BINET
WORK

STYLE
CHEN
INE

ANDERSEN CASEMENT WINDOW UNITS

STOCK SIZES AND LAYOUTS




Standard Units with Horizontal Lights (left) and Divided Lights (right) are glazed with S.S.A. Glass. Sash also furnished without Bars for One Light Glazing. On One Light Sash Glazing will be D.S.A. Inquire for special prices on One Light Units. Sash may be swinging or stationary. Specify Number of swinging sash in each Unit and how hinged as viewed from outside, reading from left to right. All Cut-Up Lights are 8 x 12 and Horizontal Lights are 16 1/4 x 12 except the 2'8 3/16" High Sash which have 10" High Lights.

Unit Numbers		Unit Set Up With All Sash Operating. No Screens — No Double Glazing	Unit Set Up With All Sash Operating. With Screens — No Double Glazing	Unit Set Up With All Sash Operating. With Screens and Double Glazing
2212.....	2214.....	\$ 21.58	\$ 24.05	\$ 28.35
23103.....	2310.....	24.04	27.05	32.86
2313.....	2316.....	24.04	27.05	32.86
2414.....	2418.....	27.99	31.93	39.17
2515.....	25110.....	30.48	35.22	43.74
4222.....	4224.....	40.87	45.81	54.41
43103.....	4310.....	45.33	51.95	63.57
4323.....	4326.....	45.33	51.95	63.57
4424.....	4428.....	52.58	60.46	74.94
4525.....	45210.....	57.16	66.64	83.68
6232.....	6234.....	60.15	67.56	80.46
63103.....	6310.....	66.60	76.53	93.96
6333.....	6336.....	66.60	76.53	93.96
6434.....	6438.....	77.16	88.98	110.70
6535.....	65310.....	83.82	98.04	123.60
8242.....	8244.....	79.73	89.61	106.81
83103.....	8310.....	88.17	101.41	124.65
8343.....	8346.....	88.17	101.41	124.65
8444.....	8448.....	102.04	117.80	146.76
8545.....	85410.....	110.78	129.74	163.82
10252.....	10254.....	99.16	111.51	133.01
103103.....	10310.....	109.59	126.14	155.19
10353.....	10356.....	109.59	126.14	155.19
10454.....	10458.....	126.77	146.47	182.67
10555.....	105510.....	137.59	161.29	203.89

For Separate Price List on Screens and Removable Double Glazing—See Page 57.

For Stationary Sash deduct from list price of basic Unit:
 For each Sash 2 or 3 Light high \$ 8.46
 For each Sash 4 or 5 Light high 10.02

ANDERSEN PICTURE WINDOW UNITS



COULD A LANDSCAPE ARTIST DO ANY BETTER?

Call on Rembrandt or Rubens or Rousseau—you still won't find an artist who has ever painted a more realistic scene than the one that "hangs" on the wall of this sunny living room. In addition, this window picture changes every month, providing a scene that keeps in step with the seasons.

This charming Windowall is a stock Andersen Casement Picture Window Unit with ventilating sash on either side of the large one-light center sash. Note that ample wall space has been left—even in this moderate size living room.

These Casements swing out, permitting the use of colorful draperies that can be drawn across the entire expanse of the Windowall when privacy is desired.

Both the Casements and the Picture Window are equipped with weathertight double-glazing that keeps fuel bills down. Screens and double-glazing can be applied and removed from the inside.

TABLE OF GLASS SIZES FOR PICTURE SASH

Unit No.	Sash Opening	Glass Rabbet	EXACT GLASS SIZE FOR	
			Thermopane or Twindow	1/4-Inch Plate
332-532.....	3-1 3/4 x 3-2 3/16	36 1/16 x 36 1/2	35 1/2 x 36	35 7/8 x 36 1/4
333-533.....	4-9 1/2 x 3-2 3/16	55 13/16 x 36 1/2	55 1/4 x 36	55 5/8 x 36 1/4
342-542.....	3-1 3/4 x 4-2 3/8	36 1/16 x 48 11/16	35 1/2 x 48 1/8	35 7/8 x 48 1/2
343-543.....	4-9 1/2 x 4-2 3/8	55 13/16 x 48 11/16	55 1/4 x 48 1/8	55 5/8 x 48 1/2
344-544.....	6-5 1/4 x 4-2 3/8	75 9/16 x 48 11/16	75 x 48 1/8	75 3/8 x 48 1/2
352-552.....	3-1 3/4 x 5-2 9/16	36 1/16 x 60 7/8	35 1/2 x 60 3/8	35 7/8 x 60 3/8
353-553.....	4-9 1/2 x 5-2 9/16	55 13/16 x 60 7/8	55 1/4 x 60 3/8	55 5/8 x 60 3/8
354-554.....	6-5 1/4 x 5-2 9/16	75 9/16 x 60 7/8	75 x 60 3/8	75 3/8 x 60 3/8

ENTRANCE
FRAMES

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK A
PORC
WO

ANTLES
AND
ABINET
WORK


STYLE
TCHEN
BINE?

ANDERSEN PICTURE WINDOW UNITS



MASONRY OPS.	6-10 1/4	6-10 1/4	8-6 1/4	8-6 1/4	10-2	10-2
ROUGH STUD OPS.	6-9 3/4	6-9 3/4	8-5 1/2	8-5 1/2	10-1 1/2	10-1 1/2
SASH OPS.	6-5 1/4	6-5 1/4	8-1	8-1	9-8 3/4	9-8 3/4
Picture Window Unit	332	532	333	533		
Picture Window Unit	342	542	343	543	344	544
Picture Window Unit	352	552	353	553	354	554

PICTURE WINDOW UNIT PRICES ON OPPOSITE PAGE INCLUDE: Frame SET-UP; stationary center sash either open or glazed. Center sash may be glazed with THERMOPANE or TWINDOW or with 1/4" plate glass. End sash may be either design. Also included are, WEATHERSTRIPS APPLIED, inside stops and mullion casings. OPERATING HARDWARE FOR END SASH INSTALLED. Screens and Removable Double Glazing are optional.



QUIGLEY'S

ANDERSEN PICTURE WINDOW UNITS

Unit No.	Unit Set Up With End Sash Operating. Stationary Center—Sash Open. No Screens or Removable Double Glazing.	Unit Set Up With End Sash Operating. Stationary Center—Sash Glazed 1/4" Plate. — No Screens or Removable Double Glazing.	Unit Set Up With End Sash Operating. Stationary Center—Sash Glazed Thermopane or Twindow. — No Screens or Removable Double Glazing.
332-532.....	\$62.24	\$ 80.20	\$104.33
333-533.....	65.54	93.53	121.89
342-542.....	70.59	95.41	122.96
343-543.....	73.89	109.15	145.57
344-544.....	77.35	123.74	178.16
352-552.....	76.72	105.31	138.83
353-553.....	80.03	122.00	163.47
354-554.....	83.49	139.50	200.63

The Above Prices are for Units without Screens or Removable Double Glazing.

NOTE: For Units with Screens and Removable Double Glazing. See Price List Below.

Unit No.	Unit Set Up With End Sash Operating. Stationary Center—Sash Open. With Screens and Removable Double Glazing.	Unit Set Up With End Sash Operating. Stationary Center—Sash Glazed 1/4" Plate. — With Screens and Removable Double Glazing.	Unit Set Up With End Sash Operating. Stationary Center—Sash Glazed Thermopane or Twindow. — With Screens and Removable Double Glazing.
332-532.....	\$ 80.48	\$ 98.44	\$122.57
333-533.....	83.78	111.78	140.13
342-542.....	92.95	117.77	145.32
343-543.....	96.25	131.51	167.93
344-544.....	99.71	146.10	200.52
352-552.....	103.24	131.83	165.35
353-553.....	106.55	148.52	189.99
354-554.....	110.01	166.02	227.15

	Separate List on Andersen Casement Screen Wired	Separate List on Andersen Removable Double Glazing—Glazed
For 4 Lt. Casement Sash	\$ 2.47	\$ 4.30
For 6 Lt. 10" Glass Casement Sash	3.31	5.81
For 6 Lt. 12" Glass Casement Sash	3.31	5.81
For 8 Lt. Casement Sash	3.94	7.24
For 10 Lt. Casement Sash	4.74	8.52

For Long Sill Horns on Andersen Casement and Picture Windows:
Add Per Unit..... \$0.63

ENTRANCE
FRAMES

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DO


STAIR-
WORK A
PORC
WO

WANTLES
AND
CABINET
WORK


U-STYLE
ITCHEN
ABINE

QUIGLEY'S

THERMOPANE and TWINDOW



**A TRANSPARENT
INSULATING GLASS UNIT FOR
HOMES AND OTHER TYPES OF BUILDINGS**



CARRIED IN STOCK IN THE FOLLOWING SIZES:

35½ x 36
55¼ x 36
35½ x 48⅞
55¼ x 48⅞
75 x 48⅞
35½ x 60¾
55¼ x 60¾
75 x 60¾

Standard sizes apply only to a construction of 2 pieces of ¼" Polished Plate Glass with a ½" air space.

ANDERSEN GLIDING WINDOW UNITS



THIS WAY . . . FOR SUNSHINE AND
FRESH BREEZES . . . THROUGH

Windowalls

Call this a dining room if you wish . . . call it a porch if you wish. Either way you're right, because this home combines both rooms into one. And around two long sides are arrayed a series of spacious windows—forming a Windowall that acts both as window and wall all year long.

The gliding sash that form this Windowall can be taken out in balmy weather—and fresh air and sunshine pour into the home, yet in winter this wall of windows is snugly weatherproof—defying frigid breezes and storms.

Many an open or screen porch is being remodeled with Andersen Windowalls . . . and the Andersen Gliding Window is top choice. Screens and double glazing are optional—depending on the insect protection and winter comfort you need.

ENTRANCE
FRAMES

ENTRANCE
DOORS

CASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK

CURTAINS
AND
CABINET
WORK

1-STYLE
KITCHEN
CABINET

ANDERSEN GLIDING WINDOW UNITS

THE COMPLETE UNIT INCLUDES:

FRAME—New design, requires no inside stops and includes head track routed in head jamb.

SASH—1½" thick, grade A glass bedded and glazed with special glazing compound, with hardware installed.

WEATHERSTRIPPING—Andersen Silver Seal, completely installed.

SCREEN—(Optional) Wired with rust-proof non-ferrous screen cloth, hardware included.

DOUBLE GLASS PANEL—(Optional) Glazed DSA, complete with fasteners attached.

PLASTIC SILL TRACK

COMPLETE OPERATING and LOCKING HARDWARE


PRESERVATIVE TREATING

The standard unit as detailed at right in wood frame construction can be readily adapted to other types of walls. Note reversible blind stop for ½ or ¾ inch sheathing and the use of extension jambs to make the required jamb width.

Mullions are made by joining single units.

Occasionally Andersen Gliding Window Units are sold by you to the home owner who does not want to invest in Screens or Removable Double Glazing at that time, but who, later on, decides to purchase these items. With this in mind, we submit below:


SEPARATE PRICE LIST ON ANDERSEN GLIDING SCREENS AND REMOVABLE DOUBLE GLAZING:



Unit Numbers	Screen Wired Each	Removable Double Glazing—Glazed Each
3838 or 38038.....	\$ 7.16	\$ 9.51
3844 or 38044.....	7.95	10.50
3850 or 38050.....	8.78	12.24
4838 or 48038.....	8.25	11.11
4844 or 48044.....	8.98	13.11
4850 or 48050.....	9.93	15.11
4858 or 48058.....	11.06	18.20
5838 or 58038.....	11.29	13.56
5844 or 58044.....	12.51	15.49
5850 or 58050.....	13.80	17.42
5858 or 58058.....	15.00	21.62
5864 or 58064.....	17.80	28.40

QUIGLEY'S

ANDERSEN GLIDING WINDOW UNITS



Unit No.	Set Up and Glazed. No Screens. No Removable Double Glazing	Set Up and Glazed. With Screens—But No Removable Double Glazing	Set Up and Glazed. With Screens and With Removable Double Glazing
3838.....	\$ 34.56	\$ 41.72	\$ 51.23
3844.....	37.14	45.09	55.59
3850.....	39.91	48.69	60.93
4838.....	38.65	46.90	58.01
4844.....	41.73	50.71	63.82
4850.....	45.25	55.18	70.29
4858.....	48.10	59.16	77.36
5838.....	43.55	54.84	68.40
5844.....	46.34	58.85	74.34
5850.....	50.82	64.62	82.04
5858.....	53.78	68.78	90.40
5864.....	60.62	78.42	106.82
38038.....	35.29	42.45	51.96
38044.....	38.92	46.87	57.37
38050.....	42.56	51.34	63.58
48038.....	39.83	48.08	59.19
48044.....	43.46	52.44	65.55
48050.....	47.09	57.02	72.13
48058.....	50.80	61.86	80.06
58038.....	46.35	57.64	71.20
58044.....	50.19	62.70	78.19
58050.....	54.02	67.82	85.24
58058.....	57.93	72.93	94.55
58064.....	66.22	84.02	112.42

See Page 60 for Separate Price List on Screens and Removable Double Glazing.

ENTRANCE FRAMES

ENTRANCE DOORS

SASH AND PANEL DOOR

FLUSH DOOR AND GARAGE DOOR

STAIRWORK AND PORCH WORK

MANTLES AND CABINET WORK

HOUSE-STYLE KITCHEN CABINETS

For Long Sill Horns on Andersen Gliding Windows:
Add Per Unit \$0.63

ANDERSEN BASEMENT WINDOW UNITS

FRAME—Pine, set up, completely treated with Andersen Chemical Preservative.

REVERSIBLE SASH—Pine, 1½" thick, glazed 1 light with SSB glass, prefitted, treated with Andersen Chemical Preservative.

WEATHERSTRIP—Metal, completely applied.

SCREEN—Pine, 1¼" thick, prefitted, treated with Andersen Chemical Preservative, bronze cloth.

HARDWARE—Steel lock with cremone bolts, Steel hinges and screen fasteners, all parts cadmium plated. Two sets of hinges attached to frame allow sash to be vented from top or bottom by removing and reversing sash.

ASSEMBLY—Frame set up, sash and screen hung, all hardware applied. Carton packed, two units in a carton.

SEE PAGE 29

FOR FULL

DESCRIPTION

PRICES AND LAYOUT

QUIGLEY'S

ANDERSEN PRESSURE SEAL DOUBLE HUNG WINDOW UNITS



SUPERIOR FEATURES

SIMPLICITY

Both frame and sash are prefabricated for quick and easy installation. The standard frame detail can be used in any type of wall and in many cases the inside stop also serves as inside trim. There are no weights to hang or other counterbalancing devices to install. The sash comes complete, all ready to be slipped into place from the inside, with pressure strips, check rail and bottom rail weatherstripping, and operating mechanism installed.

WEATHER TIGHTNESS

Pressure strips attached to the sash stiles force the sash tightly against the parting stop and close the crack around the sash perimeter so that no weatherstripping of the conventional type is required at top and sides. Laboratory tests and actual experience on hundreds of jobs have proved this method to be fully as effective as the best metal weatherstripping. It has the added advantage of complete freedom from weatherstripping friction or "drag" when the pressure is released by the operating mechanism.

REMOVABLE SASH

Sash are instantly removable from inside by simply pressing the thumb levers to release the pressure strips and moving the sash to the fully opened position. They are just as easily replaced by reversing this operation. This feature means a tremendous saving to contractors on installation cost. It also has a strong appeal to home owners as it permits easy washing of outside glass and handling of screen and storm sash from the inside.

EASY OPERATION

The pressure strips attached to the sash stiles serve the double purpose of stopping infiltration and holding the sash securely in any open position. Sash cannot rattle. They are controlled by a simple operating device built into the sash. A slight pressure on the thumb pieces releases the pressure strips and completely frees the sash from all contact with the frame; thus insuring easy operation under all conditions. There is no weatherstrip friction or "drag" in this unit.

ENTRANCE
FRAMES

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR-
DOOR






STAIR-
WORK AND
PORCH
WORK

BATHS
AND
CABINET
WORK

U-STYLE
KITCHEN
CABINETS

ANDERSEN PRESSURE SEAL DOUBLE HUNG WINDOW UNITS

ANDERSEN DOES NOT MAKE SCREENS OR STORM SASH FOR
PRESSURE SEAL UNITS. OUR STOCK SCREENS AND STORM SASH
CAN BE USED IN CONJUNCTION WITH THIS UNIT

Glass sizes shown for Types 61 and 81 are for bottom sash only. See Types 66 and 88 for glass size in top sash.							
SASH OPENING	RGH. STUD OPENING	MASONRY OPENING	GLASS SIZE	GLASS SIZE	GLASS SIZE	GLASS SIZE	GLASS SIZE
2-0 x 3-2	2-3 1/2 x 3-5 1/2	2-4 x 3-6 3/4	20 1/2 x 8	6 5/8 x 8		20 1/2 x 16 1/4	
3-10	4-1 1/2	4-2 3/4	10	10		20 1/4	
4-2	4-5 1/2	4-6 3/4	11	11		22 1/4	
4-6	4-9 1/2	4-10 3/4	12	12		24 1/4	
5-2	5-5 1/2	5-6 3/4	14	14		28 1/4	
2-4 x 3-2	2-7 1/2 x 3-5 1/2	2-8 x 3-6 3/4	24 1/2 x 8	8 x 8		24 1/2 x 16 1/4	
3-10	4-1 1/2	4-2 3/4	10	10		20 1/4	
4-2	4-5 1/2	4-6 3/4	11	11		22 1/4	
4-6	4-9 1/2	4-10 3/4	12	12		24 1/4	
5-2	5-5 1/2	5-6 3/4	14	14		28 1/4	
2-8 x 3-2	2-11 1/2 x 3-5 1/2	3-0 x 3-6 3/4	28 1/2 x 8	9 5/8 x 8		28 1/2 x 16 1/4	
3-10	4-1 1/2	4-2 3/4	10	10		20 1/4	
4-2	4-5 1/2	4-6 3/4	11	11		22 1/4	
4-6	4-9 1/2	4-10 3/4	12	12		24 1/4	
5-2	5-5 1/2	5-6 3/4	14	14		28 1/4	
3-0 x 3-2	3-3 1/2 x 3-5 1/2	3-4 x 3-6 3/4	32 1/2 x 8		7 15/16 x 8		32 1/2 x 16 1/4
3-10	4-1 1/2	4-2 3/4	10		10		20 1/4
4-2	4-5 1/2	4-6 3/4	11		11		22 1/4
4-6	4-9 1/2	4-10 3/4	12		12		24 1/4
5-2	5-5 1/2	5-6 3/4	14		14		28 1/4
3-4 x 3-2	3-7 1/2 x 3-5 1/2	3-8 x 3-6 3/4	36 1/2 x 8		8 15/16 x 8		36 1/2 x 16 1/4
3-10	4-1 1/2	4-2 3/4	10		10		20 1/4
4-2	4-5 1/2	4-6 3/4	11		11		22 1/4
4-6	4-9 1/2	4-10 3/4	12		12		24 1/4
5-2	5-5 1/2	5-6 3/4	14		14		28 1/4
ROUGH STUD OPENINGS FOR MULTIPLE UNITS — Add sash opening widths plus 2-3/16 inches for each mullion — then add 3-1/2 inches to this figure for overall rough opening width.			MASONRY OPENINGS FOR MULTIPLE UNITS — Add sash opening widths plus 2-3/16 inches for each mullion — then add 4 inches to this figure for overall masonry opening width.				

For Long Sill Horns on Pressure Seal Units:

Add Per Unit. \$0.63

QUIGLEY'S

ANDERSEN PRESSURE SEAL DOUBLE HUNG WINDOW UNITS

THE COMPLETE UNIT INCLUDES:

Frame—special leakproof construction with reversible wide blind stop, and under-sill windbreak. Also includes combination inside stop and trim members.

Sash— $1\frac{1}{2}$ " thick SSB glass bedded and glazed with elastic glazing compound.



Pressure Strips—tempered Presdwood attached to sash.

Weatherstrips—for check rail and bottom rail attached to sash.


Operating Mechanism—installed in sash.

Stool and Mullion Casing—clear Pine.


Preservative Treating—of all wood parts.



TYPE 22




TYPE 66



TYPE 88



TYPE 61



TYPE 81

Sash Opening	Type Numbers	Single K.D.	Twin K.D.	Single Set-Up	Twin Set-Up
2.0 x 3. 2.	22 66 61	\$20.55	\$41.88	\$21.88	\$44.55
2.0 x 3.10.	22 66 61	21.85	44.48	23.18	47.15
2.0 x 4. 2.	22 66 61	22.66	46.10	23.99	48.77
2.0 x 4. 6.	22 66 61	23.19	47.16	24.52	49.83
2.0 x 5. 2.	22 66 61	24.41	49.60	25.74	52.27
2.4 x 3. 2.	22 66 61	21.41	43.60	22.74	46.27
2.4 x 3.10.	22 66 61	22.77	46.32	24.10	48.99
2.4 x 4. 2.	22 66 61	23.58	47.94	24.91	50.61
2.4 x 4. 6.	22 66 61	24.13	49.04	25.46	51.71
2.4 x 5. 2.	22 66 61	25.36	51.50	26.69	54.17
2.8 x 3. 2.	22 66 61	22.77	46.32	24.10	48.99
2.8 x 3.10.	22 66 61	24.18	49.14	25.51	51.81
2.8 x 4. 2.	22 66 61	25.03	50.84	26.36	53.51
2.8 x 4. 6.	22 66 61	25.59	51.96	26.92	54.63
2.8 x 5. 2.	22 66 61	26.89	54.56	28.22	57.23
3.0 x 3. 2.	22 88 81	24.39	49.56	25.72	52.23
3.0 x 3.10.	22 88 81	25.88	52.54	27.21	55.21
3.0 x 4. 2.	22 88 81	26.77	54.32	28.10	56.99
3.0 x 4. 6.	22 88 81	27.38	55.54	28.71	58.21
3.0 x 5. 2.	22 88 81	28.73	58.30	30.06	60.97
3.4 x 3. 2.	22 88 81	25.48	51.74	26.81	54.41
3.4 x 3.10.	22 88 81	27.03	54.84	28.36	57.51
3.4 x 4. 2.	22 88 81	27.95	56.68	29.28	59.35
3.4 x 4. 6.	22 88 81	28.57	57.92	29.90	60.59
3.4 x 5. 2.	22 88 81	29.98	60.74	31.31	63.41

ENTRANCE FRAME



ENTRANCE FRAME Q-2534

RICHNESS OF DETAIL and expert craftsmanship usually associated with custom-built work are combined in this 18th Century Doorway with its urn, dentils, and pilasters—all in perfect proportions. Yes, this doorway says welcome with character and individuality. Any of our Entrance Door Patterns may be used in this Entrance Frame.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}$ " x $7\frac{3}{8}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	5.9 $\frac{5}{8}$ x 10.5 $\frac{1}{16}$	\$117.33	\$129.33
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	5.9 $\frac{5}{8}$ x 10.9 $\frac{1}{16}$	117.33	129.33

IF COMPLETELY SET UP, ADD.....\$13.50
 IF SILL IS NOT WANTED, DEDUCT..... 4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

QUIGLEY'S

ENTRANCE FRAME



ENTRANCE FRAME Q-2538

THE ROUNDED PEDIMENT, a favorite expression of authentic colonial, is here offered in dentil design found in the later Georgian period. There is a feeling of substantial beauty in this distinctive design. The classic pilasters and the massive head are noteworthy features which make a doorway that any owner will be proud of.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}'' \times 7\frac{3}{8}''$. Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}''$ Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8-1 $\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	6.0 $\frac{1}{8}$ x 10.5 $\frac{1}{16}$	\$119.19	\$131.19
3.0 x 7.0-1 $\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7.2 $\frac{1}{8}$	6.0 $\frac{1}{8}$ x 10.9 $\frac{1}{16}$	119.19	131.19

IF COMPLETELY SET UP, ADD.....\$13.50
IF SILL IS NOT WANTED, DEDUCT.....4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}''$ wide.

ENTRANCE
FRAMES

ENTRANCE
DOORS

CASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR/
DO

STAIR-
WORK A
PORC
WO

WANTLES
AND
CABINET
WORK

STYLE
KITCHEN
CABINET

ENTRANCE FRAME



ENTRANCE FRAME Q-2544

This is another splendid Georgian example of the more formal type. It is similar to several of the more ornate Williamsburg designs. The Urn in the Head and the Scrolled Pediment further emphasize dignity and beauty.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}$ " x $7\frac{3}{8}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	5.9 $\frac{1}{2}$ x 10.0 $\frac{3}{8}$	\$117.41	\$129.41
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	5.9 $\frac{1}{2}$ x 10.4 $\frac{3}{8}$	117.41	129.41
IF COMPLETELY SET UP, ADD.....			\$13.50	
IF SILL IS NOT WANTED, DEDUCT.....			4.17	

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

ENTRANCE FRAME



ENTRANCE FRAME Q-2552

AN IDEAL DOORWAY for a home where living is more informal than otherwise. When used with any of our entrance doors, it gives a friendly hospitable note that lends charm to the general effect. When desired, the pilasters can be reversed to show the fluting which offers a little more detail.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}$ " x $7\frac{3}{8}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	5.6 $\frac{7}{8}$ x 8.8 $\frac{7}{16}$	\$73.51	\$85.51
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	5.6 $\frac{7}{8}$ x 9.0 $\frac{7}{16}$	73.51	85.51

IF COMPLETELY SET UP, ADD.....	\$13.50
IF SILL IS NOT WANTED, DEDUCT.....	4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

ENTRANCE
DOORS

CASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR/
DO

STAIR-
WORK A
PORC
WO

WANTLES
AND
ABINET
WORK

I-STYLE
TCHEN
BINE

ENTRANCE FRAME



ENTRANCE FRAME Q-2556

THE DENTIL COURSES on the frieze and on the cornice add interest to this attractive design with its fluted pilasters and moulded caps and bases. This is a particularly impressive doorway, typical of the lovely old colonials in Eastern Pennsylvania.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}$ " x $7\frac{3}{8}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	5.9 $\frac{5}{8}$ x 10. 7 $\frac{1}{2}$	\$107.06	\$119.06
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	5.9 $\frac{5}{8}$ x 10.11 $\frac{1}{2}$	107.06	\$119.06

IF COMPLETELY SET UP, ADD.....\$13.50

IF SILL IS NOT WANTED, DEDUCT..... 4.17

Unless otherwise specified, we will furnish this Frame with Stock jamb $5\frac{1}{4}$ " wide.

QUIGLEY'S

ENTRANCE FRAME



ENTRANCE FRAME Q-2564

THIS DORIC HERITAGE with fluted pilasters and triglyphs makes a beautiful doorway, long popular in New England. It has the many interesting features that one expects in a classic design.

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $1\frac{1}{8}$ " x $7\frac{3}{8}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	5.6 $\frac{7}{8}$ x 8.8 $\frac{7}{16}$	\$86.33	\$98.33
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	5.6 $\frac{7}{8}$ x 9.0 $\frac{7}{16}$	86.33	98.33

IF COMPLETELY SET UP, ADD.....\$13.50
IF SILL IS NOT WANTED, DEDUCT..... 4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

ENTRANCE
DOORS

SASH AND
PANEL
DOOR


FLUSH
DOOR
AND
GAR-
DO

STAIR-
WORK A
PORC
WO

WANTLES
AND
ABINET
WORK

STYLE
CHEN
INET

ENTRANCE FRAME FOR SMALLER TYPE OF HOME



ENTRANCE FRAME Q-2530

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $\frac{3}{4}$ " x $4\frac{1}{2}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.


Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	4.7 $\frac{3}{4}$ x 9.0 $\frac{7}{8}$	\$62.73	\$74.73
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	4.7 $\frac{3}{4}$ x 9.4 $\frac{7}{8}$	62.73	74.73

IF COMPLETELY SET UP, ADD.....	\$13.50
IF SILL IS NOT WANTED, DEDUCT.....	4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

QUIGLEY'S

ENTRANCE FRAME FOR SMALLER TYPE OF HOME



ENTRANCE FRAME Q-2531

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $\frac{3}{4}$ " x $4\frac{1}{2}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	4.6 $\frac{1}{4}$ x 8.1 $\frac{3}{8}$	\$44.83	\$56.83
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	4.6 $\frac{1}{4}$ x 8.5 $\frac{3}{8}$	44.83	56.83

IF COMPLETELY SET UP, ADD.....\$13.50
IF SILL IS NOT WANTED, DEDUCT..... 4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

ENTRANCE
DOORS

CASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GARAGE
DOOR


STAIR-
WORK AND
PORCH
WORK

CASES
AND
CABINETS
WORK

STYLISH
KITCHEN
CABINETS

ENTRANCE FRAME

FOR SMALLER TYPE OF HOME



ENTRANCE FRAME Q-2532

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $\frac{3}{4}$ " x $4\frac{1}{2}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	4.7 $\frac{1}{8}$ x 9.3 $\frac{7}{16}$	\$64.07	\$76.07
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	4.7 $\frac{1}{8}$ x 9.7 $\frac{7}{16}$	64.07	76.07

IF COMPLETELY SET UP, ADD.....	\$13.50
IF SILL IS NOT WANTED, DEDUCT.....	4.17

Unless otherwise specified, we will furnish this Frame with Stock Jamb $5\frac{1}{4}$ " wide.

QUIGLEY'S

ENTRANCE FRAME FOR SMALLER TYPE OF HOME



ENTRANCE FRAME Q-2533

Clear Ponderosa Pine kiln dried and chemically treated. Pilasters are fluted one side and plain one side, and may be used with either side exposed. Pilasters are $\frac{3}{4}$ " x $4\frac{1}{2}$ ". Price includes: Heads put together complete in one carton. Casings and Pilasters K. D. in one carton. Jambs and Sill K. D. in one bundle. Jambs rabbeted for $1\frac{3}{4}$ " Doors.

Door Size	Rough Opening	Outside Size	K. D. 2 x 4 Stud Wall	K. D. Masonry Wall Up To 10" Thick
3.0 x 6.8- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 6.10 $\frac{1}{8}$	4.7 $\frac{1}{8}$ x 9.0 $\frac{15}{16}$	\$69.32	\$81.32
3.0 x 7.0- $1\frac{3}{4}$	3.3 $\frac{1}{4}$ x 7. 2 $\frac{1}{8}$	4.7 $\frac{1}{8}$ x 9.4 $\frac{15}{16}$	69.32	81.32

IF COMPLETELY SET UP, ADD.....\$13.50
IF SILL IS NOT WANTED, DEDUCT..... 4.17

Unless otherwise specified, we will furnish this Frame with Stock jamb $5\frac{1}{4}$ " wide.

ENTRANCE
DOORS

SASH AND
PANEL
DOORS

FLUSH
DOOR
AND
GAR/
DO


STAIR-
WORK A
PORC
WO

INTLES
AND
BINET
WORK

STYLE
CHEN
INE

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE ——— CHEMICALLY TREATED




Q-443

LAYOUT OVERALL

Stiles and Top Rail 5½"
Top Cross Rail 5½"
Intermediate Rail and Mullion 4½"
Bottom Rail 9½"
Raised Panels Two Sides
Ovolo Sticking
Glass Beads Included
Approx. Glass Size on a 2/8 x 6/8
Door 22" x 11"

	Open	Glazed
2. 8 x 6. 8—1¼	\$37.34	\$39.14
3. 0 x 6. 8—1¼	38.83	41.03
2.10 x 6.10—1¼	41.63	43.83
3. 0 x 7. 0—1¼	41.63	43.83




Q-425

LAYOUT OVERALL

Stiles and Top Rail 4¾"
Bottom Rail 8"
Lock Rail 9½"
Cross Rail and Mullion 5½"
Heavy ¾" Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8—1¼	\$42.52	\$45.82
3.0 x 6.8—1¼	44.02	47.62
3.0 x 7.0—1¼	47.21	50.81




Q-426

LAYOUT OVERALL

Stiles and Top Rail 4¾"
Bottom Rail 8"
Lock Rail 9½"
Cross Rail and Mullion 5½"
Heavy ¾" Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8—1¼	\$40.73	\$43.40
3.0 x 6.8—1¼	42.32	45.29
3.0 x 7.0—1¼	45.32	48.29



Q-412

LAYOUT OVERALL

Stiles and Top Rail 4¾"
Bottom Rail 8"
Cross Rail and Mullion 4½"
Lock Rail 9½"
Heavy 1½" Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8—1¼	\$54.49	\$56.99
3.0 x 6.8—1¼	54.89	57.39
3.0 x 7.0—1¼	56.09	58.79

QUIGLEY'S

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE

CHEMICALLY TREATED



Q-410

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Bottom Rail 8"
Lock Rail 9 5/8"
Cross Rail and Mullion 5 3/8"
Heavy 3/4" Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8—1 3/4	\$27.46	\$28.61
3.0 x 6.8—1 3/4	29.06	30.21
3.0 x 7.0—1 3/4	30.75	31.90




Q-411

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Bottom Rail 8"
Cross Rail and Mullions 4 5/8"
Lock Rail 4 5/8"
Heavy 1 1/8" Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8—1 3/4	\$45.02	\$48.02
3.0 x 6.8—1 3/4	45.42	48.47
3.0 x 7.0—1 3/4	46.61	49.76



Q-434

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Bottom Rail 8"
Lock Rail 9 5/8"
Cross Rail and Mullion 5 3/8"
Heavy 3/4" Solid Raised Panels
Two Sides
Ovolo Sticking

2.8 x 6.8—1 3/4	\$27.03
3.0 x 6.8—1 3/4	28.70
3.0 x 7.0—1 3/4	30.79



Q-132

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Bottom Rail 8"
Lock Rail 9 5/8"
Cross Rail and Mullion 5 3/8"
Heavy 3/4" Solid Raised Panels
Two Sides
Ovolo Sticking

2.8 x 6.8—1 3/4	\$26.51
3.0 x 6.8—1 3/4	28.18
2.10 x 6.10—1 3/4	29.95
3.0 x 7.0—1 3/4	29.95

ENTRANCE
DOORS

SASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR-
DOOR

STAIR-
WORK
AND
PORC-
WO

MANTLES
AND
CABINET
WORK

U-STYLE
ITCHEN
ABINET

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE

CHEMICALLY TREATED




Q-433

LAYOUT OVERALL

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail 8"
Lock Rail $9\frac{5}{8}$ "
Cross Rail and Mullion $5\frac{3}{8}$ "
Heavy $\frac{3}{4}$ " Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$25.57	\$26.77
3.0 x 6.8— $1\frac{3}{4}$	27.16	28.36
3.0 x 7.0— $1\frac{3}{4}$	28.86	30.06




Q-417

LAYOUT OVERALL

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail $9\frac{5}{8}$ "
Cross Rail and Mullion $4\frac{5}{8}$ "
Heavy $\frac{3}{4}$ " Solid Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$24.77	\$27.77
3.0 x 6.8— $1\frac{3}{4}$	25.57	28.72
3.0 x 7.0— $1\frac{3}{4}$	26.96	30.11




Q-418

LAYOUT OVERALL

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail 8"
Lock Rail 7"
Heavy $1\frac{1}{8}$ " Raised Panels
Two Sides
Ovolo Sticking
Glass Beads Included

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$41.23	\$44.23
3.0 x 6.8— $1\frac{3}{4}$	41.63	44.78
3.0 x 7.0— $1\frac{3}{4}$	42.82	45.97



Q-419

DUTCH DOOR

LAYOUT OVERALL

Cut through Lock Rail, Rabbeted
and Beaded
Ovolo Sticking
Heavy $1\frac{1}{8}$ " Solid Raised Panels
Two Sides
Stiles, Top Rail and Meeting
Rail of Top Section $4\frac{3}{4}$ "
Stiles and Meeting Rail of
Lower Section $4\frac{3}{4}$ "
Bottom Rail 8"
Glass Beads Included

	Open	Glazed
3.0 x 6.8— $1\frac{3}{4}$	\$48.61	\$51.66
3.0 x 7.0— $1\frac{3}{4}$	49.80	52.95

QUIGLEY'S

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE

CHEMICALLY TREATED



Q-128



Q-1280

Q-128

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$14.42	\$18.92
3. 0 x 7. 0—1 $\frac{3}{8}$	16.04	21.54
2. 8 x 6. 8—1 $\frac{3}{4}$	19.88	24.38
3. 0 x 6. 8—1 $\frac{3}{4}$	20.68	26.18
2.10 x 6.10—1 $\frac{3}{4}$	20.68	27.68
3. 0 x 7. 0—1 $\frac{3}{4}$	22.18	27.68


Q-1280

1. 0 x 6. 8—1 $\frac{3}{8}$	\$ 8.23	\$10.48
1. 0 x 6.10—1 $\frac{3}{8}$	8.71	11.41
1. 0 x 7. 0—1 $\frac{3}{8}$	8.71	11.41

Layout Overall, Q-128—Door: Stiles and Top Rail 5 $\frac{1}{2}$ " ; Lock Rail 9 $\frac{5}{8}$ " ; Bottom Rail 9 $\frac{5}{8}$ " ; Solid Raised Panels, Two Sides; Ovolo Sticking; Glass Beads included; Approx. Glass Size 2/8 x 6/8 Door 22" x 46".
Layout Overall, Q-1280—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".



Q-129



Q-1290

Q-129

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$19.37	\$22.77
3. 0 x 7. 0—1 $\frac{3}{8}$	20.99	24.74
2. 8 x 6. 8—1 $\frac{3}{4}$	26.07	29.47
3. 0 x 6. 8—1 $\frac{3}{4}$	26.86	30.41
2.10 x 6.10—1 $\frac{3}{4}$	28.36	32.11
3. 0 x 7. 0—1 $\frac{3}{4}$	28.36	32.11

Q-1290

1. 0 x 6. 8—1 $\frac{3}{8}$	\$ 9.75	\$11.70
1. 0 x 6.10—1 $\frac{3}{8}$	10.23	12.18
1. 0 x 7. 0—1 $\frac{3}{8}$	10.23	12.18

Layout Overall, Q-129—Door: Stiles and Top Rail 5 $\frac{1}{2}$ " ; Lock Rail 9 $\frac{5}{8}$ " ; Bottom Rail 9 $\frac{5}{8}$ " ; Solid Raised Panels, Two Sides; Ovolo Sticking; Glass Beads included; Approx. Glass Size 2/8 x 6/8 Door 22" x 46".
Layout Overall, Q-1290—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".



Q-143



Q-1430

Q-143

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$17.75	\$20.75
3. 0 x 7. 0—1 $\frac{3}{8}$	19.37	22.67
2. 8 x 6. 8—1 $\frac{3}{4}$	24.87	27.87
3. 0 x 6. 8—1 $\frac{3}{4}$	25.07	28.32
2.10 x 6.10—1 $\frac{3}{4}$	27.16	30.41
3. 0 x 7. 0—1 $\frac{3}{4}$	27.16	30.41

Q-1430

1. 0 x 6. 8—1 $\frac{3}{8}$	\$ 8.23	\$10.48
1. 0 x 6.10—1 $\frac{3}{8}$	8.71	11.41
1. 0 x 7. 0—1 $\frac{3}{8}$	8.71	11.41

Layout Overall, Q-143—Door: Stiles and Top Rail 5 $\frac{1}{2}$ " ; Lock Rail 9 $\frac{5}{8}$ " ; Bottom Rail 9 $\frac{5}{8}$ " ; Solid Raised Panels, Two Sides; Ovolo Sticking; Glass Beads included; Approx. Glass Size 2/8 x 6/8 Door 22" x 46".
Layout Overall, Q-1430—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".

SASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET

QUIGLEY'S

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE — CHEMICALLY TREATED



Q-144



Q-1440


Q-144

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$19.18	\$23.18
3. 0 x 7. 0—1 $\frac{3}{8}$	20.80	25.50
2. 8 x 6. 8—1 $\frac{3}{4}$	25.77	29.77
3. 0 x 6. 8—1 $\frac{3}{4}$	26.56	31.06
2.10 x 6.10—1 $\frac{3}{4}$	28.06	32.76
3. 0 x 7. 0—1 $\frac{3}{4}$	28.06	32.76

Q-1440

	\$ 8.23	\$10.48
1. 0 x 6. 8—1 $\frac{3}{8}$	8.71	11.41
1. 0 x 6.10—1 $\frac{3}{8}$	8.71	11.41
1. 0 x 7. 0—1 $\frac{3}{8}$		

Layout Overall, Q-144—Door: Stiles and Top Rail 5 $\frac{1}{2}$ " ; Lock Rail 9 $\frac{5}{8}$ " ; Bottom Rail 9 $\frac{5}{8}$ " ; Solid Raised Panels, Two Sides; Ovolo Sticking; Glass Beads included; Approx. Glass Size 2/8 x 6/8 Door 22" x 46".
Layout Overall, Q-1440—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".



Q-145



Q-1450

Q-145

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$17.01	\$22.16
3. 0 x 7. 0—1 $\frac{3}{8}$	18.48	24.73
2. 8 x 6. 8—1 $\frac{3}{4}$	23.08	28.23
3. 0 x 6. 8—1 $\frac{3}{4}$	23.90	30.05
2.10 x 6.10—1 $\frac{3}{4}$	25.26	31.51
3. 0 x 7. 0—1 $\frac{3}{4}$	25.26	31.51

Q-1450

	\$10.99	\$13.44
1. 0 x 6. 8—1 $\frac{3}{8}$	11.47	14.02
1. 0 x 6.10—1 $\frac{3}{8}$	11.47	14.02
1. 0 x 7. 0—1 $\frac{3}{8}$		

Layout Overall, Q-145—Door: Stiles 5 $\frac{1}{2}$ " ; Top Rail 6 $\frac{1}{2}$ " ; Bottom Rail 18 $\frac{1}{2}$ " ; Ovolo Sticking; Glass Beads included; Approx. Glass Size 3/0 x 7/0 Door 26" x 60".
Layout Overall, Q-1450—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".



Q-141



Q-1410

Q-141

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$18.78	\$23.98
3. 0 x 7. 0—1 $\frac{3}{8}$	20.35	26.75
2. 8 x 6. 8—1 $\frac{3}{4}$	25.41	30.61
3. 0 x 6. 8—1 $\frac{3}{4}$	26.29	32.54
2.10 x 6.10—1 $\frac{3}{4}$	27.75	34.15
3. 0 x 7. 0—1 $\frac{3}{4}$	27.75	34.15

Q-1410

	\$ 8.14	\$10.39
1. 0 x 6. 8—1 $\frac{3}{8}$	8.61	11.16
1. 0 x 6.10—1 $\frac{3}{8}$	8.61	11.16
1. 0 x 7. 0—1 $\frac{3}{8}$		

Layout Overall, Q-141—Door: Stiles 5 $\frac{1}{2}$ " ; Top Rail 6 $\frac{1}{2}$ " ; Bottom Rail 18 $\frac{1}{2}$ " ; Ovolo Sticking; Glass Beads included; Approx. Glass Size 3/0 x 7/0 Door 26" x 60".
Layout Overall, Q-1410—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".

QUIGLEY'S

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE — CHEMICALLY TREATED




Q-130

Q-130

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$14.51	\$20.06
3. 0 x 7. 0—1 $\frac{3}{8}$	16.13	22.38
2. 6 x 6. 8—1 $\frac{3}{4}$	19.98	25.53
2. 8 x 6. 8—1 $\frac{3}{4}$	19.98	25.53
3. 0 x 6. 8—1 $\frac{3}{4}$	20.88	26.68
2. 10 x 6. 10—1 $\frac{3}{4}$	22.37	28.25
2. 0 x 7. 0—1 $\frac{3}{4}$	21.58	26.08
2. 6 x 7. 0—1 $\frac{3}{4}$	21.58	28.58
2. 8 x 7. 0—1 $\frac{3}{4}$	21.58	27.38
3. 0 x 7. 0—1 $\frac{3}{4}$	22.37	28.62

Layout Overall, Q-130—Door: Stiles 5 $\frac{1}{2}$ "; Top Rail 6 $\frac{1}{2}$ "; Bottom Rail 18 $\frac{1}{2}$ "; Ovolo Sticking; Glass Beads included; Approx.
Glass Size 3/0 x 7/0 Door 26" x 60".



Q-140



Q-1400

Q-140

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$18.20	\$23.35
3. 0 x 7. 0—1 $\frac{3}{8}$	19.77	26.02
2. 8 x 6. 8—1 $\frac{3}{4}$	24.70	29.85
3. 0 x 6. 8—1 $\frac{3}{4}$	25.57	31.72
2. 10 x 6. 10—1 $\frac{3}{4}$	27.03	33.28
3. 0 x 7. 0—1 $\frac{3}{4}$	27.03	33.28

Q-1400

	Open	Glazed
1. 0 x 6. 8—1 $\frac{3}{8}$	\$ 8.14	\$10.39
1. 0 x 6. 10—1 $\frac{3}{8}$	8.61	11.16
1. 0 x 7. 0—1 $\frac{3}{8}$	8.61	11.16

Layout Overall, Q-140—Door: Stiles 5 $\frac{1}{2}$ "; Top Rail 6 $\frac{1}{2}$ "; Bottom Rail 18 $\frac{1}{2}$ "; Ovolo Sticking; Glass Beads included; Approx.
Glass Size 3/0 x 7/0 Door 26" x 60".

Layout Overall, Q-1400—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".



Q-142



Q-1420

Q-142

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$20.79	\$26.19
3. 0 x 7. 0—1 $\frac{3}{8}$	22.35	28.85
2. 8 x 6. 8—1 $\frac{3}{4}$	27.67	33.07
3. 0 x 6. 8—1 $\frac{3}{4}$	28.54	34.94
2. 10 x 6. 10—1 $\frac{3}{4}$	29.99	36.24
3. 0 x 7. 0—1 $\frac{3}{4}$	29.99	36.24

Q-1420

	Open	Glazed
1. 0 x 6. 8—1 $\frac{3}{8}$	\$ 8.14	\$10.39
1. 0 x 6. 10—1 $\frac{3}{8}$	8.61	11.16
1. 0 x 7. 0—1 $\frac{3}{8}$	8.61	11.16

Layout Overall, Q-142—Door: Stiles 5 $\frac{1}{2}$ "; Top Rail 6 $\frac{1}{2}$ "; Bottom Rail 18 $\frac{1}{2}$ "; Ovolo Sticking; Glass Beads included; Approx.
Glass Size 3/0 x 7/0 Door 26" x 60".

Layout Overall, Q-1420—Side Light: Same as above except Stiles 2 $\frac{1}{2}$ ".

NOTE: 1 $\frac{3}{8}$ " Doors Not Chemically Treated.

SASH AND
PANEL
DOOR

FLUSH
DOOR
AND
GAR/
DO

STAIR-
WORK A
PORC
WO


MANTLES
AND
CABINET
WORK

U-STYLE
ITCHEN
ABINET

QUIGLEY'S

WHITE PINE ENTRANCE DOORS

No. 1 WHITE PINE — CHEMICALLY TREATED




Q-131

Q-131

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{8}$	\$18.75	\$20.30
2. 6 x 6. 8—1 $\frac{3}{4}$	25.27	26.82
2. 8 x 6. 8—1 $\frac{3}{4}$	25.27	26.82
3. 0 x 6. 8—1 $\frac{3}{4}$	26.46	28.20
2.10 x 6.10—1 $\frac{3}{4}$	28.56	30.30
3. 0 x 7. 0—1 $\frac{3}{4}$	28.56	30.30

Layout Overall: Stiles and Top Rail 5 $\frac{1}{2}$ "; Mullion and Cross Rail 5 $\frac{3}{8}$ "; Bottom Rail 9 $\frac{5}{8}$ ";
Raised Panels Two Sides; Ovolo Sticking; Glass Beads included.




Q-133

Q-133

	Open	Glazed
2. 8 x 6. 8—1 $\frac{3}{4}$	\$24.27	\$25.61
3. 0 x 6. 8—1 $\frac{3}{4}$	25.47	26.92
3. 0 x 7. 0—1 $\frac{3}{4}$	27.56	29.01

Layout Overall: Stiles and Top Rail 5 $\frac{1}{2}$ "; Mullion and Cross Rail 5 $\frac{3}{8}$ "; Bottom Rail 9 $\frac{5}{8}$ ";
Raised Panels Two Sides; Ovolo Sticking; Glass Beads included.



Q-127

Q-127

	Open	Glazed
2.0 x 6.6—1 $\frac{3}{8}$	\$12.48	\$15.44
2.0 x 6.8—1 $\frac{3}{8}$	12.66	15.62
2.4 x 6.8—1 $\frac{3}{8}$	12.92	16.31
2.6 x 6.8—1 $\frac{3}{8}$	13.00	16.39
2.0 x 7.0—1 $\frac{3}{8}$	13.35	16.46
2.4 x 7.0—1 $\frac{3}{8}$	13.60	16.99
2.6 x 7.0—1 $\frac{3}{8}$	13.69	17.46
2.0 x 6.8—1 $\frac{3}{4}$	17.46	20.42
2.6 x 6.8—1 $\frac{3}{4}$	18.01	21.40
2.0 x 7.0—1 $\frac{3}{4}$	18.55	21.66
2.6 x 7.0—1 $\frac{3}{4}$	19.09	22.86
2.0 x 7.6—1 $\frac{3}{4}$	20.38	24.34
2.6 x 7.6—1 $\frac{3}{4}$	20.98	24.94

Layout Overall, Q-127—Door: Stiles and Top Rail 4 $\frac{3}{4}$ "; Bottom Rail 9 $\frac{1}{2}$ "; Ovolo Sticking;
Glass Beads Furnished.

QUIGLEY'S

WHITE PINE ENTRANCE DOORS No. 1 WHITE PINE — CHEMICALLY TREATED



Q-126



Q-1260

Q-126

	Open	Glazed
2. 6 x 6. 6—1 3/4	\$21.76	\$26.15
2. 6 x 6. 8—1 3/4	21.94	26.33
2. 8 x 6. 8—1 3/4	22.12	26.51
3. 0 x 6. 8—1 3/4	22.48	27.15
2. 10 x 6. 10—1 3/4	23.57	28.52
2. 6 x 7. 0—1 3/4	23.03	27.62
2. 8 x 7. 0—1 3/4	23.21	27.80
3. 0 x 7. 0—1 3/4	23.57	28.52

Q-1260

1. 0 x 6. 8—1 3/8	\$ 9.04	\$10.60
1. 0 x 6. 10—1 3/8	9.52	11.17
1. 0 x 7. 0—1 3/8	9.52	11.17

Layout Overall: Q-126 Door—Stiles and Top Rail 5 1/2"; Bottom Rail 11 1/2"; Ovolo Sticking; Glass Beads furnished.
Q-1260 Side Light—Stiles 2 1/2"; Top Rail 5 1/2"; Bottom Rail 11 1/2"; Ovolo Sticking; Glass Beads furnished.



Q-125



Q-1250

Q-125

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$14.21	\$18.60
2. 0 x 6. 8—1 3/8	14.29	18.17
2. 6 x 6. 8—1 3/8	14.38	18.77
2. 8 x 6. 8—1 3/8	14.46	18.85
3. 0 x 6. 8—1 3/8	14.72	19.39
2. 10 x 6. 10—1 3/8	15.50	20.45
2. 0 x 7. 0—1 3/8	14.98	19.03
2. 6 x 7. 0—1 3/8	15.07	19.66
2. 8 x 7. 0—1 3/8	15.24	19.83
3. 0 x 7. 0—1 3/8	15.50	20.45
2. 6 x 6. 8—1 3/4	19.82	24.21
2. 8 x 6. 8—1 3/4	20.00	24.39
3. 0 x 6. 8—1 3/4	20.36	25.03
2. 6 x 7. 0—1 3/4	20.91	25.50
2. 8 x 7. 0—1 3/4	21.09	25.68
3. 0 x 7. 0—1 3/4	21.45	26.40

Q-1250

1. 0 x 6. 6—1 3/8	\$ 8.85	\$10.41
1. 0 x 6. 8—1 3/8	8.85	10.41
1. 0 x 6. 10—1 3/8	9.33	10.98
1. 0 x 7. 0—1 3/8	9.33	10.98

Layout Overall: Q-125 Door—Stiles and Top Rail 4 3/4"; Bottom Rail 9 1/2"; Ovolo Sticking; Glass Beads furnished.
Q-1250 Side Light—Stiles 2 1/2"; Top Rail 4 3/4"; Bottom Rail 9 1/2"; Ovolo Sticking; Glass Beads furnished.

SASH AND
PANEL
DOORS

FLUSH
DOORS
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK

WANTLES
AND
CABINET
WORK

U-STYLE
KITCHEN
CABINET

WHITE PINE FLUSH EXTERIOR DOORS

**$\frac{3}{8}$ " SAWN FACE VENEERS — No. 1 WHITE PINE
CASEIN WATER RESISTANT GLUE — CHEMICALLY TREATED**



Q-181

2.8 x 6.8— $1\frac{3}{4}$	\$38.92
3.0 x 6.8— $1\frac{3}{4}$	41.63
3.0 x 7.0— $1\frac{3}{4}$	42.74

Q-181



Q-184

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$55.42	\$56.92
3.0 x 6.8— $1\frac{3}{4}$	58.13	59.63
3.0 x 7.0— $1\frac{3}{4}$	59.24	60.74

Q-184



Q-182

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$45.67	\$47.04
3.0 x 6.8— $1\frac{3}{4}$	48.38	49.75
3.0 x 7.0— $1\frac{3}{4}$	49.49	50.86

Q-182



Q-185

	Open	Glazed
2.8 x 6.8— $1\frac{3}{4}$	\$65.92	\$67.92
3.0 x 6.8— $1\frac{3}{4}$	68.63	70.63
3.0 x 7.0— $1\frac{3}{4}$	69.74	71.74


Q-185



Q-183

	Open	Glazed Wood Bars
2.8 x 6.8— $1\frac{3}{4}$	\$49.07	\$52.07
3.0 x 6.8— $1\frac{3}{4}$	51.78	54.78
3.0 x 7.0— $1\frac{3}{4}$	52.89	55.89

Q-183



Q-169

2.8 x 6.8— $1\frac{3}{4}$	\$42.02
3.0 x 6.8— $1\frac{3}{4}$	44.73
3.0 x 7.0— $1\frac{3}{4}$	45.84

Unless otherwise specified, this Door will be furnished with 5 V-Grooves each side.

Q-169

For designs other than those shown, add to the Q-181 list:
 Circle Head\$6.85
 Segment Head 6.85
 Gothic Head 7.50
 Divided rectangular lights (extra per light) open.... .50

QUIGLEY'S

WHITE PINE V-GROOVE FLUSH EXTERIOR DOORS

**$\frac{3}{8}$ " SAWN FACE VENEERS — No. 1 WHITE PINE
CASEIN WATER RESISTANT GLUE — CHEMICALLY TREATED**

FLUSH VENEERS
"V" JOINT GROOVES



Q-171

Q-171—No. 1 W. P.

	Open	Glazed Wood Bars
2.8 x 6.8—1 $\frac{3}{4}$	\$55.62	\$57.62
3.0 x 6.8—1 $\frac{3}{4}$	58.33	60.33
3.0 x 7.0—1 $\frac{3}{4}$	59.44	61.44

FLUSH VENEERS
"V" JOINT GROOVES



Q-174

Q-174—No. 1 W. P.


	Open	Glazed Wood Bars
2.8 x 6.8—1 $\frac{3}{4}$	\$75.87	\$78.87
3.0 x 6.8—1 $\frac{3}{4}$	78.58	81.58
3.0 x 7.0—1 $\frac{3}{4}$	79.69	82.69



Q-172

Q-172—No. 1 W. P.


	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$81.87	\$84.11
3.0 x 6.8—1 $\frac{3}{4}$	84.58	86.82
3.0 x 7.0—1 $\frac{3}{4}$	85.69	87.93



Q-175

Q-175—No. 1 W. P.


	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$58.52	\$60.02
3.0 x 6.8—1 $\frac{3}{4}$	61.23	62.73
3.0 x 7.0—1 $\frac{3}{4}$	62.34	63.84



Q-173

Q-173—No. 1 W. P.

	Open	Glazed Wood Bars
2.8 x 6.8—1 $\frac{3}{4}$	\$75.87	\$77.87
3.0 x 6.8—1 $\frac{3}{4}$	78.58	80.58
3.0 x 7.0—1 $\frac{3}{4}$	79.69	81.69



Q-176

Q-176—No. 1 W. P.

	Open	Glazed Wood Bars
2.8 x 6.8—1 $\frac{3}{4}$	\$48.77	\$50.77
3.0 x 6.8—1 $\frac{3}{4}$	51.48	53.48
3.0 x 7.0—1 $\frac{3}{4}$	52.59	54.59

For designs other than those shown, add to the Q-169 list:
Circle Head \$6.85
Segment Head 6.85
Gothic Head 7.50
Divided rectangular lights (extra per light) open.... .50

SASH AND
PANEL
DOOR

FLUSH
DOOR
ANT
GAR
DO


STAIR-
WORK A
PORC
WO

MANTLES
AND
CABINET
WORK

U-STYLE
KITCHEN
CABINET

QUIGLEY'S

TRU-FIT DOUGLAS FIR ENTRANCE DOORS



Q-2020

Q-2020

	Open	Glazed
2.8 x 6.8—1 3/4	\$42.00	\$43.80
3.0 x 6.8—1 3/4	42.00	44.20
3.0 x 7.0—1 3/4	42.65	44.85

LAYOUT OVERALL

Stiles and Top Rail 5 3/8"

Lock Rail 5 3/8"

Intermediate Rail and Muntins 5 3/8"

Bottom Rail 9 3/8"

Hub 4 1/2"

Bars between Glass 1/2"

Height from top of Door to top of
Intermediate Rail 18"

Ovolo Sticking

Top Panels Square

3/4" Raised Panels—Two Sides

Q-2005

	Open	Glazed
2.8 x 6.8—1 3/4	\$37.88	\$41.18
3.0 x 6.8—1 3/4	37.88	41.48
3.0 x 7.0—1 3/4	38.54	42.14

LAYOUT OVERALL

Stiles 5 3/8"

Top Rail 6 3/8"

Lock Rail 9 3/8"

Intermediate Rail and Muntins 5 3/8"

Bottom Rail 9 3/8"


Bars between Glass 1 3/8"

Ovolo Sticking

Height from Bottom of Door to Top
of Lock Rail 36 3/8"

Height from Top of Door to Bottom
of Intermediate Rail 19"

3/4" Raised Panels—Two Sides



Q-2005

QUIGLEY'S

TRU-FIT DOUGLAS FIR ENTRANCE DOORS


Q-2070

	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$32.63	\$33.83
3.0 x 6.8—1 $\frac{3}{4}$	32.63	33.83
3.0 x 7.0—1 $\frac{3}{4}$	33.29	34.49


LAYOUT OVERALL

Stiles and Top Rail 5 $\frac{3}{8}$ "
 Lock Rail 9 $\frac{3}{8}$ "
 Intermediate Rail and Muntins 5 $\frac{3}{8}$ "
 Bottom Rail 9 $\frac{3}{8}$ "

Ovolo Sticking
 Height from Bottom of Door to Top
 of Lock Rail 36 $\frac{3}{8}$ "
 $\frac{3}{4}$ " Raised Panels—Two Sides



Q-2070



Q-2115

Q-2115

	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$33.16	\$34.31
3.0 x 6.8—1 $\frac{3}{4}$	33.16	34.31
3.0 x 7.0—1 $\frac{3}{4}$	33.81	34.96

LAYOUT OVERALL

Stiles and Top Rail 5 $\frac{3}{8}$ "
 Lock Rail 9"
 Intermediate Rail and Muntins 4 $\frac{1}{2}$ "
 Bottom Rail 8"
 Bars between Glass 1"

Height from Bottom of Door to Top
 of Lock Rail 36"
 Ovolo Sticking
 $\frac{3}{4}$ " Raised Panels—Two Sides

SASH AND
 PANEL
 DOORS

FLUSH
 DOORS
 AND
 GARAGE
 DOORS

STAIR-
 WORK AND
 PORCH
 WORK

MANTLES
 AND
 CABINET
 WORK

HOUSE-STYLE
 KITCHEN
 CABINETS

QUIGLEY'S

TRU-FIT DOUGLAS FIR ENTRANCE DOORS



Q-2035

Q-2035

	Open	Glazed
2.8 x 6.8—1 3/4	\$37.36	\$40.36
3.0 x 6.8—1 3/4	37.36	40.51
3.0 x 7.0—1 3/4	38.01	41.16

LAYOUT OVERALL

Stiles and Top Rail 5 3/8"
 Lock Rail 7 1/4"
 Bottom Rail 8 3/4"
 Cross Bucks 4 1/2"
 Bars between Glass 1/2"

Ovolo Sticking
 Height from Bottom of Door to Top
 of Lock Rail 38 1/4"
 3/4" Raised Panels—Two Sides


Q-2105

	Open	Glazed
2.8 x 6.8—1 3/4	\$44.18	\$46.68
3.0 x 6.8—1 3/4	44.18	46.68
3.0 x 7.0—1 3/4	44.84	47.54

LAYOUT OVERALL

Stiles and Top Rail 5 3/8"
 Lock Rail 7 1/4"
 Intermediate Rail and Muntin 4 1/2"
 Bottom Rail 8 3/4"
 Cross Bucks 4 1/2"

Bars between Glass 2"
 Height from Bottom of Door to Top
 of Lock Rail 38 1/4"
 Ovolo Sticking
 3/4" Raised Panels—Two Sides



Q-2105

QUIGLEY'S

TRU-FIT DOUGLAS FIR ENTRANCE DOORS



Q-2130

Q-2130

2.8 x 6.8—1 3/4"	\$32.11
3.0 x 6.8—1 3/4"	32.11
3.0 x 7.0—1 3/4"	33.81

LAYOUT OVERALL

Stiles and Top Rail 5 3/8"
 Lock Rail 8"
 Intermediate Rail and Muntins 4 1/2"
 Bottom Rail 9 3/8"
 3/4" Raised Panels—Two Sides

Height from Bottom of Door to Top
 of Lock Rail 36 3/8"
 Height from Top of Door to Bottom
 of Intermediate Rail 17 5/8"
 Ovolo Sticking

SASH AND
 PANEL
 DOORS

FLUSH
 DOORS
 AND
 GARAGE
 DOORS

STAIR-
 WORK AND
 PORCH
 WORK


MANTLES
 AND
 CABINET
 WORK

MODERN-STYLE
 KITCHEN
 CABINETS

TRU-FIT DOUGLAS FIR ENTRANCE DOORS

2/8 x 6/8

X



Q-2120



Q-2120

	Open	Glazed
2.8 x 6.8—1 3/4	\$37.36	\$40.03
3.0 x 6.8—1 3/4	37.36	40.33
3.0 x 7.0—1 3/4	38.01	40.98

LAYOUT OVERALL

Stiles 5 3/8"
 Top Rail 6 3/8"
 Lock Rail 9 3/8"
 Intermediate Rail and Muntins 5 3/8"
 Bottom Rail 9 3/8"

Bars between Glass 2"
 Height from Bottom of Door to Top
 of Lock Rail 36 3/8"
 Ovolo Sticking
 3/4" Raised Panels—Two Sides

QUIGLEY'S

FIR ENTRANCE DOORS

No. 1 FIR



Q-134

Q-134

	Open	Glazed
2.8 x 6.8—1 $\frac{3}{8}$	\$16.02	\$18.21
2.8 x 6.8—1 $\frac{3}{4}$	20.85	23.04
3.0 x 6.8—1 $\frac{3}{4}$	23.25	25.58
3.0 x 7.0—1 $\frac{3}{4}$	24.84	27.17

LAYOUT OVERALL

Stiles and Top Rail 5 $\frac{3}{8}$ "; Bottom Rail 9 $\frac{3}{8}$ "; Cross Rail and Mullion 4 $\frac{1}{2}$ "; Bead and Cove Sticking; Standard Raised Panels—Two Sides; Overall Glass Size in 2/8 x 6/8 Door is 22 x 18 inches.



Q-139

Q-139

	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$25.14	\$30.29
3.0 x 6.8—1 $\frac{3}{4}$	27.38	33.53
3.0 x 7.0—1 $\frac{3}{4}$	28.90	35.15

LAYOUT OVERALL

Stiles 5 $\frac{3}{8}$ "; Top Rail 6 $\frac{3}{8}$ "; Bottom Rail 18 $\frac{3}{8}$ "; Bars $\frac{1}{2}$ " between Glass; Bead and Cove Sticking; Overall Glass Size in 2/8 x 6/8 Door is 22 x 56 inches.



Q-138

Q-138

	Open	Glazed D.S.B.
2.8 x 6.8—1 $\frac{3}{4}$	\$20.73	\$26.28
3.0 x 6.8—1 $\frac{3}{4}$	22.97	28.77
2.10 x 6.10—1 $\frac{3}{4}$	23.39	29.27
2.6 x 7.0—1 $\frac{3}{4}$	21.74	28.74
3.0 x 7.0—1 $\frac{3}{4}$	24.49	30.74

LAYOUT OVERALL

Stiles 5 $\frac{3}{8}$ "; Top Rail 6 $\frac{3}{8}$ "; Bottom Rail 18 $\frac{3}{8}$ "; Bead and Cove Sticking; Glass Size in 2/8 x 6/8 Door is 22 x 56 inches.

SASH AND
PANEL
DOOR

FLUSH
DOORS
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK


MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINETS

QUIGLEY'S

FIR ENTRANCE DOORS

No. 1 FIR



Q-156

Q-156

2.8 x 6.8—1 $\frac{3}{4}$	\$22.53
3.0 x 6.8—1 $\frac{3}{4}$	24.93
3.0 x 7.0—1 $\frac{3}{4}$	26.52

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "; Lock Rail 7 $\frac{3}{8}$ "; Intermediate Rail and Muntins 4 $\frac{1}{2}$ "; Bottom Rail 9 $\frac{3}{8}$ "; Height from floor to Top of Lock Rail 36 $\frac{1}{2}$ "; Ovolo Sticking; Standard Raised Panels—Two Sides.



Q-157

Q-157

	Open	Glazed
2.8 x 6.8—1 $\frac{3}{4}$	\$22.95	\$24.15
3.0 x 6.8—1 $\frac{3}{4}$	25.35	26.55
3.0 x 7.0—1 $\frac{3}{4}$	26.94	28.14

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "; Lock Rail 7 $\frac{3}{8}$ "; Intermediate Rail and Muntins 4 $\frac{1}{2}$ "; Bottom Rail 9 $\frac{3}{8}$ "; Height from floor to Top of Lock Rail 36 $\frac{1}{2}$ "; Ovolo Sticking; Standard Raised Panels—Two Sides.



Q-137

Q-137—10 Lights

	Open	Glazed
2.0 x 6.6—1 $\frac{3}{8}$	\$13.10	\$16.06
2.0 x 6.8—1 $\frac{3}{8}$	13.26	16.22
2.4 x 6.8—1 $\frac{3}{8}$	13.65	17.04
2.6 x 6.8—1 $\frac{3}{8}$	13.79	19.18
2.0 x 7.0—1 $\frac{3}{8}$	14.18	17.29
2.4 x 7.0—1 $\frac{3}{8}$	14.56	17.95
2.6 x 7.0—1 $\frac{3}{8}$	14.78	18.55
2.0 x 6.8—1 $\frac{3}{4}$	17.05	20.01
2.6 x 6.8—1 $\frac{3}{4}$	18.63	22.02
2.0 x 7.0—1 $\frac{3}{4}$	18.38	21.49
2.6 x 7.0—1 $\frac{3}{4}$	20.06	23.83
2.0 x 7.6—1 $\frac{3}{4}$	21.29	25.25
2.6 x 7.6—1 $\frac{3}{4}$	21.29	25.25

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "; Bottom Rail 9 $\frac{3}{8}$ "; Bars $\frac{1}{2}$ " between Glass; Beads for Glass included; Bead and Cove Sticking.

QUIGLEY'S

FIR ENTRANCE DOORS

No. 1 FIR

Q-135—15 Light



Q-135



Q-1350

	FIR	
	Open	Glazed
2. 6 x 6. 6—1 $\frac{3}{8}$	\$14.66	\$19.05
2. 6 x 6. 8—1 $\frac{3}{8}$	14.80	19.19
2. 8 x 6. 8—1 $\frac{3}{8}$	14.96	19.35
3. 0 x 6. 8—1 $\frac{3}{8}$	16.04	20.71
2. 10 x 6. 10—1 $\frac{3}{8}$	16.34	21.29
2. 6 x 7. 0—1 $\frac{3}{8}$	15.80	20.39
2. 8 x 7. 0—1 $\frac{3}{8}$	15.96	20.55
3. 0 x 7. 0—1 $\frac{3}{8}$	17.11	22.06
2. 6 x 6. 8—1 $\frac{3}{4}$	19.68	24.07
2. 8 x 6. 8—1 $\frac{3}{4}$	20.10	24.49
3. 0 x 6. 8—1 $\frac{3}{4}$	22.34	27.01
2. 6 x 7. 0—1 $\frac{3}{4}$	21.11	25.70
2. 8 x 7. 0—1 $\frac{3}{4}$	21.53	26.12
3. 0 x 7. 0—1 $\frac{3}{4}$	23.86	28.81

Q-1350—5 Lights

1. 0 x 6. 6—1 $\frac{3}{8}$	\$12.09	\$13.65
1. 0 x 6. 8—1 $\frac{3}{8}$	12.25	13.81
1. 0 x 7. 0—1 $\frac{3}{8}$	13.17	14.82

LAYOUT OVERALL

Door Q-135: Stiles and Top Rail 4 $\frac{9}{16}$ " ; Bottom Rail 9 $\frac{3}{8}$ " ; Bars $\frac{1}{2}$ " between Glass; Beads for Glass included; Bead and Cove Sticking.

Q-1350 Side Light: Stiles 2 $\frac{1}{2}$ " ; Top Rail 4 $\frac{9}{16}$ " ; Bottom Rail 9 $\frac{3}{8}$ " ; Bars $\frac{1}{2}$ " between Glass; Beads for Glass included; Bead and Cove Sticking.

Q-136—15 Lights



Q-136



Q-1360

	FIR	
	Open	Glazed
2. 6 x 6. 8—1 $\frac{3}{4}$	\$20.73	\$25.12
2. 8 x 6. 8—1 $\frac{3}{4}$	21.15	25.54
3. 0 x 6. 8—1 $\frac{3}{4}$	23.39	28.06
2. 10 x 6. 10—1 $\frac{3}{4}$	23.81	28.76
2. 6 x 7. 0—1 $\frac{3}{4}$	22.16	26.75
2. 8 x 7. 0—1 $\frac{3}{4}$	22.58	27.17
3. 0 x 7. 0—1 $\frac{3}{4}$	24.91	29.86

Q-1360—5 Lights

	FIR	
	Open	Glazed
1. 0 x 6. 8—1 $\frac{3}{8}$	\$13.26	\$14.82
1. 0 x 6. 10—1 $\frac{3}{8}$	14.09	15.74
1. 0 x 7. 0—1 $\frac{3}{8}$	14.18	15.83

LAYOUT OVERALL

Door Q-136: Stiles and Top Rail 5 $\frac{3}{8}$ " ; Bottom Rail 11 $\frac{3}{8}$ " ; Bars $\frac{1}{2}$ " between Glass; Beads for Glass included; Bead and Cove Sticking.

Q-1360 Side Light: Stiles 2 $\frac{1}{2}$ " ; Top Rail 5 $\frac{3}{8}$ " ; Bottom Rail 11 $\frac{3}{8}$ " ; Bars $\frac{1}{2}$ " between Glass; Beads for Glass included; Bead and Cove Sticking.

SASH AND
PANEL
DOORS

FLUSH
DOORS
AND
GARAGE
DOORS

STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINETS

WHITE PINE SASH DOORS

No. 1 WHITE PINE



Q-104

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Intermediate Rail 4 5/8"
Lock Rail 4 5/8"
Bottom Rail 9 5/8"
Ovolo Sticking
Raised Panels—Two Sides
Glass Size 2/8 x 6/8 Door
23 1/2 x 36 inches

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$12.85	\$14.74
2. 6 x 6. 8—1 3/8	13.04	15.12
2. 8 x 6. 8—1 3/8	13.33	15.62
3. 0 x 6. 8—1 3/8	13.90	17.01
2.10 x 6.10—1 3/8	14.95	18.14
3. 0 x 7. 0—1 3/8	14.95	18.48
2. 6 x 6. 6—1 3/4	17.46	19.35
2. 6 x 6. 8—1 3/4	17.66	19.74
2. 8 x 6. 8—1 3/4	18.05	20.34
3. 0 x 6. 8—1 3/4	18.95	22.06
3. 0 x 7. 0—1 3/4	20.35	23.88



Q-105

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Intermediate Rail 4 5/8"
Lock Rail 4 5/8"
Bottom Rail 9 5/8"
Ovolo Sticking
Raised Panels—Two Sides
Overall Glass Size 2/8 x 6/8 Door
23 1/2 x 36 inches

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$14.38	\$16.41
2. 6 x 6. 8—1 3/8	14.57	16.60
2. 8 x 6. 8—1 3/8	14.85	17.01
3. 0 x 6. 8—1 3/8	15.42	17.80
2.10 x 6.10—1 3/8	16.47	19.04
3. 0 x 7. 0—1 3/8	16.47	19.04
2. 6 x 6. 6—1 3/4	19.35	21.38
2. 6 x 6. 8—1 3/4	19.55	21.58
2. 8 x 6. 8—1 3/4	19.95	22.11
3. 0 x 6. 8—1 3/4	20.85	23.23
3. 0 x 7. 0—1 3/4	22.24	24.81




Q-101

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Cross Rails 4 5/8"
Muntins 4 5/8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Glass Size 2/8 x 6/8 Door
23 1/2 x 34 inches

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$13.23	\$15.12
2. 8 x 6. 8—1 3/8	13.71	15.79
3. 0 x 6. 8—1 3/8	14.28	18.02
3. 0 x 7. 0—1 3/8	15.23	19.41



Q-102

LAYOUT OVERALL


Stiles and Top Rail 4 3/4"
Cross Rails 4 5/8"
Muntins 4 5/8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Overall Glass Size 2/8 x 6/8 Door
23 1/2 x 34 inches

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$14.85	\$16.88
2. 8 x 6. 8—1 3/8	15.33	17.49
3. 0 x 6. 8—1 3/8	15.90	18.28
3. 0 x 7. 0—1 3/8	16.85	19.42

QUIGLEY'S

WHITE PINE SASH DOORS

No. 1 WHITE PINE




Q-107

LAYOUT OVERALL

Stiles and Top Rail 4 1/4"
Lock Rail 8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Glass Size 2/8 x 6/8 Door
23 1/2 x 40 inches

Q-107

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$12.66	\$14.88
2. 6 x 6. 8—1 3/8	12.76	15.37
2. 8 x 6. 8—1 3/8	13.04	15.65
2. 6 x 6. 8—1 3/4	17.46	20.07
2. 8 x 6. 8—1 3/4	17.86	20.47
3. 0 x 6. 8—1 3/4	18.65	21.93
2.10 x 6.10—1 3/4	19.95	23.60
3. 0 x 7. 0—1 3/4	19.95	23.60




Q-106

LAYOUT OVERALL

Stiles and Top Rail 4 1/4"
Lock Rail 8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Overall Glass Size 2/8 x 6/8 Door
23 1/2 x 40 inches

Q-106


	Open	Glazed
2. 6 x 6. 6—1 3/8	\$15.23	\$17.42
2. 6 x 6. 8—1 3/8	15.33	17.52
2. 8 x 6. 8—1 3/8	15.61	17.92
2. 6 x 6. 8—1 3/4	20.75	22.94
2. 8 x 6. 8—1 3/4	21.15	23.46
3. 0 x 6. 8—1 3/4	21.95	24.65
2.10 x 6.10—1 3/4	23.24	26.26
3. 0 x 7. 0—1 3/4	23.24	26.26



Q-110

LAYOUT OVERALL

Stiles and Top Rail 4 1/4"
Lock Rail 8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Exception: Q-110
Lock Rail 4 5/8"



Q-108

Price

Either Door

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$14.28	\$16.36
2. 6 x 6. 8—1 3/8	14.38	16.46
2. 8 x 6. 8—1 3/8	14.66	16.89
2. 6 x 6. 8—1 3/4	19.55	21.63
2. 8 x 6. 8—1 3/4	19.95	22.18
3. 0 x 6. 8—1 3/4	20.75	23.23
2.10 x 6.10—1 3/4	22.04	24.76
3. 0 x 7. 0—1 3/4	22.04	24.76



Q-109

LAYOUT OVERALL

Stiles and Top Rail 4 1/4"
Lock Rail 8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking
Overall Glass Size 2/8 x 6/8 Door
23 1/2 x 40 inches

Q-109

	Open	Glazed
2. 6 x 6. 6—1 3/8	\$15.90	\$18.56
2. 6 x 6. 8—1 3/8	16.00	18.66
2. 8 x 6. 8—1 3/8	16.28	18.94
2. 6 x 6. 8—1 3/4	21.65	24.31
2. 8 x 6. 8—1 3/4	22.04	24.70
3. 0 x 6. 8—1 3/4	22.84	25.67
2.10 x 6.10—1 3/4	24.14	27.25
3. 0 x 7. 0—1 3/4	24.14	27.25

SASH AND
PANEL
DOORS

FLUSH
DOORS
AND
GARA
DOO

STAIR-
WORK A
PORCE
WOR

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET

QUIGLEY'S

FIR SASH DOORS

Q-114

2 x R. P. 1 Light




Q-114

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 0—1 $\frac{3}{8}$	\$12.64	\$14.53	\$11.89	\$13.78
2. 8 x 6. 0—1 $\frac{3}{8}$	12.80	14.88	12.05	14.13
2. 6 x 6. 6—1 $\frac{3}{8}$	13.20	15.09	12.43	14.32
2. 8 x 6. 6—1 $\frac{3}{8}$	13.37	15.66	12.58	14.87
2. 4 x 6. 8—1 $\frac{3}{8}$	13.20	15.28	12.43	14.56
2. 6 x 6. 8—1 $\frac{3}{8}$	13.37	15.45	12.58	14.66
2. 8 x 6. 8—1 $\frac{3}{8}$	13.53	15.82	12.74	15.03
3. 0 x 6. 8—1 $\frac{3}{8}$	14.66	17.77	13.81	16.92
2.10 x 6.10—1 $\frac{3}{8}$	14.99	18.68	14.11	17.30
2. 6 x 7. 0—1 $\frac{3}{8}$	14.42	17.61	13.57	16.76
3. 0 x 7. 0—1 $\frac{3}{8}$	15.82	19.35	14.88	18.41
2. 8 x 6. 8—1 $\frac{3}{4}$	18.86	21.15	17.79	20.08
3. 0 x 6. 8—1 $\frac{3}{4}$	21.25	24.36	20.03	23.14
2.10 x 6.10—1 $\frac{3}{4}$	21.69	24.88	20.45	23.64
3. 0 x 7. 0—1 $\frac{3}{4}$	22.85	26.38	21.55	25.08

Q-115

2 x R. P. 4 Lights




Q-115

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 0—1 $\frac{3}{8}$	\$13.45	\$15.48	\$12.70	\$14.73
2. 8 x 6. 0—1 $\frac{3}{8}$	13.61	15.64	12.86	14.89
2. 4 x 6. 6—1 $\frac{3}{8}$	13.81	15.84	13.08	15.11
2. 6 x 6. 6—1 $\frac{3}{8}$	14.01	16.04	13.24	15.27
2. 8 x 6. 6—1 $\frac{3}{8}$	14.18	16.34	13.39	15.55
2. 4 x 6. 8—1 $\frac{3}{8}$	14.01	16.04	13.24	15.27
2. 6 x 6. 8—1 $\frac{3}{8}$	14.18	16.21	13.39	15.42
2. 8 x 6. 8—1 $\frac{3}{8}$	14.34	16.50	13.55	15.71
3. 0 x 6. 8—1 $\frac{3}{8}$	15.47	17.85	14.62	17.00
2. 6 x 6.10—1 $\frac{3}{8}$	15.07	17.45	14.24	16.65
2.10 x 6.10—1 $\frac{3}{8}$	15.80	18.37	14.92	17.49
2. 6 x 7. 0—1 $\frac{3}{8}$	15.23	17.80	14.38	16.95
2. 8 x 7. 0—1 $\frac{3}{8}$	15.39	17.96	14.54	17.11
3. 0 x 7. 0—1 $\frac{3}{8}$	16.63	19.20	15.69	18.26
2. 8 x 6. 8—1 $\frac{3}{4}$	19.70	21.86	18.63	20.79
3. 0 x 6. 8—1 $\frac{3}{4}$	22.09	24.47	20.87	23.25
3. 0 x 7. 0—1 $\frac{3}{4}$	23.69	26.26	22.39	24.96

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "; Intermediate Rail 4 $\frac{1}{2}$ "; Lock Rail 5"; Bottom Rail 9 $\frac{3}{8}$ "; Bead and Cove Sticking; Beads for Glass included; Raised Panels—Two Sides; Glass Size 2/8 x 6/8 Door 23 $\frac{3}{8}$ x 38 inches.

LAYOUT OVERALL




Q-116

Stiles and Top Rail 4 $\frac{9}{16}$ "
Intermediate Rail 4 $\frac{1}{2}$ "
Lock Rail 5"
Bottom Rail 9 $\frac{3}{8}$ "
Bead and Cove Sticking
Raised Panels—Two Sides
Beads for Glass included
Overall Glass Size 2/8 x 6/8 Door
23 $\frac{3}{8}$ x 38 inches

2 x R. P. 6 Lights

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 6—1 $\frac{3}{8}$	\$14.42	\$16.88	\$13.65	\$16.11
2. 8 x 6. 8—1 $\frac{3}{8}$	14.75	17.21	13.96	16.42
2.10 x 6.10—1 $\frac{3}{8}$	16.21	19.09	15.33	18.21
3. 0 x 7. 0—1 $\frac{3}{8}$	17.04	19.92	16.10	18.98
2. 8 x 6. 8—1 $\frac{3}{4}$	20.12	22.58	19.05	21.51
3. 0 x 7. 0—1 $\frac{3}{4}$	24.11	26.99	22.81	25.69

LAYOUT OVERALL



Q-119


Stiles and Top Rail 4 $\frac{9}{16}$ "
Intermediate Rail 4 $\frac{1}{2}$ "
Lock Rail 5"
Bottom Rail 9 $\frac{3}{8}$ "
Bead and Cove Sticking
Raised Panels—Two Sides
Beads for Glass included
Overall Glass Size 2/8 x 6/8 Door
23 $\frac{3}{8}$ x 38 inches

2 x R. P. 9 Lights

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 6—1 $\frac{3}{8}$	\$14.72	\$17.35	\$13.95	\$16.58
2. 6 x 6. 8—1 $\frac{3}{8}$	14.89	17.52	14.10	16.73
2. 8 x 6. 8—1 $\frac{3}{8}$	15.05	17.68	14.26	16.89
3. 0 x 6. 8—1 $\frac{3}{8}$	16.18	18.99	15.33	18.14
3. 0 x 7. 0—1 $\frac{3}{8}$	17.34	20.28	16.40	19.34

QUIGLEY'S

FIR SASH DOORS



Q-112

LAYOUT OVERALL

Stiles and Top Rail $4\frac{9}{16}$ "
 Lock and Intermediate Rails $4\frac{1}{2}$ "
 Bottom Rail $9\frac{3}{8}$ "
 Bead and Cove Sticking
 Beads for Glass
 Raised Panels—Two Sides
 Glass Size $2\frac{7}{8} \times 6\frac{7}{8}$
 Door $23\frac{3}{8} \times 26$ inches

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 6— $1\frac{3}{8}$	\$13.81	\$15.29	\$13.04	\$14.52
2. 4 x 6. 8— $1\frac{3}{8}$	13.81	15.51	13.04	14.74
2. 6 x 6. 8— $1\frac{3}{8}$	13.97	15.67	13.18	14.88
2. 8 x 6. 8— $1\frac{3}{8}$	14.13	15.95	13.34	15.16
2.10 x 6.10— $1\frac{3}{8}$	15.59	17.59	14.72	16.72
2. 8 x 7. 0— $1\frac{3}{8}$	15.19	17.19	14.34	16.34
3. 0 x 7. 0— $1\frac{3}{8}$	16.42	18.83	15.49	17.90



Q-113

LAYOUT OVERALL

Stiles and Top Rail $4\frac{9}{16}$ "
 Lock Rail $5\frac{3}{8}$ "
 Intermediate Rails $4\frac{1}{2}$ "
 Bottom Rail $9\frac{3}{8}$ "
 Bead and Cove Sticking
 Raised Panels—Two Sides
 Beads for Glass

	A Grade		B Grade	
	Open	Glazed	Open	Glazed
2. 6 x 6. 6— $1\frac{3}{8}$	\$14.32	\$16.07	\$13.55	\$15.30
2. 4 x 6. 8— $1\frac{3}{8}$	14.32	16.07	13.55	15.30
2. 6 x 6. 8— $1\frac{3}{8}$	14.48	16.32	13.69	15.53
2. 8 x 6. 8— $1\frac{3}{8}$	14.64	16.60	13.85	15.81
2.10 x 6.10— $1\frac{3}{8}$	16.10	18.39	15.23	17.52
2. 8 x 7. 0— $1\frac{3}{8}$	15.69	17.94	14.84	17.09
3. 0 x 7. 0— $1\frac{3}{8}$	16.93	19.40	16.00	18.47



Q-86

LAYOUT OVERALL

Stiles and Top Rail $4\frac{9}{16}$ "
 Lock Rail $4\frac{1}{2}$ "
 Bottom Rail $9\frac{3}{8}$ "
 Bead and Cove Sticking
 Beads for Glass
 Flat Panel
 Glass Size $2\frac{7}{8} \times 6\frac{7}{8}$
 Door $23\frac{3}{8} \times 18$ inches

	A Grade	
	Open	Glazed
2.0 x 6.6— $1\frac{3}{8}$	\$12.03	\$12.86
2.4 x 6.6— $1\frac{3}{8}$	12.43	13.42
2.6 x 6.6— $1\frac{3}{8}$	12.60	13.65
2.4 x 6.8— $1\frac{3}{8}$	12.60	13.59
2.6 x 6.8— $1\frac{3}{8}$	12.76	13.81
2.8 x 6.8— $1\frac{3}{8}$	12.92	14.05



Q-85

LAYOUT OVERALL

Stiles and Top Rail $4\frac{9}{16}$ "
 Bottom Rail $9\frac{3}{8}$ "
 Bead and Cove Sticking
 Beads for Glass
 A loose Fir Plywood Back for
 Mirror is set in each Door.
 Glass Size $2\frac{7}{8} \times 6\frac{7}{8}$ Door
 $23\frac{3}{8} \times 66\frac{13}{16}$ inches

	A Grade	
	Open	Glazed
2.0 x 6.0— $1\frac{3}{8}$	\$12.03	
1.6 x 6.6— $1\frac{3}{8}$	12.54	
2.0 x 6.6— $1\frac{3}{8}$	12.54	
2.4 x 6.6— $1\frac{3}{8}$	12.94	
2.6 x 6.6— $1\frac{3}{8}$	13.10	
1.6 x 6.8— $1\frac{3}{8}$	12.70	
2.0 x 6.8— $1\frac{3}{8}$	12.70	
2.4 x 6.8— $1\frac{3}{8}$	13.10	
2.6 x 6.8— $1\frac{3}{8}$	13.26	

Phone
for
Prices

FLUSH
DOORS
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET

QUIGLEY'S

WHITE PINE SASH AND CUPBOARD DOORS



Q-701

LAYOUT OVERALL


Stiles and Top Rail $3\frac{1}{2}$ "

Bottom Rail $4\frac{1}{2}$ "

Flat Fir Panel

Bead Sticking

	W. P.		W. P.
1.4 x 2.0— $\frac{3}{4}$	\$2.41	1.8 x 2.0— $\frac{3}{4}$	\$2.49
1.4 x 2.2— $\frac{3}{4}$	2.92	1.8 x 2.2— $\frac{3}{4}$	3.27
1.4 x 2.4— $\frac{3}{4}$	2.92	1.8 x 2.4— $\frac{3}{4}$	3.27
1.4 x 2.6— $\frac{3}{4}$	2.92	1.8 x 2.6— $\frac{3}{4}$	3.27
1.4 x 2.8— $\frac{3}{4}$	3.18	1.8 x 2.8— $\frac{3}{4}$	3.61
1.4 x 3.0— $\frac{3}{4}$	3.18	1.8 x 3.0— $\frac{3}{4}$	3.61
1.4 x 3.6— $\frac{3}{4}$	3.70	1.8 x 3.6— $\frac{3}{4}$	4.21
1.4 x 4.0— $\frac{3}{4}$	4.04	1.8 x 4.0— $\frac{3}{4}$	4.64
1.4 x 4.6— $\frac{3}{4}$	4.64	1.8 x 4.6— $\frac{3}{4}$	5.33
1.4 x 5.0— $\frac{3}{4}$	5.25	1.8 x 5.0— $\frac{3}{4}$	5.93
1.4 x 6.0— $\frac{3}{4}$	6.04	1.8 x 6.0— $\frac{3}{4}$	6.82
1.4 x 6.6— $\frac{3}{4}$	6.56	1.8 x 6.6— $\frac{3}{4}$	7.41
1.6 x 2.0— $\frac{3}{4}$	2.49	2.0 x 2.0— $\frac{3}{4}$	2.92
1.6 x 2.2— $\frac{3}{4}$	3.01	2.0 x 2.2— $\frac{3}{4}$	3.61
1.6 x 2.4— $\frac{3}{4}$	3.01	2.0 x 2.4— $\frac{3}{4}$	3.61
1.6 x 2.6— $\frac{3}{4}$	3.01	2.0 x 2.6— $\frac{3}{4}$	3.61
1.6 x 2.8— $\frac{3}{4}$	3.35	2.0 x 2.8— $\frac{3}{4}$	4.04
1.6 x 3.0— $\frac{3}{4}$	3.35	2.0 x 3.0— $\frac{3}{4}$	4.04
1.6 x 3.6— $\frac{3}{4}$	3.87	2.0 x 3.6— $\frac{3}{4}$	4.64
1.6 x 4.0— $\frac{3}{4}$	4.30	2.0 x 4.0— $\frac{3}{4}$	5.25
1.6 x 4.6— $\frac{3}{4}$	4.90	2.0 x 4.6— $\frac{3}{4}$	5.93
1.6 x 5.0— $\frac{3}{4}$	5.50	2.0 x 5.0— $\frac{3}{4}$	6.71
1.6 x 6.0— $\frac{3}{4}$	6.33	2.0 x 6.0— $\frac{3}{4}$	7.72
1.6 x 6.6— $\frac{3}{4}$	6.88		



Q-103

1 1/8" STORM DOORS

LAYOUT OVERALL

Stiles and Top Rail $4\frac{3}{4}$ "

Cross Rails $4\frac{5}{8}$ "

Bottom Rail $9\frac{5}{8}$ "

Raised Panels on Two Sides

Beads for Glass

	WHITE PINE	
	Open	Glazed
2. 6 1/2 x 6. 7—1 1/8	\$13.68	\$15.43
2. 6 1/2 x 6. 9—1 1/8	13.77	15.61
2. 8 1/2 x 6. 9—1 1/8	14.12	16.08
3. 0 1/2 x 6. 9—1 1/8	14.65	16.94
2. 10 1/2 x 6. 11—1 1/8	15.08	17.37
2. 8 1/2 x 7. 1—1 1/8	15.26	17.51
3. 0 1/2 x 7. 1—1 1/8	15.87	18.34

CUPBOARD SASH DOORS



3 LIGHTS

Beads for Glass

C. & B. Sticking

$\frac{3}{4}$ " Thick

	WHITE PINE	
	Open	Glazed
1.3 x 3.0— $\frac{3}{4}$	\$ 2.91	\$ 3.86
1.3 x 3.6— $\frac{3}{4}$	3.02	4.09
1.3 x 4.0— $\frac{3}{4}$	3.23	4.81



6 LIGHTS

Beads for Glass

C. & B. Sticking

$\frac{3}{4}$ " Thick

	WHITE PINE	
	Open	Glazed
1.3 x 3.0— $\frac{3}{4}$	\$ 4.33	\$ 5.60
1.3 x 3.6— $\frac{3}{4}$	4.37	5.79
1.3 x 4.0— $\frac{3}{4}$	4.72	6.32
1.6 x 3.0— $\frac{3}{4}$	4.42	5.97
1.6 x 3.6— $\frac{3}{4}$	4.47	6.24
1.6 x 4.0— $\frac{3}{4}$	4.81	6.87
1.8 x 3.0— $\frac{3}{4}$	4.42	5.97
1.8 x 3.6— $\frac{3}{4}$	4.47	6.24
2.0 x 3.0— $\frac{3}{4}$	4.51	6.37
2.0 x 3.6— $\frac{3}{4}$	4.56	6.77



8 LIGHTS

Beads for Glass

C. & B. Sticking

$\frac{3}{4}$ " Thick

	WHITE PINE	
	Open	Glazed
1.6 x 4.0— $\frac{3}{4}$	\$ 5.79	\$ 8.59
1.8 x 4.0— $\frac{3}{4}$	5.79	8.59
2.0 x 4.0— $\frac{3}{4}$	5.93	8.80

CHICKEN HOUSE DOORS

WHITE PINE

Putty Glazing

15 Lights

Outside Size	Open	Glazed
2.8 x 5.10—1 3/8	\$ 8.83	\$12.71

1 3/8" Thick

3 11/16" Stiles and Top Rail

4 13/16" Bottom Rail




Q-1017


QUIGLEY'S

WHITE PINE PANEL DOORS


No. 1
WHITE PINE



CLIMAX
Q-72



Q-71



Q-70

	Q-72-F FIR PANEL	Q-72-B BIRCH PANEL	Q-71	Q-70
2.0 x 6.0—1 3/8	\$11.89	\$13.97	\$13.97	\$13.20
2.6 x 6.0—1 3/8	—	—	15.86	—
1.6 x 6.6—1 3/8	—	—	13.97	—
1.8 x 6.6—1 3/8	—	—	14.56	—
2.0 x 6.6—1 3/8	12.47	14.66	14.56	13.85
2.2 x 6.6—1 3/8	13.74	16.14	15.86	15.26
2.4 x 6.6—1 3/8	13.74	16.14	15.86	15.26
2.6 x 6.6—1 3/8	14.42	16.95	16.56	16.01
2.8 x 6.6—1 3/8	—	—	17.16	—
1.6 x 6.8—1 3/8	—	—	14.16	—
1.8 x 6.8—1 3/8	—	—	14.76	—
2.0 x 6.8—1 3/8	12.67	14.89	14.76	14.07
2.2 x 6.8—1 3/8	14.03	16.49	16.16	15.58
2.4 x 6.8—1 3/8	14.03	16.49	16.16	15.58
2.6 x 6.8—1 3/8	14.62	17.18	16.76	16.23
2.8 x 6.8—1 3/8	15.30	17.98	17.46	16.99
3.0 x 6.8—1 3/8	—	—	18.75	—
2.0 x 7.0—1 3/8	—	—	15.86	—
2.4 x 7.0—1 3/8	—	—	17.26	—
2.6 x 7.0—1 3/8	—	—	17.96	—
2.8 x 7.0—1 3/8	—	—	18.65	—
3.0 x 7.0—1 3/8	—	—	20.15	—

Q-72

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Lock Rail 8"
Bottom Rail 9 5/8"
3-Ply Flat Panel
Ovolo Sticking
White Pine Stiles and Rails

Q-71

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Lock Rail 9 5/8"
Intermediate Rails and Mullions 3 7/8"
Bottom Rail 8"
Height of Top Panels 7 1/8"
Solid Raised Panels—Two Sides
Ovolo Sticking

Q-70

LAYOUT OVERALL

Stiles and Top Rail 4 3/4"
Mullion and Cross Rail 4 5/8"
Bottom Rail 9 5/8"
Raised Panels—Two Sides
Ovolo Sticking

THE Q-71 DOORS 1.6 AND 1.8 WIDE ARE MADE WITH 3 RAISED PANELS.

FLUSH
DOORS
AND
GARAGE
DOOR


STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK


NU-STYLE
KITCHEN
CABINET

WHITE PINE PANEL DOORS


No. 1
WHITE PINE



Q-73



Q-74



Q-75

2.0 x 6.0—1 ³ / ₈	\$14.46	\$13.20	\$13.20
2.6 x 6.0—1 ³ / ₈	—	15.26	—
2.0 x 6.6—1 ³ / ₈	15.17	13.85	13.85
2.2 x 6.6—1 ³ / ₈	16.71	15.26	15.26
2.4 x 6.6—1 ³ / ₈	16.71	15.26	15.26
2.6 x 6.6—1 ³ / ₈	17.54	16.01	16.01
2.0 x 6.8—1 ³ / ₈	15.41	14.07	14.07
2.4 x 6.8—1 ³ / ₈	17.06	15.58	15.58
2.6 x 6.8—1 ³ / ₈	17.78	16.23	16.23
2.8 x 6.8—1 ³ / ₈	18.60	16.99	16.99
3.0 x 6.8—1 ³ / ₈	—	18.39	—
2.6 x 7.0—1 ³ / ₈	19.20	17.53	—
3.0 x 7.0—1 ³ / ₈	21.80	19.91	—

Q-73

LAYOUT OVERALL

Stiles, Face 4¹/₄"
Stiles and Insert 7"
Bottom Rail, Face 9¹/₂"
Bottom Rail and Insert 12³/₄"
3-Ply Flat Birch Panel

Q-74

LAYOUT OVERALL

Stiles and Top Rail 4³/₄"
Mullion and Cross Rails 4⁵/₈"
Bottom Rail 9⁵/₈"
Solid Raised Panels—Two Sides
Ovolo Sticking

Q-75

LAYOUT OVERALL

Stiles and Top Rail 4³/₄"
Lock Rail 8"
Muntins 4⁵/₈"
Bottom Rail 9⁵/₈"
Solid Raised Panels—Two Sides
Ovolo Sticking

QUIGLEY'S

FIR PANEL DOORS



Q-82
2 PANEL



Q-80
5 x FLAT PANEL



Q-80
5 x RSD. PANEL

	A Grade	B Grade	A Grade	B Grade	A Grade	B Grade
2. 0 x 6. 0—1 $\frac{3}{8}$	\$11.52	\$10.83	\$12.84	\$12.15	\$14.36	\$13.67
2. 4 x 6. 0—1 $\frac{3}{8}$	11.87	11.14	13.18	12.46	14.70	13.98
2. 6 x 6. 0—1 $\frac{3}{8}$	12.03	11.28	13.34	12.60	14.86	14.12
1. 6 x 6. 6—1 $\frac{3}{8}$	12.03	11.28	13.34	12.60	14.86	14.12
1. 8 x 6. 6—1 $\frac{3}{8}$	12.03	11.28	13.34	12.60	14.86	14.12
2. 0 x 6. 6—1 $\frac{3}{8}$	12.03	11.28	13.34	12.60	14.86	14.12
2. 2 x 6. 6—1 $\frac{3}{8}$	12.43	11.66	13.75	12.92	15.27	14.44
2. 4 x 6. 6—1 $\frac{3}{8}$	12.43	11.66	13.75	12.92	15.27	14.44
2. 6 x 6. 6—1 $\frac{3}{8}$	12.60	11.83	13.91	13.15	15.43	14.67
2. 8 x 6. 6—1 $\frac{3}{8}$	12.76	11.97	14.07	13.29	15.59	14.81
1. 6 x 6. 8—1 $\frac{3}{8}$	12.19	11.44	13.51	12.76	15.03	14.28
1. 8 x 6. 8—1 $\frac{3}{8}$	12.19	11.44	13.51	12.76	15.03	14.28
2. 0 x 6. 8—1 $\frac{3}{8}$	12.19	11.44	13.51	12.76	15.03	14.28
2. 2 x 6. 8—1 $\frac{3}{8}$	12.60	11.83	13.91	13.15	15.43	14.67
2. 4 x 6. 8—1 $\frac{3}{8}$	12.60	11.83	13.91	13.15	15.43	14.67
2. 6 x 6. 8—1 $\frac{3}{8}$	12.76	11.97	14.07	13.29	15.59	14.81
2. 8 x 6. 8—1 $\frac{3}{8}$	12.92	12.13	14.24	13.45	15.76	14.97
3. 0 x 6. 8—1 $\frac{3}{8}$	14.05	13.20	15.37	14.52	16.89	16.04
2. 4 x 6.10—1 $\frac{3}{8}$	13.41	12.60	14.72	13.92	16.24	15.44
2. 6 x 6.10—1 $\frac{3}{8}$	13.65	12.82	14.96	14.14	16.48	15.66
2. 8 x 6.10—1 $\frac{3}{8}$	13.81	12.96	15.13	14.28	16.65	15.80
2.10 x 6.10—1 $\frac{3}{8}$	14.38	13.51	15.69	14.83	17.21	16.35
2. 0 x 7. 0—1 $\frac{3}{8}$	13.16	12.35	14.48	13.67	16.00	15.19
2. 4 x 7. 0—1 $\frac{3}{8}$	13.57	12.74	14.88	14.06	16.40	15.58
2. 6 x 7. 0—1 $\frac{3}{8}$	13.81	12.96	15.13	14.28	16.65	15.80
2. 8 x 7. 0—1 $\frac{3}{8}$	13.97	13.12	15.29	14.44	16.81	15.96
2.10 x 7. 0—1 $\frac{3}{8}$	14.54	13.65	15.86	14.97	17.38	16.49
3. 0 x 7. 0—1 $\frac{3}{8}$	15.21	14.28	16.52	15.60	18.04	17.12
2. 8 x 6. 8—1 $\frac{3}{4}$	18.23	—	—	—	21.17	—
3. 0 x 6. 8—1 $\frac{3}{4}$	20.62	—	—	—	23.56	—
2.10 x 6.10—1 $\frac{3}{4}$	21.06	—	—	—	24.00	—
3. 0 x 7. 0—1 $\frac{3}{4}$	22.22	—	—	—	25.16	—

Q-82

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "
Lock Rail 7 $\frac{3}{8}$ "
Bottom Rail 9 $\frac{3}{8}$ "
Height to Top of Lock Rail 36 $\frac{1}{2}$ "
3-Ply Flat Panel
Bead and Cove Sticking

Q-80—5 x FP

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "
Intermediate Rails 4 $\frac{1}{2}$ "
Bottom Rail 9 $\frac{3}{8}$ "
3-Ply Flat Panels
Bead and Cove Sticking

Q-80—5 x RP

LAYOUT OVERALL

Stiles and Top Rail 4 $\frac{9}{16}$ "
Intermediate Rails 4 $\frac{1}{2}$ "
Bottom Rail 9 $\frac{3}{8}$ "
Solid Raised Panels—Two Sides
Bead and Cove Sticking

FLUSH
DOORS
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK


MANTLES
AND
CABINET
WORK

HOUSE-
STYLE
KITCHEN
CABINET

QUIGLEY'S

FIR PANEL DOORS

No. 1
FIR



	Q-83	Q-84	Q-81
2.0 x 6.0—1 3/8	\$15.42	\$12.05	\$16.25
2.6 x 6.0—1 3/8	—	—	16.78
1.6 x 6.6—1 3/8	15.96	12.58	16.78
1.8 x 6.6—1 3/8	—	—	16.78
2.0 x 6.6—1 3/8	15.96	12.58	16.78
2.2 x 6.6—1 3/8	16.40	13.00	17.20
2.4 x 6.6—1 3/8	16.40	13.00	17.20
2.6 x 6.6—1 3/8	16.57	13.17	17.37
2.8 x 6.6—1 3/8	16.75	13.34	17.54
1.6 x 6.8—1 3/8	16.14	12.75	16.95
1.8 x 6.8—1 3/8	—	—	16.95
2.0 x 6.8—1 3/8	16.14	12.75	16.95
2.2 x 6.8—1 3/8	16.57	13.17	17.37
2.4 x 6.8—1 3/8	16.57	13.17	17.37
2.6 x 6.8—1 3/8	16.75	13.34	17.54
2.8 x 6.8—1 3/8	16.92	13.50	17.70
3.0 x 6.8—1 3/8	—	—	18.88
2.0 x 7.0—1 3/8	—	—	17.96
2.4 x 7.0—1 3/8	—	—	18.38
2.6 x 7.0—1 3/8	17.88	14.43	18.63
2.8 x 7.0—1 3/8	—	—	18.80
3.0 x 7.0—1 3/8	19.38	15.88	20.08

Q-83

LAYOUT OVERALL

Stiles and Top Rail 4 9/16"
Bottom Rail 9 3/8"
Insert Frame 2 9/16"
3-Ply Flat Panel
Ovolo Sticking

Q-84

LAYOUT OVERALL

Stiles 4 9/16"
Top Rail 5 3/8"
Bottom Rail 11 3/8"
3-Ply Flat Panel
Bead and Cove Sticking

Q-81

LAYOUT OVERALL

Stiles and Top Rail 4 9/16"
Lock Rail 9 3/8"
Intermediate Rail and Muntins 4 1/2"
Bottom Rail 8"
Height from floor to top of Lock
Rail 36 1/2"
Solid Raised Panels—Two Sides
Ovolo Sticking

THE 1.6 AND 1.8 Q-81 DOORS ARE MADE WITH 3 RAISED PANELS

THE "GENERAL" GUM FLUSH DOOR

An exceptionally well built door . . . durable . . . light . . . pre-cut to exact standard sizes . . . easy to install. The General Flush Door, made of gum hardwood plywood, bonded together with waterproof resin glue by hot plate, readily takes a beautiful natural or painted finish. Exterior waterproof resin used throughout eliminates ordering and stocking both exterior and interior type doors.



Check these advantages—you'll see why General's Flush Doors are in such demand!

Beautiful appearance—Projection-free and dust-free surfaces.

Great strength—3 ply hardwood faces beam-braced by treated rigid interior cylinder cores.

Light weight—Plywood stress skin construction combines great strength and remarkable lightness.

Economy and Ease of Installation—One carpenter can easily install. Compared to conventional door installation, this saving alone is enough to pay for the General Flush Door.

This Door is stocked in Gum only, but other hardwoods are available on short notice.


FLUSH
DOORS
AND
GARAGE
DOOR

STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

MODERN-
STYLE
KITCHEN
CABINETS

THE "GENERAL" GUM FLUSH DOOR



"GENERAL" GUM

2.0 x 6.0—1 $\frac{3}{8}$	\$15.39
1.6 x 6.6—1 $\frac{3}{8}$	14.88
1.8 x 6.6—1 $\frac{3}{8}$	15.39
2.0 x 6.6—1 $\frac{3}{8}$	15.39
2.2 x 6.6—1 $\frac{3}{8}$	16.40
2.4 x 6.6—1 $\frac{3}{8}$	16.40
2.6 x 6.6—1 $\frac{3}{8}$	16.91
2.8 x 6.6—1 $\frac{3}{8}$	17.92
1.6 x 6.8—1 $\frac{3}{8}$	14.88
1.8 x 6.8—1 $\frac{3}{8}$	15.39
2.0 x 6.8—1 $\frac{3}{8}$	15.39
2.2 x 6.8—1 $\frac{3}{8}$	16.40
2.4 x 6.8—1 $\frac{3}{8}$	16.40
2.6 x 6.8—1 $\frac{3}{8}$	16.91
2.8 x 6.8—1 $\frac{3}{8}$	17.92
3.0 x 6.8—1 $\frac{3}{8}$	19.95
2.6 x 7.0—1 $\frac{3}{8}$	18.43
2.6 x 6.8—1 $\frac{3}{4}$	20.96
2.8 x 6.8—1 $\frac{3}{4}$	21.97
3.0 x 6.8—1 $\frac{3}{4}$	24.00
3.0 x 7.0—1 $\frac{3}{4}$	25.52

CONSTRUCTION FEATURES

1. Rails—3 $\frac{1}{2}$ " wide pine, poplar or equal species. Width of rails sufficient to permit cutting down 2" in height, cut equally from top and bottom.
2. Dowel Construction—Stiles and rails joined together with accurate dowel construction — eliminates all metal.
3. Stiles—1 $\frac{1}{8}$ " wide pine, poplar or equal species.
4. Filler Cylinders—Treated rigid cylinders 3" diameter with $\frac{5}{32}$ " walls properly spaced to develop the full properties of the door.
5. Adhesive—Water-proof resin used throughout, hot plate bonding; door may be used both on interiors or exteriors.
6. Lock Block—Made of same material as stiles and rails. 24" long by 3 $\frac{3}{4}$ " wide in the 80" door placed equidistant from the top and bottom rails.
7. Faces—Made of 3 ply Southern Hardwood Plywood over $\frac{3}{16}$ " thick in finished door. Smoothly sanded giving perfect surfaces for paint, stains, natural or varnished finishes.

QUIGLEY'S

REZO FLUSH DOORS



REZO

The air-cell construction of Rezo doors combines the tremendous strength of cross-banded plywood with lightness in weight. The standard $1\frac{3}{4}$ " door weighs approximately 30 pounds. Accurately mortised and framed together, and overlaid with matched resin-glued plywood panels, the Rezo door is highly resistant to knocks and shocks. The clean flush surface takes little time for painting or staining, goes twice as fast as a panel door. To these advantages add pre-fitting and quick easy hanging. They all add up to an overall installed cost for every purpose that is no more than that of an ordinary door.

The standard finished thickness of the Rezo Door is $1\frac{11}{16}$ "


STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

MODERN-
STYLE
KITCHEN
CABINETS

REZO FLUSH FRONT DOORS


1³/₄" BIRCH




Q-1000



Q-1003



Q-1006



Q-1009

	Q-1000	Q-1003		Q-1006		Q-1009	
		Open	Glazed	Open	Glazed	Open	Glazed
2.8 x 6.8—1 ³ / ₄	\$33.50	\$41.11	\$42.61	\$41.72	\$44.72	\$43.87	\$47.07
3.0 x 6.8—1 ³ / ₄	33.50	41.11	42.61	41.72	44.72	43.87	47.07
3.0 x 7.0—1 ³ / ₄	34.37	41.98	43.48	42.59	45.59	44.74	47.94


Probably no door in the United States has been more thoroughly time-tried and time-proved than the Rezo. It has been specified by architects and contractors thousands of times for all types of building service—residential, commercial, industrial and institutional.

There is only one Rezo Door and it can't be equalled for Value . . . for Beauty . . . for Strength and for Background of Performance.

QUIGLEY'S

REZO FLUSH INTERIOR DOORS

1 $\frac{3}{4}$ " BIRCH



Q-1001



	Q-1001
2.0 x 6.0—1 $\frac{3}{4}$	\$17.25
1.6 x 6.6—1 $\frac{3}{4}$	17.66
1.8 x 6.6—1 $\frac{3}{4}$	17.66
2.0 x 6.6—1 $\frac{3}{4}$	17.66
2.2 x 6.6—1 $\frac{3}{4}$	18.06
2.4 x 6.6—1 $\frac{3}{4}$	18.60
2.6 x 6.6—1 $\frac{3}{4}$	19.28
2.8 x 6.6—1 $\frac{3}{4}$	20.09
1.6 x 6.8—1 $\frac{3}{4}$	17.79
1.8 x 6.8—1 $\frac{3}{4}$	17.79
2.0 x 6.8—1 $\frac{3}{4}$	17.79
2.2 x 6.8—1 $\frac{3}{4}$	18.20
2.4 x 6.8—1 $\frac{3}{4}$	18.74
2.6 x 6.8—1 $\frac{3}{4}$	19.41
2.8 x 6.8—1 $\frac{3}{4}$	20.22
3.0 x 6.8—1 $\frac{3}{4}$	22.24
2.0 x 7.0—1 $\frac{3}{4}$	19.41
2.4 x 7.0—1 $\frac{3}{4}$	20.35
2.6 x 7.0—1 $\frac{3}{4}$	21.03
2.8 x 7.0—1 $\frac{3}{4}$	21.84

Wide top and bottom rails are of sufficient width to permit cutting down 2" in height—cut equally from top and bottom.
Lock area both sides, 4 $\frac{5}{8}$ " x 20", insures ample lock space no matter how door is hung.


STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINETS

GARAGE DOORS

CARR-DOR OVERHEAD



Q-3245



Q-3247

No. 1 WHITE PINE STILES AND RAILS
EXTERIOR GRADE FLAT FIR PANELS,
ALL NECESSARY HARDWARE INCLUDED.

Door 8.0 x 7.0—1 3/8	Q-3245	Q-3247	
		Open	Glazed
	\$69.75	\$69.45	\$74.25


The Carr-dor is made in two attractive designs adaptable to attached or detached garages. Architects, Realtors, and Builders highly approve these attractive designs and they tell us the Carr-dor adds to the saleability of homes. Building Contractors like the ease of installation and find the Carr-dor suitable for any project because it only requires 1 1/2" of clearance at the top and only 2" at sides.

It's the "Ups and Downs" that count in the life of a Garage Door. The Carr-dor is operated and controlled by expertly engineered hardware with high carbon steel normalized operating arm and specially tempered, oil treated, individually tested springs with adjustments. The Carr-dor is trouble free—with its simplicity of construction and operation there is nothing to get out of order.

— **QUIGLEY'S** —

GARAGE DOORS

UP'N-OVER GARAGE DOOR UNIT



No. 1 WHITE PINE STILES AND RAILS
EXTERIOR GRADE FLAT FIR PANELS,
ALL NECESSARY HARDWARE INCLUDED.

SPECIFICATIONS

Stile and Rail construction, $1\frac{3}{8}$ " thick, with laminated fir panels. Furnished in the popular 8-0 x 7-0 size, equipped with strongly-built hardware, which includes heavy type cylinder lock. Simple installation instructions furnished with each unit.

FEATURES

Sturdy Construction
Modern Design
Dependable Performance
Simple to Install
Economical
Easy Operation
Smart Appearing

Door
8.0 x 7.0— $1\frac{3}{8}$\$92.40


STAIR-
WORK AND
PORCH
WORK

MANTLES
AND
CABINET
WORK


NU-STYLE
KITCHEN
CABINETS

GARAGE DOORS

CRAW-FIR-DORS



Q-44



Q-45

Including Hardware\$70.88

	Open	Glazed
Including Hardware	\$72.90	\$75.90

All Craw-Fir-Dors are made to exact standard size for 8' x 7' opening. Complete hardware assemblies furnished with each unit, including fully detailed, well illustrated instructions for installing. The unit is shipped in two separate horizontal door units, cleated together and pre-drilled to receive the hardware. Stiles and Rails are manufactured of selected vertical grain, durable Douglas Fir, kiln dried, smoothly machined. The panels are Exterior Plywood of the finest waterproof grade for exterior use, and will not delaminate under exposure to the severest weather conditions.

FIR



Q-89

Opening

	RAISED PANELS	
	Open	Glazed
8.0 x 7.0—1 3/4—Per Pair.....	\$50.63	\$56.63
8.0 x 7.6—1 3/4—Per Pair.....	52.65	58.65
8.0 x 8.0—1 3/4—Per Pair.....	54.68	60.68


QUIGLEY'S

PRECISION FOLDING STAIRWAYS

Precision Folding Stairways are rugged and strong. Simple and easy to operate. Complete set, including hardware, in one carton. No. 1 kiln dried poplar throughout.

Brackets and rocker arms are of Cast Aluminum. Hinges are Cast Brass.

NO ADJUSTMENTS.



Frame is made to fit 26" x 54" rough opening in ceiling.

When ordering, state whether 8'9" or 9'9" is desired.

For ceiling heights 7'0" to 8'9" use 8'9" stairway.

For ceiling heights 8'9" to 9'9" use 9'9" stairway.

Figure from finished floor to finished ceiling, NOT FLOOR TO FLOOR.

Graduations on runners facilitate cutting off for different ceiling heights.

Stairway does not take up valuable storage space in attic. Full height required above attic floor is only 36 inches.


PRICE: Either Size\$57.75

STAIR-
WORK AT
PORCE
WOR


MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET


COLONIAL STAIRWORK



The above illustration shows a Colonial Stairway made up of members carried in stock by us. The Newels have dowels at the top to fit into holes bored in the volute, gooseneck and easement newel caps. For prices on separate units, see next pages.





- Q-6010 Rail
- Q-4050 Newel
- Q-7035 Volute
- Q-5020 Baluster
- Q-8020 Starting Step



- Q-6010 Rail
- Q-4030 Newel
- Q-7045 Turnout
- Q-5040 Baluster
- Q-8010 Starting Step

BEAUTIFULLY DESIGNED STAIRWAYS . . . made possible
by use of Stock Colonial Stair Parts at very Reasonable Cost.

COLONIAL STAIRWORK



Q—4010 STARTING NEWEL
Q—7010 STARTING EASING
Q—5015 BALUSTERS
Q—6010 COLONIAL RAIL

{ **PARTS
REQUIRED** }

Q—4040 STARTING NEWEL
Q—5040 BALUSTERS
Q—6010 COLONIAL RAIL

The stairway is a feature of central prominence in the home and worthy of exceptional care in selecting its parts to insure distinctiveness. Thought is well expended in the selection of Quigley stair parts as only high grade products should be considered. From this attractive line of individual stair parts shown on the following pages, complete stairways can be assembled. Each item is carefully designed and standardized to meet all usual requirements.

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINETS

COLONIAL STAIRWORK

VOLUTES

BIRCH



Q-7030



Q-7035

Volute—Q-7030—Left Hand Each, \$17.07
Volute—Q-7035—Right Hand Each, 17.07

EASING TURNOUT

BIRCH



Q-7040



Q-7045

Easing Turnout—Q-7040—Left Hand Each, \$9.35
Easing Turnout—Q-7045—Right Hand Each, 9.35

Stocked 5 1/4" center of Newel to center of Rail.

EASING TURNOUT

BIRCH



Q-7041



Q-7046

Easing Turnout—Q-7041—Left Hand Each, \$8.79
Easing Turnout—Q-7046—Right Hand Each, 8.79

Stocked 3 1/4" center of Newel to center of Rail.

COLONIAL HAND RAIL

BIRCH



Q-6010

2 1/4 x 2 3/8—Per 100 Lin. ft. \$71.13
Grooving Straight Rail, add
\$3.00 per order of 100 ft. or less

COLONIAL STAIR CROOKS

BIRCH



Q-7010

Each \$7.57



Q-7014

90° Easing
Each \$5.65



Q-7012

Up Easing
Each \$5.54



Q-7013

Overhand
Each \$5.86



Q-7011

Quarterturn
Each \$5.13




Q-7016

Overhand Returned End
Each \$7.57


COLONIAL STAIRWORK

COLONIAL STAIR CROOKS

BIRCH




Combination Gooseneck, no cap, for continuous rail.
No Landing Newel used.



Combination Gooseneck with cap. Used with
Landing Newel.


COLONIAL STAIR CROOKS

BIRCH



GOOSENECK WITH RIGHT OR LEFT TURN

Q-7070—1 Riser—Left Hand	Each, \$12.71
Q-7071—2 Riser—Left Hand	Each, 14.07
Q-7075—1 Riser—Right Hand	Each, 12.71
Q-7076—2 Riser—Right Hand	Each, 14.07




GOOSENECK WITH RIGHT OR LEFT CAP

Q-7080—1 Riser—Left Hand	Each, \$12.40
Q-7081—2 Riser—Left Hand	Each, 13.75
Q-7085—1 Riser—Right Hand	Each, 12.40
Q-7086—2 Riser—Right Hand	Each, 13.75

STAIR RAIL BOLTS & BRACKETS



Each... \$0.08



Each... \$0.13

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET

COLONIAL STAIRWORK

COLONIAL STAIR CROOKS

BIRCH



GOOSENECK
WITH
TANDEM CAP

Q-7088

Q-7088—1 Riser..... Each \$10.94



Q-7098—1 Riser
Q-7099—2 Riser

Gooseneck
Without Cap

Each
Q-7098—1 Riser..... \$8.26
Q-7099—2 Riser..... 10.77




Q-7096—1 Riser
Q-7097—2 Riser

Gooseneck
With Cap

Each
Q-7096—1 Riser..... \$9.94
Q-7097—2 Riser..... 11.57

NEWEL CAPS WITH RAIL OPENINGS




Q-7019

Each
\$3.56



Q-7020

Each
\$4.29




Q-7021


Each
\$5.54

COLONIAL STAIR CROOKS

BIRCH



Q-7090



Q-7095

LANDING RETURN GOOSENECK
1 RISER ONLY

Q-7090..... Each, \$15.36 Q-7095..... Each, \$15.36

Stocked 5½" center to center of Rail.
Used instead of Landing Crook.
Rake to level which is odd fitting.

Plain
Cap



Q-7018

Each..... \$2.62

Wall
Rosette



Q-7017

Each..... \$0.73


STAIR BRACKETS

BIRCH



Q-7028

11" x 7½" x 5/16"
Each..... \$0.48



Q-7029

11" x 7½" x 5/16"
Each..... \$0.63

QUIGLEY'S

COLONIAL STAIRWORK

COLONIAL STARTING NEWELS

BIRCH



Q-4010

3 1/4 x 3 1/4 x 3'-5"

\$6.53



Q-4020

3 1/2 x 3 1/2 x 3'-5"

\$7.59



Q-4022

3 1/2 x 3 1/2 x 3'-5"

\$8.47



Q-4030

3 1/4 x 3 1/4 x 3'-5"

\$6.53



Q-4040

3 x 3 x 3'-8"

\$7.09



Used With Volute 2'-10"

Q-4050

2 1/4 x 2 1/4 x 3'-5"

\$4.18



Used With Volute 2'-10"

Used With Turnout 2'-11 1/2"

Q-4060

2 3/4 x 2 3/4 x 3'-5"

\$6.38

COLONIAL LANDING NEWELS



Q-4015

3 1/4 x 3 1/4 x 4'-10"

\$9.90



Q-4025

3 1/2 x 3 1/2 x 4'-10"

\$11.80



Q-4027

3 1/2 x 3 1/2 x 5'-10"

\$13.18



Q-4035

3 1/4 x 3 1/4 x 4'-10"

\$9.90



Q-4045

3 x 3 x 5'-2"

\$9.62



Q-4055

3 x 3 x 5'-9"

\$10.40

MANTLES
AND
CABINET
WORK


NU-STYLE
KITCHEN
CABINET

QUIGLEY'S

COLONIAL STAIRWORK

COLONIAL BALUSTERS

BIRCH AND POPLAR




Lengths Overall Including Pin	Birch or Poplar Per 100 Pcs.
1 1/4" x 1 1/4" x 31".....	\$61.61
1 1/4" x 1 1/4" x 34".....	63.60
1 1/4" x 1 1/4" x 36".....	65.79
1 1/4" x 1 1/4" x 39".....	69.56
1 1/4" x 1 1/4" x 41".....	71.96

COLONIAL STARTING STEPS



Colonial Bull Nose Q-8010
All Parts Reversible



Colonial Scroll End Q-8020
(State Right or Left Hand)

Oak Tread Riser and Cove..... 3'-6" Stair \$16.36

Specifications:


Tread 1 1/16 x 11 1/4—12 1/2"—Riser 3/4 x 6 5/8"

Oak Tread Riser and Cove..... 3'-6" Stair \$18.62

Specifications:

Tread 1 1/16 x 11 1/4, Riser 3/4 x 6 5/8, Rise Overall 7 3/4"

The above two Starting Steps are True Colonial and designed especially to provide the proper location of Newel, Balusters, Volute or Turnout.



No more wobbly Newels. Note how rigidly Newel is anchored to Starting Step by using Quigley Specially Constructed Riser.

QUIGLEY'S

STANDARD STAIRWORK

STARTING and LANDING NEWELS

Packed Separately in Dust-proof Cartons



Q-4073

OAK

4 3/4 x 4 3/4—4.6

Q-4073

\$15.03



Q-4075

OAK

3 3/4 x 3 3/4—5.6

Q-4075

\$11.17



Q-4085

OAK

3 3/4 x 7 3/4—5.6

Q-4085

\$22.34

STANDARD STARTING STEPS—OAK




Q-8030

Half Circle, 1 End..... 3'-6" Stair \$18.54

Oak Tread, Riser and Cove
Reversible—either Right or Left Hand
3/4" x 3/4" Scotia Moulding included

Specifications:

Tread 1 1/16 x 11 1/4—Riser 3/4 x 6 5/8—Rise Overall 7 3/4"
Half Circle End Starting Step is used with Box Newels
Don't use in Colonial Stair.



Q-8040


Quarter Circle, 1 End..... 3'-6" Stair \$13.39

All Parts Reversible

Oak Tread, Riser and Cove

Specifications:

Tread 1 1/16 x 11 1/4—Riser 3/4 x 6 5/8—Rise Overall 7 3/4"



Showing our RIGID method of RISER construction.

MANTLES
AND
CABINET
WORK

NU-STYLE
KITCHEN
CABINET

QUIGLEY'S

STANDARD STAIRWORK

OAK STARTING STEPS




Q-8050

Half Circle, 2 Ends

Oak Tread, Riser and Cove..... 3'-6" Stair
\$37.07

Specifications:

Tread $1\frac{1}{16}$ x $11\frac{1}{4}$ —Riser $\frac{3}{4}$ x $6\frac{5}{8}$ —Rise Overall $7\frac{3}{4}$ "



Q-8060

Quarter Circle, 2 Ends

Oak Tread, Riser and Cove..... 3'-6" Stair
\$26.78

Specifications:

Tread $1\frac{1}{16}$ x $11\frac{1}{4}$ —Riser $\frac{3}{4}$ x $6\frac{5}{8}$ —Rise Overall $7\frac{3}{4}$ "

OAK NOSINGS

Finished full to size shown



Q-8090

Q-8090— $1\frac{1}{16}$ x $3\frac{1}{2}$ Landing Nosing.....
Per 100
Lineal
Feet
Oak
\$36.00



Q-8080

Q-8080— $1\frac{1}{16}$ x $1\frac{1}{8}$ Return Nosing.....
Per 100
Lineal
Feet
Oak
\$12.53

OAK SCOTIA



Q-8095

Q-8095— $\frac{5}{8}$ x $1\frac{13}{16}$ Stair Cove.....
Per 100
Lineal
Feet
Oak
\$5.15

BIRCH WALL RAIL



Q-6040

Q-6040— $1\frac{3}{4}$ x $1\frac{5}{8}$ Wall Rail.....
Per 100
Lineal
Feet
Birch
\$43.93

QUIGLEY'S

STANDARD STAIRWORK

STAIR RAIL



Q-109



Q-110

	Per 100 Lineal Feet Fir	Y. P.
Q-109—2 3/4 x 3 1/2—Rab. 1 3/4.....	\$45.09	—
Q-109—2 5/8 x 2 5/8—Rab. 1 3/8.....	33.82	—

	Per 100 Lineal Feet Fir
Q-110—2 3/4 x 1 3/4—Rab. 1 1/8.....	\$21.88



Q-114




Q-115

	Per 100 Lineal Feet Fir	Y. P.
Q-114—1 5/8 x 2 5/8.....	\$21.88	—

	Per 100 Lineal Feet Fir
Q-115—1 5/8 x 1 5/8.....	\$14.59

STAIR SHOE



Q-111



Q-112

	Per 100 Lineal Feet Fir	Y. P.
Q-111—2 3/4 x 3/4—Rab. 1 3/4.....	\$11.42	—
Q-111—2 3/4 x 3/4—Rab. 1 3/8.....	11.42	—

	Per 100 Lineal Feet Fir
Q-112—2 1/4 x 3/4—Rab. 1 1/8.....	\$9.51

STAIR FILLET



Q-113

	Per 100 Lineal Feet Fir	Y. P.
Q-113—1 1/16 x 1 3/4.....	\$7.61	—
Q-113—1 1/16 x 1 3/8.....	6.66	—
Q-113— 1/2 x 1 1/8.....	4.76	—

STANDARD STAIRWORK

STAIR BALUSTERS




Q-117

			Per 100 Pcs.	
			Fir	Y. P.
1 1/8 x 1 1/8	28"	Q-117	\$15.17	—
1 1/8 x 1 1/8	32"	Q-117	17.42	—
1 1/8 x 1 1/8	36"	Q-117	19.56	—
1 3/8 x 1 3/8	24"	Q-117	17.07	—
1 3/8 x 1 3/8	28"	Q-117	19.72	—
1 3/8 x 1 3/8	30"	Q-117	22.49	—
1 3/8 x 1 3/8	32"	Q-117	25.22	—
1 3/8 x 1 3/8	36"	Q-117	25.62	—
1 3/4 x 1 3/4	24"	Q-117	26.13	—
1 3/4 x 1 3/4	28"	Q-117	30.44	—
1 3/4 x 1 3/4	30"	Q-117	34.46	—
1 3/4 x 1 3/4	32"	Q-117	38.48	—
1 3/8 x 1 3/8	28"	Q-118	28.03	—
1 3/4 x 1 3/4	28"	Q-118	38.25	—



Q-118

Other Size Balusters, see Pages 118 and 128



TREADS

Nosed—Sanded and Finished Full to size shown.

	Oak	Y. P.
1 1/16 x 9 1/2 x 3.0 Each	\$2.52	—
1 1/16 x 9 1/2 x 3.6 Each	2.87	—
1 1/16 x 9 1/2 x 4.0 Each	3.27	—
1 1/16 x 9 1/2 x 4.6 Each	3.78	—
1 1/16 x 10 1/2 x 3.0 Each	2.73	—
1 1/16 x 10 1/2 x 3.6 Each	3.17	—
1 1/16 x 10 1/2 x 4.0 Each	3.52	—
1 1/16 x 10 1/2 x 4.6 Each	4.10	—
1 1/16 x 11 1/2 x 3.0 Each	2.97	—
1 1/16 x 11 1/2 x 3.6 Each	3.47	—
1 1/16 x 11 1/2 x 4.0 Each	3.85	—
1 1/16 x 11 1/2 x 4.6 Each	4.46	—


RISERS

	Oak	Y. P.
3/4 x 7 1/2 x 3.0 Each	\$1.50	—
3/4 x 7 1/2 x 3.6 Each	1.76	—
3/4 x 7 1/2 x 4.0 Each	1.98	—
3/4 x 7 1/2 x 4.6 Each	2.25	—

OAK QUARTER ROUND

	Per 100 Lineal Feet
1/2 x 1/2	\$4.50
1/2 x 3/4	4.50
3/4 x 3/4	4.50

COLONIAL STAIRWORK






DETAIL SHEETS

ON


COLONIAL ARCHITECTURAL STAIR PARTS

On this and the following three pages are printed plates of scale detail drawings of the Colonial Stairwork items shown in this catalog. These plates show all dimensions and sum applications.

COLONIAL STAIRWORK



COLONIAL STAIRWORK



SPECIAL MILLWORK

COSTS ON STAIRWORK

	Each
Grooving Risers to receive Tongue on Tread....	\$0.35
Working Tongue on Treads.....	.35
Mitering and Dovetailing Treads.....	.90
Dovetailing Balusters15


	Price Each Oak
Return Nosings Mitered and Glued.....	\$0.45.
Return Scotia Mitered and Glued.....	.30

Add the above Millwork charges to the regular Tread and Riser Lists on previous pages.

In ordering Dovetailed Treads and Risers, please state size of rough carriage and whether right or left-hand stairway.

QUIGLEY'S

COLONIAL STAIRWORK



AROMATIC CEDAR CLOSET LINING



FOR CURRENT PRICES SEE OUR NET PRICE SUPPLEMENT

PORCHWORK

PORCH COLUMNS

No. 1 FIR

COMPLETE WITH CAPS AND BASES



Q-2217



Q-2215

	Fir Q-2217 Built Up	Fir Q-2215 Built Up
8 x 8— 6.0.....	\$18.51	\$18.51
8 x 8— 8.0.....	22.77	22.77
8 x 8— 9.0.....	25.05	25.05
8 x 8—10.0.....	27.35	27.35
10 x 10— 6.0.....	22.55	22.55
10 x 10— 8.0.....	29.03	29.03
10 x 10— 9.0.....	31.84	31.84
10 x 10—10.0.....	34.59	34.59
12 x 12— 6.0.....	29.71	29.71
12 x 12— 8.0.....	36.02	36.02
12 x 12— 9.0.....	39.48	39.48
12 x 12—10.0.....	42.89	42.89

	Per Col.
Splitting Columns to Make Pilasters.....Add	\$ 5.00
Fluting Columns.....Add	25.00

CAPS and BASES

Where extra Caps or Bases are wanted.

	Cap	Base
For 8" Col. Column.....	\$ —	\$ —
For 10" Col. Column.....	—	—
For 12" Col. Column.....	—	—

PORCH NEWELS

No. 1 FIR

BUILT UP



Q-2224



Q-2225

8 x 8—4.0.....	Either Design	\$14.45
10 x 10—4.0.....		18.64

PORCH NEWELS

No. 1 FIR



Q-2221



Q-2222

	Q-2221	Q-2222
4 x 4—4.0.....	\$ 3.61	\$ 3.61
5 x 5—4.0.....	5.64	5.64
6 x 6—4.0.....	8.14	8.14

PORCH POSTS

No. 1 FIR



Q-2200

	Q-2200
4 x 4— 8.0.....	\$ 7.22
4 x 4— 9.0.....	8.14
5 x 5— 8.0.....	11.28
5 x 5— 9.0.....	12.70
5 x 5—10.0.....	14.10
6 x 6— 8.0.....	16.28
6 x 6— 9.0.....	18.29
6 x 6—10.0.....	20.33

QUIGLEY'S

PORCHWORK

FIR PORCH RAIL




Q-A



Q-N




Q-H




Q-I

Q-A—Top Rail, 3 1/8 x 2 5/8 Rab. for 1 3/4 Balusters..... **\$45.09**
 Q-N—Bottom Rail, 2 5/8 x 2 5/8..... **33.82**


Per 100
Lin. Ft.



Q-K




Q-L




Q-C

Q-K—Top Rail, 2 5/8 x 2 5/8 Rab. for 1 3/8 or 1 1/4 Balusters... **\$33.82**
 Q-C—Bottom Rail, 2 5/8 x 2 5/8..... **33.82**
 Q-L—Bottom Rail, 2 5/8 x 1 5/8..... **21.88**

Per 100
Lin. Ft.



Q-B



Q-D

Q-B—Top Rail, 4 5/8 x 2 5/8 Rab. for 2 3/4 Balusters..... **\$56.36**
 Q-D—Bottom Rail, 3 5/8 x 2 5/8..... **45.09**

Per 100
Lin. Ft.


Q-H—Top Rail, 2 5/8 x 2 5/8 Rab. for 1 3/8 and 1 1/4 Balusters..... **\$33.82**

Per 100
Lin. Ft.

Q-I—Top Rail, 2 5/8 x 1 5/8..... **21.88**



Q-J



Q-O

Q-J—Bottom Rail, 2 5/8 x 1 5/8..... **\$21.88**

Per 100
Lin. Ft.

Q-O—Hand Rail, 2 5/8 x 2 5/8..... **33.82**

FIR PORCH BALUSTERS



Q-117

	Per 100 Pieces	
	Q-117	Q-118
1 1/8 x 1 1/8—28"	\$15.17	\$ —
1 1/8 x 1 1/8—32"	17.42	—
1 1/8 x 1 1/8—36"	19.56	—
1 3/8 x 1 3/8—24"	17.07	24.05
1 3/8 x 1 3/8—28"	19.72	28.03
1 3/8 x 1 3/8—32"	25.22	—
1 3/4 x 1 3/4—20"	—	—
1 3/4 x 1 3/4—24"	26.13	31.86
1 3/4 x 1 3/4—28"	30.44	38.25
1 3/4 x 1 3/4—32"	38.48	—
2 3/4 x 2 3/4—20"	56.01	66.13
2 3/4 x 2 3/4—24"	69.63	80.31



Q-118

See other size Balusters on Pages 118 and 122

OAK THRESHOLDS



5/8 x 3 5/8 x 3.1..... **\$0.51**
 5/8 x 3 5/8 Lineal Feet..... **.18 Per Ft.**

QUIGLEY'S

DISTRIBUTORS OF: INSULATION

INSULITE PRODUCTS
BALSAM WOOL
UPSON PANELS
NU-WOOD
ROCK WOOL

TILE and HARDBOARDS

MARSH TILE AND MOULDINGS
MASONITE
INSULITE
UPSON
NU-WOOD

HARDWARE

YALE BUILDERS' HARDWARE
McKINNEY HARDWARE
BOMMER HARDWARE
AMEROCK HARDWARE
REVERE COPPER
METAL ARCHES
DONLEY PRODUCTS
SCREEN WIRE CLOTH

PAINT, ETC.

KYANIZE
BONDEX
PUTTY
GLAZIERS' SUPPLIES

MANTELS

A beautiful mantel design that will add an atmosphere of coziness to the home. The carefully made dentils under the shelf and the accurately machined moulding which frames the fireplace proper lend entrancing beauty to the mantel.



Q-3650

K. D. Semi-assembled.
Carton packed.
Height to top of shelf 4'5¼"
Length of shelf 6'6⅝"
Width of shelf 7¼"
Wood opening 4'2" wide, 3'1" high.

Q-3650—No. 1 White Pine..... \$49.56

The expert craftsmanship marks this mantel as the outstanding design for ornate beauty. Every moulding and ornament is carefully and precisely shaped and fitted, and every joint is constructed to insure maximum durability.



Q-3658

K. D. Semi-assembled.
Carton packed.
Height to top of shelf 4'4⅝"
Length of shelf 6'1¼"
Width of shelf 7⅞"
Wood opening 4'3" wide, 3'3" high.

Q-3658—No. 1 White Pine..... \$46.08

MANTELS

A mantel design that captures the admiration of home lovers. Its correct proportions, fluted pilasters, and graceful mouldings combined with its spacious shelf produces a pleasing appearance.



Q-3664

K. D. Semi-assembled.
Carton packed.
Height to top of shelf 4'4 $\frac{5}{8}$ ".
Length of shelf 6'1 $\frac{1}{4}$ ".
Width of shelf 7 $\frac{7}{16}$ ".
Wood opening 4'3" wide, 3'3" high

Q-3664—No. 1 White Pine..... \$38.22

This design combines stateliness and beauty, and its excellent harmony with the latest home furnishings makes it an excellent selection. It is a masterpiece in woodwork.




Q-3654

K. D. Semi-assembled.
Carton packed.
Height to top of shelf 4'4 $\frac{5}{8}$ ".
Length of shelf 6'1 $\frac{1}{4}$ ".
Width of shelf 7 $\frac{7}{16}$ ".
Wood opening 4'3" wide, 3'3" high.

Q-3654—No. 1 White Pine..... \$38.22

QUIGLEY'S

CORNER CABINETS FOR LARGER HOMES



Q-3757

Q-3757—No. 1 White Pine..... \$73.26

OVERALL DIMENSIONS:

3'1" wide, 7'1 $\frac{5}{16}$ " high and 1'1 $\frac{1}{4}$ " deep inside. Extends 2'3 $\frac{1}{8}$ " along each wall out from the corner.



Q-3755

Q-3755—No. 1 White Pine..... \$59.18

OVERALL DIMENSIONS:

3'1" wide, 7'8 $\frac{1}{4}$ " high and 1'1 $\frac{1}{4}$ " deep inside. Extends 2'3 $\frac{1}{8}$ " along each wall out from the corner.



Q-3753

Q-3753—No. 1 White Pine..... \$53.70

OVERALL DIMENSIONS:

3'1" wide, 7'1 $\frac{5}{16}$ " high and 1'1 $\frac{1}{4}$ " deep inside. Extends 2'3 $\frac{1}{8}$ " along each wall out from the corner.



Q-3751

Q-3751—No. 1 White Pine..... \$46.29

OVERALL DIMENSIONS:

3'1" wide, 7'1 $\frac{5}{16}$ " high and 1'1 $\frac{1}{4}$ " deep inside. Extends 2'3 $\frac{1}{8}$ " along each wall out from the corner.

QUIGLEY'S

CORNER CABINETS FOR SMALLER HOMES



Q-3761

Q-3761—No. 1 White Pine..... \$39.21

OVERALL DIMENSIONS:

2'9" wide, 6'3" high and 1'2 $\frac{3}{4}$ " deep inside.
Requires 2'0" along each wall out from the corner.



Q-3759

Q-3759—No. 1 White Pine..... \$31.17

OVERALL DIMENSIONS:

2'9" wide, 6'5 $\frac{1}{2}$ " high and 1'2 $\frac{3}{4}$ " deep inside. Requires 2'0" along each wall out from the corner.




Q-3765

Q-3765—No. 1 White Pine..... \$49.77

OVERALL DIMENSIONS:

2'9" wide, 6'3" high and 1'2 $\frac{3}{4}$ " deep inside.
Requires 2'0" along each wall out from the corner.



Q-3763

Q-3763—No. 1 White Pine..... \$41.10

OVERALL DIMENSIONS:

2'9" wide, 6'8 $\frac{1}{2}$ " high and 1'2 $\frac{3}{4}$ " deep inside. Requires 2'0" along each wall out from the corner.

QUIGLEY'S

IRONING BOARD CABINETS

No. 1 WHITE PINE COMPLETELY ASSEMBLED

An exceptionally popular and convenient ironing board cabinet, with full length door, that has the ironing board attached to it. It is neat, efficient, and well constructed for long satisfactory service.



Q-3646
CARTON PACKED

NO DOOR HARDWARE
NO CASING

Dimensions of ironing board (proper):
4'3" long
10 $\frac{7}{8}$ " wide
Sleeve board 2'2 $\frac{1}{4}$ " long and 5 $\frac{1}{8}$ " wide.
Recess required: 1'2 $\frac{1}{4}$ " wide, 6'9" high,
and 4" deep.

Q-3646—No. 1 White Pine..... \$22.20

No. 1 WHITE PINE COMPLETELY ASSEMBLED

The board is affixed to the recessed cabinet and is completely out of the way when not in use . . . accessible, practical, and easy to work with when needed.



Q-3644
CARTON PACKED

NO DOOR HARDWARE
NO CASING

Dimensions of ironing board (proper):
4'3" long
10 $\frac{7}{8}$ " wide
Sleeve board 2'2 $\frac{1}{4}$ " long and 5 $\frac{1}{8}$ " wide
Recess required: 1'2 $\frac{1}{4}$ " wide, 4'9" high,
and 4" deep.

Q-3644—No. 1 White Pine..... \$17.49

QUIGLEY'S

IRONING BOARD CABINETS

No. 1 WHITE PINE
COMPLETELY ASSEMBLED

An on-the-wall ironing board cabinet which attaches directly to the surface of the wall and can be removed when desired.



NO DOOR HARDWARE

Dimensions of ironing board (proper):
4'3" long
10 7/8" wide
Cabinet overall size
1'2 5/8" wide and
4'9 1/2" high.

Q-3648

CARTON PACKED

Q-3648—No. 1 White Pine..... \$17.76

THE "EUBANK"

THE SWIVEL TYPE IRONING BOARD CABINET

It's the Swivel Support that makes this Eubank Ironing Board Cabinet a leader. Of sturdy cast aluminum, the Support provides double strength and durability besides keeping the Board rigidly upright in the Cabinet, even when Door is open. It holds the Board firm, eliminates sagging, and, best of all, allows you to swing the Board through a wide Arc for flexibility in use.

The Eubank Ironing Board Cabinet can be installed in narrow utility rooms, in the kitchen hall, and in locations where the ordinary board would be utterly impractical.

It is easy to install: Requires an opening only 14" x 57 1/4" x 3 3/4" overall.


It is practical in new or old homes, either before or after plastering. When installed it is attractively recessed into the wall. The Cabinet Door may be installed for right or left hand opening. A metal-Asbestos Iron Rest is provided on the Board.

THE "EUBANK".....\$16.57

QUIGLEY'S

CABINET WORK

MIAMI-CAREY RECESSED METAL BATHROOM CABINETS



No. 1406-A

The Colonial Cabinets fitted with light brackets are complete in every respect. In addition to the light fixtures, these models are also fitted with switch to control the lights and electric convenience plug for razor, and other electrical appliances. Bulbs are not furnished.

It is also equipped with demi-tubular light brackets. This is an all-mirror front model with no frame around the mirror. The mirror is selected quality genuine plate glass.

MODEL No. 1406-A

Mirror	Wall Opening	Overall
16" x 24"	14" x 20" x 3½"	16¼" x 24¼"

Price.....\$29.81

This Gothic is one of the most popular models in the line. Mirror is No. 1 quality plate glass. Mirror Frame is stainless steel, polished and buffed to a chrome-like finish. Won't rust. Hinge is brass, chromium plated, full length piano style. Construction is one piece—no open seams or joints. Finished in three coats of first quality, baked-on enamel over a rust resistant undercoat.

Other features include razor blade disposal slot, bottom shelf brackets to hold six tooth brushes, three bulb edge glass shelves, and one flat glass shelf for bottom of cabinet.

MODEL No. 2010

Mirror	Wall Opening	Overall
16" x 26"	14" x 20" x 3½"	16¼" x 26¼"

Price.....\$23.09




No. 2010

QUIGLEY'S

CABINET WORK

MIAMI-CAREY RECESSED METAL BATHROOM CABINETS



MODEL No. 304-A

Here's the smartest low-priced bathroom cabinet on the market today. Features include bulb shelf edges; razor blade drop; piano type hinges—white enameled; selected plate glass mirror.

Mirror
16" x 22"

Wall Opening
14" x 18" x 3½"

Overall
16¼" x 22¼"

Price.....\$14.27



MODEL No. 1408-A

The simple elegance of the beveled plate glass mirror lends beauty and dignity to any bathroom design. Features include No. 1 selected plate glass beveled; hinge is full length, concealed piano type, finished to match the cabinet. Construction is one piece—no open seams or joints; finished in two coats of first quality baked-on enamel over a rust resistant undercoat; razor blade disposal slot; two glass shelves; bottom shelf brackets designed to hold six tooth brushes.

Mirror
16" x 22"

Wall Opening
14" x 20" x 3½"

Overall
16" x 22"

Price.....\$14.58



MODEL No. 1622-CF

A beautiful creation with modern design. It is especially designed to make a top quality cabinet available for medium priced homes. Features include No. 1 quality plate glass; Mirror Frame stainless steel—won't rust; hinge is brass and full length piano style. Construction is one piece; finished in three coats of first quality baked-on enamel. Razor blade disposal slot; three bulb edge glass shelves, and one flat glass shelf for bottom of cabinet. Shelf brackets hold six tooth brushes.

Mirror
16" x 24"


Wall Opening
14" x 20" x 3½"

Overall
16¼" x 24¼"

Price.....\$20.09

QUIGLEY'S

CABINET WORK BREAKFAST NOOK



No. 3806

Price \$48.73

This Breakfast Nook is large enough to seat four persons comfortably. It is manufactured of thoroughly seasoned kiln dried Ponderosa Pine, completely machined and K. D. Semi-assembled. Packed in dust-proof corrugated cartons.

Dimensions:

Table Top—2'.2" wide, 4'.0" long, and 2'.6" high.
Seats—1'.6" deep, 4'.5¼" long, and 3'.0" high.
Space required—5'.6" wide and 4'.6" deep.

TELEPHONE CABINET



No. 3946

Price \$7.11

Here is a practical, functional telephone cabinet that provides ample space for the largest directory and a wide shelf on which to place the telephone. It saves valuable floor space which otherwise would be occupied by a telephone table. It is built in between standard (16" O. C.) spaced studs and is exceptionally attractive in appearance. Overall Size 1'.4" wide by 1'.7½" high.

QUIGLEY'S

NU-STYLE KITCHEN CABINETS



YOUR NEW KITCHEN . . .

is the most important room in the house.

It is the very heart of the home and
life revolves around it. It is the Workshop
and the Office for most homemakers.

It should be a joyous place in which to live and
work — a convenient place with modern Cabinets
and other appliances which will
lighten the daily task of keeping house.

Such a kitchen can be yours with

BILT WELL
WOOD WORK
REG. U. S. PAT. OFF.

NU-STYLE
KITCHEN
CABINETS


NU-STYLE KITCHEN CABINETS

No. 1 W. P. — K. D. CARTON PACKED — IN THE WHITE


CEILING UNITS



Cabinet No.	Width of Cabinet	Depth of Cabinet	Height of Cabinet	Each
15-C1½	15"	13¾"	18"	\$10.05
18-C1½	18"	13¾"	18"	10.59
21-C1½	21"	13¾"	18"	11.31
24-C1½	24"	13¾"	18"	11.82



27-C1½	27"	13¾"	18"	\$15.12
30-C1½	30"	13¾"	18"	15.63
33-C1½	33"	13¾"	18"	16.32
36-C1½	36"	13¾"	18"	16.92
39-C1½	39"	13¾"	18"	17.37
42-C1½	42"	13¾"	18"	17.88



ANGLE UNIT

18-CA1½—Extends 25¾" along each wall out from the corner 18" high... \$17.10

COMBINATIONS OF STANDARD UNITS FIT ANY KITCHEN NEED

With this method of furnishing kitchen cabinets in Sectional Units, the Architect, the Housewife and the Builder are permitted entire freedom of arrangement with the various types of units to obtain the greatest efficiency and utmost convenience.

QUIGLEY'S


NU-STYLE KITCHEN CABINETS

No. 1 W. P. — K. D. CARTON PACKED — IN THE WHITE


UPPER UNITS



Cabinet No.	Width of Cabinet	Depth of Cabinet	Height of Cabinet	Each
15-U.....	15"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	\$15.17
18-U.....	18"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	16.22
21-U.....	21"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	17.52
24-U.....	24"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	18.60



27-U.....	27"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	\$23.27
30-U.....	30"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	24.46
33-U.....	33"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	25.71
36-U.....	36"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	26.90
39-U.....	39"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	28.08
42-U.....	42"	13 $\frac{3}{4}$ "	30 $\frac{1}{2}$ "	29.30



ANGLE UNIT

18-UA—Extends 25 $\frac{3}{4}$ " along each wall out from corner 30 $\frac{1}{2}$ " high..... \$29.22

EASILY ADJUSTABLE FOR ODD ROOM WIDTHS

Upper and Lower Units are available in usual widths, breaking on 3". For room width variations under 3", a scribe strip is used. If the room width variation is 3" or more, the next width stock unit is used, plus the scribe strip. It is less expensive to use one wide unit than two small units.

QUIGLEY'S


NU-STYLE KITCHEN CABINETS

No. 1 W. P. — K. D. CARTON PACKED — IN THE WHITE


LOWER UNITS



Cabinet No.	Width of Cabinet	Depth of Cabinet	Height of Cabinet	Each
15-L-1	15"	24 3/4"	30 1/2"	\$22.47
18-L-1	18"	24 3/4"	30 1/2"	23.43
21-L-1	21"	24 3/4"	30 1/2"	24.66
24-L-1	24"	24 3/4"	30 1/2"	25.71




15-L-2	15"	24 3/4"	30 1/2"	\$29.25
18-L-2	18"	24 3/4"	30 1/2"	30.51
21-L-2	21"	24 3/4"	30 1/2"	31.56
24-L-2	24"	24 3/4"	30 1/2"	33.06



27-L-3	27"	24 3/4"	30 1/2"	\$34.47
30-L-3	30"	24 3/4"	30 1/2"	34.95
33-L-3	33"	24 3/4"	30 1/2"	35.49
36-L-3	36"	24 3/4"	30 1/2"	36.87
39-L-3	39"	24 3/4"	30 1/2"	37.92
42-L-3	42"	24 3/4"	30 1/2"	39.00



30-L-2	30"	24 3/4"	30 1/2"	\$44.76
36-L-2	36"	24 3/4"	30 1/2"	47.40
42-L-2	42"	24 3/4"	30 1/2"	49.56



ANGLE UNIT

15-L-A—Extends 34 3/8" along each wall out from the corner 30 1/2" high. \$21.90

QUIGLEY'S

Quigley's
Complete
Address
Book